TABLE 3B-1
NUMBER OF REPORTED CASES OF SEXUALLY TRANSMITTED DISEASES BY CATEGORY AND YEAR, ARIZONA, 2004-2014

| Disease | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 |
|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Gonorrhea | 4,088 | 4,951 | 5,949 | 5,062 | 3,449 | 3,250 | 3,249 | 4,564 | 5,856 | 6,505 | 7,585 |
| Gonococcal PID ^a | 15 | 8 | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Resistant Gonorrhea ^b | * | * | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * |
| Syphilis (P & S)° | 160 | 175 | 203 | 296 | 317 | 231 | 230 | 274 | 204 | 290 | 572 |
| Syphilis-Total ^d | 998 | 789 | 931 | 1,242 | 1,396 | 1,085 | 904 | 907 | 795 | 966 | 1,434 |
| Chlamydia | 16,869 | 21,264 | 24,090 | 24,866 | 24,769 | 26,002 | 26,861 | 29,251 | 30,571 | 30,923 | 31,750 |

Notes: * Cell suppressed due to non-zero count less than 6; ^a PID is pelvic inflammatory disease; ^b Includes PPNG, penicillase producing Neisseria gonorrhea, a form of gonorrhea which is resistant to penicillin; ^c Primary and secondary syphilis only; ^d Early, late, congenital and other; since 2005, the table includes all positive laboratory results for chlamydia and gonorrhea with or without communicable disease report.

Source: Arizona Department of Health Services, Bureau of Epidemiology and Disease Control, Office of HIV / STD.

TABLE 3B-2
NUMBER OF DEATHS ASSOCIATED WITH SPECIFIED SEXUALLY TRANSMITTED DISEASES BY CATEGORY AND YEAR,
ARIZONA, 2004-2014

| Disease | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 |
|-----------------------|------|------|------|------|------|------|------|------|------|------|------|
| Gonococcal infections | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Syphilis-Total | * | 0 | 0 | 0 | * | 0 | 0 | * | * | * | * |

Notes: * Cell suppressed due to non-zero count less than 6; Number of deaths associated with Syphilis are still birth (congenital syphilis).