

TABLE 2B-7  
NUMBER OF DEATHS FROM DISEASES OF THE HEART BY CATEGORY, GENDER AND YEAR,  
ARIZONA, 1990-2000

		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
ALL FORMS OF HEART DISEASE	TOTAL	8,666	8,619	9,185	9,955	9,851	10,104	9,995	10,002	10,276	10,355	10,430
	Male	4,676	4,658	4,948	5,343	5,248	5,389	5,400	5,276	5,542	5,580	5,594
	Female	3,990	3,961	4,237	4,612	4,603	4,715	4,595	4,726	4,734	4,775	4,836
Acute rheumatic fever and Chronic rheumatic heart disease	TOTAL	94	63	68	61	81	64	55	65	52	51	32
	Male	19	25	21	18	26	18	20	25	14	19	13
	Female	75	38	47	43	55	46	35	40	38	32	19
Hypertensive heart and renal disease	TOTAL	7	11	8	8	10	10	3	7	4	3	*30
	Male	3	2	4	3	6	6	3	2	2	1	13
	Female	4	9	4	5	4	4	0	5	2	2	17
Ischemic heart disease	TOTAL	6,220	6,054	6,217	6,455	6,404	6,671	6,373	6,303	6,367	6,383	7,949
	Male	3,490	3,419	3,473	3,622	3,509	3,689	3,543	3,427	3,562	3,537	4,386
	Female	2,730	2,635	2,744	2,833	2,895	2,982	2,830	2,876	2,805	2,846	3,563
Hypertensive heart disease	TOTAL	115	142	167	156	139	142	185	265	233	229	261
	Male	43	53	69	46	46	43	71	116	99	99	136
	Female	72	89	98	110	93	99	114	149	134	130	125
All other forms of heart disease	TOTAL	2,230	2,349	2,725	3,275	3,217	3,217	3,379	3,362	3,620	3,689	2,158
	Male	1,121	1,159	1,381	1,654	1,661	1,633	1,763	1,706	1,865	1,924	1,046
	Female	1,109	1,190	1,349	1,621	1,556	1,584	1,616	1,656	1,755	1,765	1,112

Note: The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

\* The comparability ratio for hypertensive heart and renal disease is 1.5, indicating a 50 percent increase in hypertensive heart and renal disease deaths when classified by ICD-10.