

**TABLE 3B-4
RATES¹ OF REPORTED CASES OF GONORRHEA, CHLAMYDIA, EARLY
SYPHILIS AND GENITAL HERPES BY AGE AND GENDER, ARIZONA, 2002**

Age Group	GONORRHEA			CHLAMYDIA			EARLY SYPHILIS			GENITAL HERPES		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
0-4	2.4	2.0	2.2	8.1	12.1	10.1	0	0	0	1.0	0	0.5
5-9	0.5	2.0	1.2	0	0.5	0.2	0	0	0	0	0.5	0.2
10-14	2.9	11.2	7.0	9.7	97.5	52.4	0	0	0	0.5	1.0	0.7
15-19	131.0	248.2	187.5	385.7	2,129.1	1,226.3	6.4	12.2	9.2	17.7	71.4	43.6
20-24	300.0	290.2	295.4	579.4	2,336.6	1,410.3	17.2	20.8	18.9	51.0	120.2	83.7
25-29	185.2	133.0	160.3	300.0	899.0	586.0	17.7	12.6	15.3	37.8	57.1	47.0
30-34	146.1	83.1	115.8	155.9	396.3	271.5	14.2	13.2	13.7	34.3	46.0	40.0
35-39	97.7	50.5	74.5	78.9	176.2	126.7	16.9	11.2	14.1	16.4	28.2	22.2
40-44	82.2	27.0	54.9	45.1	79.0	62.1	16.3	8.0	12.2	15.8	23.5	19.7
45-54	40.9	10.8	25.5	22.0	25.2	23.6	10.1	5.6	7.8	10.7	15.2	13.0
55-64	16.1	3.6	9.5	5.8	4.5	5.1	4.9	0.4	2.5	6.7	5.7	6.1
65-over	1.6	0.8	1.1	1.0	1.3	1.1	1.3	0	0.6	2.8	1.3	2.0
Total	77.8	60.1	68.9	120.6	423.4	272.2	8.5	6.2	7.3	15.3	26.6	21.0

¹Number of cases per 100,000 population.

Source: Arizona Department of Health Services, Bureau of Epidemiology and Disease Control Services, Office of HIV/STD Services