

INDEX TO TABLES

(Numbers and letters refer to tables)

A

Abnormal conditions of the newborn 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Abortion

Abortions per 1,000 live births 5D-2
Abortions per 1,000 women 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1
Age group 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1D-1, 1D-3, 1D-5, 5A-4, 5D-4
County of residence 5A-1, 5A-4, 5D-1, 5D-2, 5D-3, 5D-4, 5D-5, 5D-6, 5D-7
Gestation, length of 1D-1, 1D-3, 1D-4, 5D-7
Hospitalized for complications 1D-1
Marital status 5D-6
Number performed in Arizona 1D-1, 5D-3
Race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1D-1, 5D-5
Reason for termination 1D-1
Type of facility 1D-1

Abruptio placenta, (*see also* **Complications of labor and/or delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Abstinence from cigarette smoking 4A, 6A

Accidents, (*see* **Injuries, unintentional**)

Acute myocardial infarction, deaths from 2B-6, 2B-28, 5E-12

African-American residents, (*see* **Black residents**)

AIDS, (*see* **HIV/AIDS**)

Alcohol-induced deaths 2B-6, 2C-28, 5E-12, 9C

Alcoholic liver disease 2B-6, 2C-28, 5E-12

Alcohol use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Alzheimer's disease deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34

American Indian residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-12, 1B-13, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

Amebiasis, 3A-1, 3A-2, 5F-1, 5F-2

Amniocentesis, (*see also* **Obstetric procedures**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Anemia

Mother's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Newborn's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28
Deaths from 2B-6, 2C-28, 5E-12

Anencephalus, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Anesthetic complications 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Aortic aneurysm and dissection, 2B-6, 2C-28, 5E-12

Appendix, diseases of (deaths from) 2B-6, 2C-28, 5E-12

Arizona Health Care Cost Containment

System (AHCCCS) 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20

Asian (Asian or Pacific Islander) residents

1B-20, 1B-22, 1B-23, 1B-24, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-37, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5D-5, 5E-6, 5E-18

Assault, (*see* **Homicide**)

Assisted ventilation, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28

Asthma, deaths from 2B-6, 2C-28, 4H, 5E-12

Atelectasis deaths from 2C-7, 5E-20

Atherosclerosis, deaths from 2B-6, 2C-28, 5E-12

Atherosclerotic cardiovascular disease, deaths from 2B-6, 2C-28, 5E-12

Attendant at birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Average age at death

County of residence 5E-11
Gender differences 2D-1, 2D-3,
Race/ethnic differences 2D-1, 2D-3,
Ten leading causes 2D-3
Urban/rural differences 2D-3

B

Births

Abnormal conditions of the newborn 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Age of father 1B-19

Age of mother 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-9, 5B-10, 5B-14, 5B-19

Alcohol use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-24

Attendant at birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Birth defects, (*see* **Congenital anomalies**)

Birth injury, (*see* **Abnormal conditions of the newborn**)

Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2

Birth weights 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-4, 1B-15, 1B-16, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Cesarean deliveries 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 4A-11, 5B-26, 5B-30, 6A-11

Complication of labor and/or delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27, 5B-30

County of occurrence 5B-4, 5B-5

County of residence 5B-2, 5B-3

Education of father 1B-21

Education of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15

Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1

Births (continued)

Gestational age 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A

Low-weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, B-30, 9A

Marital status 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15

Medical risk factors 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Method of delivery 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16

Newborn intensive care 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-24, 5B-30

Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

Order of births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-24

Payee for births 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20, 5B-22,

Place of delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Prenatal visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A

Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30

Previous live births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-24

Race/ethnicity of father 1B-20

Race/ethnicity of mother 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22

Race/ethnicity of the newborn 5B-7

Rural areas 1B-5, 1B-7, 1B-25, 1B-26, 5B-17

Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Teenage mothers 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-2, 5A-3, 5A-4, 5B-9, 5B-10, 5B-19, 9A

Tobacco use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Trimester of entry into prenatal care 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11

Unmarried mothers 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15, 9A

Urban areas 1B-4, 1B-6, 1B-25, 1B-26

Very low weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, B-28, 1B-32

Weight gain during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Black residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-12, 1B-13, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-4, 2B-5, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

Body disposition (see also **Deaths**) 5E-9, 5E-10

Breech malpresentation, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Bronchiolitis, acute, deaths from 2B-6, 2C-28, 5E-12

Bronchitis, chronic and unspecified, deaths from 2B-6, 2C-28, 5E-12

Brucellosis 3A-1, 3A-2, 5F-1, 5F-2

C

Campylobacteriosis 3A-1, 5F-1, 5F-2

Cancer (malignant neoplasms), deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 2D-3, 2D-4, 4E, 5E-11, 5E-12, 5E-13, 5E-14, 6E

Bladder 2B-6, 2B-8, 2C-28, 5E-11

Brain 2B-6, 2B-8, 2C-28, 5E-11

Breast 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 4E, 5E-11, 5E-12, 5E-13, 5E-14, 6E

Cervix uteri 2B-4, 2B-5, 2B-6, 2B-8, 5E-11, 4E, 6E

Colon, rectum, and anus (colorectal) 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 5E-11, 4E, 6E

Corpus uteri and uterus 2B-6, 2B-8, 2C-28, 5E-11

Esophagus 2B-6, 2B-8, 2C-28, 5E-11

Hodgkin's disease 2B-6, 2B-8, 2C-28, 5E-11

In situ 2B-6, 2C-28, 5E12

Kidney 2B-6, 2B-8, 2C-28, 5E-11

Larynx 2B-6, 2C-28, 5E-11

Leukemia 2B-6, 2C-28, 5E-11

Lip, oral cavity and pharynx 2B-6, 2C-28, 5E-11

Liver and intrahepatic bile ducts 2B-6, 2C-28, 5E-11

Lung 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 4E, 5E-11, 5E-12, 5E-13, 5E-14, 6E

Lymphoid and hematopoietic tissue 2B-6, 2C-28, 5E-11

Malignant lymphoma other than Hodgkin's disease 2B-8

Melanoma of skin 2B-8, 4E

Multiple myeloma 2B-8

Oropharyngeal 2B-6, 2B-8, 2C-28, 5E-11

Ovary 2B-6, 2C-28, 5E-11

Pancreas 2B-6, 2B-8, 2C-28, 5E-11

Prostate 2B-4, 2B-12, 2B-7, 5E-11, 5E-12, 5E-13, 5E-14, 4E, 6E

Skin 2B-6, 2B-8, 2C-28, 5E-11

Stomach 2B-6, 2B-8, 2C-28, 5E-11

Trachea, bronchus and lung 2B-6, 2B-8, 2C-28, 5E-11

Cardiac disease as a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Cardiovascular disease, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 4E-32, 5E-11, 5E-12, 5E-13, 5E-14, 6E-29

Cephalopelvic disproportion, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Cerebrovascular disease (stroke), deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 4E-32, 5E-11, 5E-12, 5E-13, 5E-14, 6E-28

Certain conditions originating in the perinatal period, deaths due to 2B-6, 2C-28, 5E-11

Cesarean deliveries, (see also **Delivery, method of**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

Chickenpox 3A-1, 3A-2, 5F-1, 5F-2

Chlamydia 3B-1, 3B-3, 3B-4, 3B-5, 4B, 5F-1, 5F-2

Cholelithiasis and other disorders of gallbladder, deaths from 2B-6, 2C-28, 5E-11

Cholera 3A-1, 5F-1, 5F-2

Chronic liver disease and cirrhosis deaths from 2B-1, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14

Chronic lower respiratory diseases deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Chronic obstructive pulmonary diseases, (see **Chronic lower respiratory diseases**)

Cigarette smoking during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Cirrhosis, deaths from 4J, 6J

Cleft lip/palate, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Club foot, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Coccidioidomycosis (Valley Fever)
Reported cases 3A-1, 5F-1, 5F-2
Deaths from 3A-2

Cold, exposure to, deaths from 2B-9

Colorado Tick Fever 3A-1

Complications of medical and surgical care, deaths due to 2B-6, 2C-28, 5E-12

Communicable diseases, (see **Diseases, reportable**)

Complications of labor and/or delivery
1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27, 5B-30

Complications of pregnancy, childbirth and the puerperium, deaths from 1C-2, 2B-6, 2C-28, 5E-11

Congenital anomalies (birth defects) **reported on birth certificate** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Congenital malformations, deformations and chromosomal abnormalities deaths from 2B-6, 2C-28, 5E-12

Cord prolapse, (see also **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Coronary heart disease, deaths from 4G, 6G

5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31
5E-32, 5E-33, 5E-34, 6C, 6D, 6E, 9B, 9C

Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11
Age-specific numbers and rates 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 9B

Average age at death 2D-1, 2D-3, 5E-11

County of residence 5E-11, 5E-12, 5E-13, 5E-14

Crude death rates 2B-6, 5E-13

Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4

Premature mortality 2D-2, 2D-4

Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4

Urban/rural differences 2B-5, 2D-3, 2D-4

Decedent status 2A-4, 2B-10, 5E-8

Delivery, method of 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Dengue, 3A-1, 3A-2, 5F-1, 5F-2

Diabetes mellitus as medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-26

Diabetes mellitus, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Diabetes-related deaths 4F, 6F

Diaphragmatic hernia, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Diseases of appendix, deaths from 2B-6, 2C-28, 5E-12

Diseases of heart, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Diseases of pericardium and acute myocarditis, deaths from 2B-6, 2C-28, 5E-12

Diseases, reportable

AIDS 3C-1, 3C-2, 3C-3, 3C-4, 4B-16, 5F-3

Amebiasis 3A-1, 5F-1, 5F-2,

Botulism 3A-1, 5F-1, 5F-2

Brucellosis 3A-1, 3A-2, 5F-1, 5F-2

Central nervous system 3A-1, 5F-1, 5F-2

Chickenpox 3A-1, 5F-1

Chlamydia 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2

Coccidioidomycosis (Valley Fever) 3A-1, 5F-1, 5F-2

Colorado Tick Fever 3A-1, 5F-1, 5F-2

Cryptosporidiosis 3A-1, 5F-1, 5F-2

Dengue 3A-1, 3A-2, 5F-1, 5F-2

E. coli O157:H7 3A-1, 5F-1, 5F-2

Encephalitis, viral 3A-1, 5F-1, 5F-2

Enteric 3A-1, 5F-1, 5F-2

Erlischiosis 3A-1

Fungal 3A-1, 5F-1, 5F-2

Giardiasis 3A-1, 5F-1, 5F-2

Gonorrhea 3B-1, 3B-3, 3B-4, 3B-5, 4B, 5F-1, 5F-2, 6B

Gonococcal Pelvic Inflammatory Disease 3B-1, 5F-1, 5F-2

Hantavirus Pulmonary Syndrome 3A-1, 5F-1, 5F-2

H Flu (invasive) 3A-1, 4B-16, 5F-1, 5F-2

Hepatitis 3A-1, 4B-16, 5F-1, 5F-2

Legionellosis 3A-1, 3A-2, 5F-1, 5F-2

Listeriosis 3A-1, 3A-2, 5F-1, 5F-2

Lyme disease 3A-1, 5F-1, 5F-2

Malaria 3A-1, 3A-2, 5F-1, 5F-2

Measles 3A-1, 4B-15, 5F-1, 5F-2

Meningitis, aseptic 3A-1, 5F-1, 5F-2

Meningitis, bacterial 3A-1, 5F-1, 5F-2

Meningitis, meningococcal 3A-1, 5F-1, 5F-2

D

Day of birth 1B-18

Day of death 2A-3

Deaths 2A-1, 2A-2, 2A-3, 2A-4, 2B-1, 2B-2, 2B-3, 2B-4, 2-5, 2B-6, 2B-7, 2B-8, 2B-9, 2B-10, 2B-11, 1C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 2D-1, 2D-2, 2D-3, 2D-4, 4C, 4D, 4E, 5E-1, 5E-2, 5E-3, 5E-4, 5E-5, 5E-6, 5E-7, 5E-8, 5E-9, 5E-10, 5E-11, 5E-12, 5E-13, 5E-14, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20, 5E-21, 5E-22, 5E-23, 5E-24,

Diseases, reportable (continued)

Mumps 3A-1, 4B-15, 5F-1, 5F-2
 Plague 3A-1, 5F-1, 5F-2
 Rabies, Human 3A-1, 5F-1, 5F-2
 Reyes Syndrome 3A-1, 5F-1, 5F-2
 Rocky Mountain Spotted Fever 3A-1, 3A-2, 5F-1, 5F-2
 Rubella 3A-1, 5F-1, 5F-2
 Salmonella paratyphi A 3A-1, 5F-1, 5F-2
 Salmonella paratyphi B 3A-1, 5F-1, 5F-2
 Salmonella paratyphi C 3A-1, 5F-1, 5F-2
 Salmonellosis (except *S. typhi* and *S. paratyphi*)
 3A-1, 5F-1, 5F-2
 Sexually transmitted 3B-1, 5F-1, 5F-2
 Shigellosis 3A-1, 5F-1, 5F-2
 Streptococcal-Group A 3A-1, 5F-1, 5F-2
 Streptococcal-Group B 3A-1, 5F-1, 5F-2
 Streptococcus pneumoniae 3A-1, 5F-1, 5F-2
 Syphilis 3B-1, 3B-3, 3B-4, 3B-5, 4B-14, 5F-1, 5F-2
 Congenital 4B-14
 Toxic Shock Syndrome 3A-1, 5F-1, 5F-2
 Tuberculosis 3A-1, 4B-16, 5F-1, 5F-2
 Pulmonary Tuberculosis 3A-1, 5F-1, 5F-2
 Tularemia 3A-1, 5F-1, 5F-2
 Typhoid fever 3A-1, 5F-1, 5F-2
 Vaccine preventable 3A-1, 5F-1, 5F-2
 Vibrio spp. 3A-1, 5F-1, 5F-2
 Vancomycin, resistant *Enterococcus* spp. 3A-1,
 5F-1, 5F-2
 Yersiniosis 3A-1, 5F-1, 5F-2
 Zoonotic 3A-1, 5F-1, 5F-2

Disorders relating to short gestation and unspecified low-birthweight, (*see also* **Infant mortality**) 2C-5, 2C-6, 2C-7, 5E-20

Dissolutions of marriage 5G-4, 5G-5, 5G-6

Divorces, (*see* **Dissolutions of marriage**)

Down's syndrome, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Drowning and submersion, accidental, deaths from 2B-4, 2B-5, 2B-6, 2C-8, 2C-9, 2C-11, 2C-15, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14
 Among children 4 years and younger 4C-23

Drug-induced deaths 2B-6, 2C-28, 5E-12, 9C

Dysfunctional labor, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

E

***E. coli* O157:H7** 3A-1, 5F-1, 5F-2

Eclampsia, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Electronic fetal monitoring, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

Empysema, deaths from 2B-6, 2C-28, 5E-12

Encephalitis, arthropod-borne, deaths from 2B-6, 2C-28, 5E-12

Encephalitis, viral 3A-1, 3A-2, 5F-1, 5F-2

Endocarditis, acute and subacute, deaths from 2B-6, 2C-28, 5E-12

Enterococcus spp., Vancomycin resistant 3A-1, 5F-1, 5F-2

Erlischiosis 3A-1, 5F-1, 5F-2

Events of undetermined intent 2B-6, 2C-28, 5E-12

F

Falls, deaths from 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 4D, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6D

Father's age 1B-19

Father's education 1B-21

Father's race/ethnicity 1B-20

Febrile, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Fertility, (*see also* **Births**) 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6

General fertility 1B-1

Total fertility 1B-1

Fetal alcohol syndrome 1B-26, 1B-27, B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Fetal deaths, (*see also* **Perinatal mortality**) 1C-3, 1C-4, 1C-5, 5A-4, 5C-1, 5C-2, 5C-3, 5C-4, 5C-5, 5C-6

Fetal distress, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Fire, flames, smoke (exposure to), deaths due to 2B-9, 2B-6, 2C-28, 5E-12, 4C-24

Among children 4 years and younger 4C-24

Among persons 65 years and over 4C-24

Firearms, accidental discharge of, deaths due to 2B-6, 2B-9, 2C-28, 5E-12

Firearms, injury by, deaths due to 2B-6, 2C-28, 4D, 5E-12, 6D

Fungal diseases 3A-1, 3A-2, 5F-1, 5F-2

G

Gestation, length of

At birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30

At termination of pregnancy 1D-1, 1D-3, 1D-4, 5D-7

Giardiasis 3A-1, 3A-2, 5F-1, 5F-2

Glomerulonephritis, chronic, deaths from 2B-6, 2C-28, 5E-12

Gonococcal Pelvic Inflammatory Disease 3B-1, 3B-2, 5F-1, 5F-2

Gonorrhea 3B-1, 3B-2, 3B-3, 3B-4, 3B-5, 4B, 5F-1, 5F-2, 6B

H

Haemophilus influenzae (invasive) 3A-1, 4B, 5F-1, 5F-2, 6B

Hanta Pulmonary Syndrome 3A-1, 3A-2, 5F-1, 5F-2

Health Objectives for the Year 2010 4A, 4B, 4C, 4D, 4E, 4D, 4E, 4F, 4G, 4H, 4I, 4J, 6A, 6B, 6C, 6D, 6E, 6F, 6G, 6H, 6I, 6J

Cancer 4E, 6E

Diabetes 4F, 6F

Heart disease and stroke 4G, 6G

Human immunodeficiency virus (HIV) disease 4I, 6I

Injury and violence 4D, 6D

Maternal, infant and child health 4A, 6A

Respiratory diseases 4H, 6H

Responsible sexual behavior 4B, 6B

Substance abuse 4J, 6J

Vaccine preventable diseases 4C, 6C

Heart failure 2B-6, 2C-28, 5E-12

Heart malformations, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Heat, exposure to, deaths from 2B-9

Hemoglobinopathy, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hepatitis 3A-1, 3A-2, 4B, 5F-1, 5F-2, 6B

Hernia, deaths from 2B-6, 2C-28, 5E-12

Herpes, genital (reported cases) 3B-1, 5F-1, 5F-2
As a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hispanic residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-12, 1B-13, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

HIV Infection/AIDS
Reported cases 3C-1, 3C-2, 3C-3, 3C-4, 4I, 5F-3, 6I,
Deaths from 2B-4, 2B-5, 2B-6, 2C-16, 2C-17, 2C-19, 2C-28, 4I, 5E-11, 5E-12, 5E-13, 5E-14, 5E-29, 5E-30, 6I

Hodgkin's disease, deaths from 2B-6, 2C-28, 5E-12

Homicide (assault) 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-23, 2C-28, 4D, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 6D, 9C

Hyaline membrane disease/Respiratory Distress Syndrome, (see also **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Hydramnios/Oligohydramnios, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hydrocephalus, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Hyperplasia of prostate 2B-6, 2C-28, 5E-12

Hypertension, chronic, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hypertension, essential (primary), and Hypertensive renal disease deaths from 2B-6, 2C-28, 5E-12

Hypertension, pregnancy-associated, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

I

Incompetent cervix, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Indian Health Service (IHS) 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-22

Induced terminations of pregnancy, (see **Abortions**)

Induction of labor, (see also **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Infant mortality, (see also **Perinatal mortality**) 2C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-28, 4A, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20, 5E-21, 5E-22, 5E-23, 5E-24, 6A, 8C-1, 8C-2

Infections of kidney, deaths from 2B-6, 2C-28, 5E-12

Inflammatory diseases of female pelvic organs, deaths from 2B-6, 2C-28, 5E-12

Influenza, deaths from 2B-6, 2C-28, 5E-12

Influenza and pneumonia, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2C-5, 2C-6, 2C-7, 2C-11, 2C-19, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34

Injuries, unintentional (accidents) deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-10, 2B-11, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 4C, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6E, 9C

Accidents involving aircraft 2B-9

Adverse effects of drugs in therapeutic use 2B-9

Bee (hornet, wasp) sting 2B-9

Bitten by a dog 2B-9

Choked on food 2B-9

Choked on other object 2B-9

Cold, exposure to 2B-9

Dog bite 2B-9

Drowning 2B-4, 2B-5, 2B-6, 2B-9, 2C-8, 2C-9, 2C-11, 2C-28, 2D-3, 2D-4, 4C-23, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28

Electric current 2B-9

Falls 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 4D, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6D

Fire, flames, smoke 2B-9

Firearm discharge 2B-6, 2B-9, 2C-28, 5E-12

Heat, exposure to 2B-9

Inhalation or ingestion of food 2B-9

Inhalation or ingestion of other objects 2B-9

Lightning 2B-9

Misadventures to patients during surgical and medical care 2B-9

Motorcyclist 2B-10

Motor vehicle accidents 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-9, 2B-10, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 4C-18, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6C-18

Overexertion 2B-9

Poisoning by drugs 2B-9

Poisoning by other substances, gases and vapors 2B-9

Railway accidents 2B-9

Spider bite 2B-9

Storms and floods 2B-9

Suffocation and other threats to breathing 2B-9

Venomous snakes and lizards 2B-9

Water transport accidents 2B-9

Inpatient deaths 2A-4, 2B-11, 5E-8

Intrauterine hypoxia and birth asphyxia 2C-5, 2C-6, 2C-7, 5E-20

Ischemic heart disease, deaths from 2B-6, 2C-28, 5E-12

L

Leading causes of death, (see also **Deaths**), 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14

Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11

Average age at death 2D-1, 2D-3, 5E-11

County of residence 5E-11, 5E-12, 5E-13, 5E-14

Crude death rates 2B-6, 5E-13

Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4

Leading causes of death (continued)

Premature mortality 2D-2, 2D-4
 Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4
 Urban/rural differences 2B-5, 2D-3, 2D-4

Leading causes of death among

infants <1 year 2C-5, 2C-6, 2C-7, 5E-20

children 1-14 years 2C-8, 2C-9, 2C-10, 2C-11, 5E-25, 5E-26

adolescents 15-19 years 2C-12, 2C-13, 2C-14, 2C-15, 5E-27, 5E-28

young adults 20-44 years 2C-16, 2C-17, 2C-18, 2C-19, 5E-29, 5E-30

middle-aged adults 45-64 2C-20, 2C-21, 2C-22, 2C-23, 5E-31, 5E-32

elderly 65 years and older 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-33, 5E-34

Selected 113 causes 2B-6, 2C-28, 5E-12

Legal intervention, deaths due to 2B-6, 2C-28, 5E-12

Legionellosis 3A-1, 3A-2, 5F-1, 5F-2

Leukemia, deaths from 2B-6, 2C-28, 5E-12

Listeriosis 3A-1, 3A-2, 5F-1, 5F-2

Live births, (see **Births**)

Liver disease and cirrhosis, chronic, deaths from 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14

Low-birthweight (LBW) births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 4A-7, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 6A-7, 9A

Lung disease, chronic or acute, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Lyme disease 3A-1, 5F-1, 5F-2

M

Malaria, deaths from, 2B-6, 2C-28, 5E-12

Malaria, reported cases, 3A-1, 3A-2, 5F-1, 5F-2

Malformed genitalia, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Malignant neoplasm, (see **Cancer**)

Malnutrition, deaths from 2B-6, 2C-28, 5E-12

Marital status of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-24, 5B-14, 5B-15

Marriages 5G-1, 5G-2, 5G-3

Maternal deaths 1C-1, 1C-2

Measles

Number of reported cases 3A-1, 4B, 5F-1, 5F-2, 6B
 Number of deaths 2B-6, 2C-28, 3A-2, 5E-12

Meconium aspiration syndrome, (see also

Abnormal conditions of the newborn) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28

Meconium, moderate/heavy, (see also

Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Medical risk factors for pregnancy 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Meningitis 2B-6, 2C-28, 3A-1, 3A-2, 5E-12, 5F-1, 5F-2

Meningococcal infection 2B-6, 2C-28, 3A-1, 3A-2, 4B, 5E-12, 5F-1, 5F-2, 6B

Microcephalus, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Misadventures to patients during surgical or medical care, death due to 2B-9

Miscarriages, (see **Fetal Deaths**)

Month of birth 1B-18, 1B-17, 5B-6

Month of death 2A-2, 2A-3, 5E-7

Mortality, (see **Deaths**)

Mother's age 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-9, 5B-10

Mother's education 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15

Mother's race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15

Mother's weight gain during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16

Multiple myeloma and immunoproliferative neoplasms, deaths from 2B-6, 2C-28, 5E-12

Mumps 3A-1, 3A-2, 4B, 5F-1, 5F-2, 6B

N

Nativity, (see **Births**)

Native American, (see **American Indian**)

Natural increase from births 5B-1

Nephritis, nephrotic syndrome, and nephrosis, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Neonatal deaths 2C-1, 2C-3, 2C-4, 2C-7, 5C-1, 5E-23, 5E-24

Newborn's health

Abnormal conditions 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Admitted to intensive care units 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-22, 5B-24

Congenital anomalies 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11,

Low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 5B-30

Prematurity 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A

Very low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-28, 1B-32

Newborn's race/ethnicity 5B-7

Non-Hodgkin's lymphoma, deaths from 2B-6, 2C-28, 5E-12

Nontransport accidents, deaths from 2B-6, 2C-28, 5E-12

Notifiable diseases, (see **Diseases reportable**)

Nutritional deficiencies, deaths from 2B-6, 2C-28, 5E-12

O

Objectives, (*see* **Health objectives for the Year 2010**)

Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

Omphalocele, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35,

Operations of war, deaths from 2B-6, 2C-28, 5E-12

Outpatient deaths 2A-4, 2B-11, 5E-8

P

Pacific Islanders, (*see* **Asian residents**)

Parkinson's disease, deaths from 2B-6, 2C-27, 2C-28, 5E-12, 5E-33, 5E-34

Payee for birth 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20

Pedal cyclist deaths 2B-10

Pedestrian deaths 2B-10

Peptic ulcer, deaths from 2B-6, 2C-28, 5E-12

Perinatal deaths 1G-3, 4A, 5C-1, 6A

Pertussis (whooping cough)

Reported cases, 3A-1, 5F-1, 5F-2

Deaths from 2B-6, 2C-28, 3A-2, 5E-12

Placenta previa, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Place of birth/delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Place of death 2A-4, 2B-10, 5E-8

Plague 3A-1, 3A-2, 5F-1, 5F-2

Plurality (*see* **Multiple births**)

Pneumoconioses and chemical effects deaths from 2B-6, 2C-28, 5E-12

Pneumonia deaths from 2B-6, 2C-28, 5E-12

Pneumonitis due to solids and liquids deaths from 2B-6, 2C-28, 5E-12

Poisoning, accidental 2B-6, 2B-9, 4D, 6D

Poliomyelitis, acute, deaths from 2B-6, 2C-28, 5E-12

Polydactyly/Syndactyly/Adactyly, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Population denominators 10A-1, 10A-2, 10B-1, 10B-2, 10C-1

Postneonatal deaths 2C-1, 2C-3, 2C-4, 2C-7, 5E-21, 5E-22

Precipitous labor, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Pregnancies

Among girls 14 and younger 1A-7, 5A-4

Among girls 17 and younger 1A-2, 5A-3

Among girls 15-17 1A-3, 5A-4

Among girls 15-19 1A-7, 5A-3

Among girls 18-19 1A-4, 5A-4

Among girls 19 and younger 1A-5, 1A-7, 5A-2

By county of residence 5A-1, 5A-2, 5A-3, 5A-4

By outcome 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-4

By race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6

By women's age 1A-6, 1A-7, 5A-4

Pregnancy, childbirth and the puerperium, Deaths 1C-2, 2B-6, 2C-28, 5E-12

Pregnancy with abortive outcome 2B-6, 2C-28, 5E-12

Premature mortality 2D-2, 2D-4

Prenatal care

Average number of visits 5B-22

Number of visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A

Trimester of entry 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11, 9A

Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-32, 1B-33, 1B-34, 5B-22, 4A, 5B-23, 5B-24, 5B-30, 6A

Previous infant 4,000+ grams (*see also*

Medical risk factors for pregnancy) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Previous preterm or small for gestational age (SGA) infant (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Prolonged labor, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, B-32, 1B-33, 1B-34, 5B-27

Prostate cancer, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34

R

Rabies 3A-1, 3A-2, 5F-1, 5F-2

Rates

Age-adjusted death rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-5, 5E-11

Age-specific death rates 2C-1, 2C-2, 2C-3, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-12, 2C-13, 2C-14, 2C-16, 2C-17, 2C-18, 2C-20, 2C-21, 2C-22, 2C-24, 2C-25, 2C-26, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34

Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2

Cause-specific death rates 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-6, 2C-7, 2C-8, 2C-9, 2C-12, 2C-13, 2C-16, 2C-17, 2C-20, 2C-21, 2C-24, 2C-25, 5E-11, 5E-13, 5E-20, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34

Crude death rates 2B-6, 5E-13

Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1

Natural increase 5B-1

Pregnancy rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-2, 5A-3

Rectal atresia/stenosis, (*see also*

Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Relapsing fever, Tick 3A-1, 5F-1, 5F-2

Renal agenesis, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Renal disease, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Renal failure, deaths from 2B-6, 2C-28, 5E-12

Reportable diseases (*see* **Diseases, Reportable**)

Respiratory Distress Syndrome, deaths from, (*see also* **Certain conditions originating in the perinatal period**) 2C-5, 2C-6, 2C-7, 5E-20

Reyes syndrome 3A-1, 3A-2, 5F-1, 5F-2

Rh sensitization, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-34, 5B-25

Rocky Mountain Spotted Fever 3A-1, 3A-2, 5F-1, 5F-2

Rubella 3A-1, 3A-2, 4A, 5F-1, 5F-2

Rubella syndrome, congenital 3A-1, 5F-1, 5F-2

Rupture of membranes, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Rural areas 1B-5, 1B-7, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17

S

Salmonella paratyphi A 3A-1, 5F-1, 5F-2

Salmonella paratyphi B 3A-1, 5F-1, 5F-2

Salmonella paratyphi C 3A-1, 5F-1, 5F-2

Salmonellosis (except *S. typhi* and *S. paratyphi*)

Reported cases 3A-1, 5F-1, 5F-2

Deaths from 3A-2

Scarlet fever and erysipelas 2B-6, 2C-28, 5E-12

Seizures, (see also Abnormal conditions of the newborn) 1B-26, 1B-27, 1B-28, 1B-32, 1B-34, 5B-28

Seizures during labor, (see also Complications of labor/delivery) 1B-26, 1B-27, 1B-28, 1B-32, 1B-34, 5B-28

Self-harm, intentional, (see Suicide)

Septicemia, deaths from

2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-11, 2C-11,

2C-27, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14,

5E-25, 5E-33, 5E-34

Shigellosis, deaths from 2B-6, 2C-28, 3A-2, 5E-12

Shock syndrome, toxic 5A-1, 3A-2, 5F-1, 5F-2

Spina bifida/meningocele, (see also Congenital anomalies) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Stillbirths, (see Fetal deaths)

Stimulation of labor, (see also Obstetric procedures) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33,

5B-26

Streptococcal-Group A 3A-1, 5F-1, 5F-2

Streptococcal-Group B 3A-1, 5F-1, 5F-2

Streptococcal sore throat, scarlatina and erysipelas, deaths from 2B-11

Streptococcus pneumoniae 3A-1, 5F-1, 5F-2

Stroke, (see Cerebrovascular disease)

Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Sudden infant death syndrome (SIDS) 2C-5, 2C-6, 2C-7, 5E-20

Suffocation 4D

Suicide (intentional self-harm) 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-28, 2D-3, 2D-4, 4D, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6D, 9C

Symptoms, signs, abnormal findings (as cause of death) 2B-6, 2C-28, 5E-12

Syphilis

Congenital 4B

Early 3B-3, 3B-4, 3B-5

Late 3B-5

Primary and secondary 3B-1, 4B, 6B

Reported cases 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2

Deaths from 2B-6, 2C-28, 3B-2, 5E-12

T

Teenage pregnancies, (see Pregnancies)

Tobacco use during pregnancy, (see also Births) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Tocolysis, (see also Obstetric procedures) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Transport accidents, deaths from, 2B-6, 2C-28, 5E-12

Tuberculosis 3A-1, 4B, 5F-1, 5F-2, 6B

Deaths from 2B-6, 2C-28, 5E-12

Pulmonary 3A-1, 3A-2, 5F-1, 5F-2

Tularemia

Deaths from 3A-2

Reported cases 3A-1, 5F-1

Typhoid fever 3A-1, 3A-2, 5F-1, 5F-2

U

Ulcer, peptic, deaths from 2B-6, 2C-28, 5E-12

Ultrasound, (see also Obstetric procedures)

1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Urban areas 1B-4, 1B-6, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17

Uterine bleeding, (see also Medical risk factors for pregnancy) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

V

Valley Fever (Coccidioidomycosis, see also Diseases, Reportable)

Vancomycin resistant Enterococcus spp. 3A-1, 5F-1, 5F-2

Varicella (see Chickenpox)

Very low-birthweight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32

Vibrio spp. 3A-1, 5F-1, 5F-2

Viral hepatitis, deaths from 2B-6, 2C-28, 5E-12

W

White, non-Hispanic residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-12, 1B-13, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

Whooping cough (see also Pertussis)

Reported cases 3A-1, 5F-1, 5F-2

Deaths from 2B-6, 2C-28, 3A-2, 5E-12

Work-related injury, deaths from 9C-1

Y

Yersiniosis (except *Y. pestis*) 3A-1, 5F-1, 5F-2