

**TABLE 3B-4
RATES¹ OF REPORTED CASES OF GONORRHEA, CHLAMYDIA, EARLY
SYPHILIS AND GENITAL HERPES BY AGE AND GENDER, ARIZONA, 2003**

| Age Group | GONORRHEA | | | CHLAMYDIA | | | EARLY SYPHILIS | | | GENITAL HERPES | | |
|--------------|-----------|---------|-------|-----------|---------|---------|----------------|---------|-------|----------------|---------|-------|
| | Males | Females | Total | Males | Females | Total | Males | Females | Total | Males | Females | Total |
| 0-4 | 0.9 | 0.0 | 0.5 | 1.9 | 2.0 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.2 |
| 5-9 | 0.0 | 1.4 | 0.7 | 0.0 | 0.5 | 0.2 | 0.0 | 0.0 | 0.0 | 0.5 | 0.5 | 0.5 |
| 10-14 | 3.3 | 15.4 | 9.2 | 13.2 | 83.7 | 47.5 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.5 |
| 15-19 | 130.6 | 259.3 | 192.6 | 338.7 | 1,791.2 | 1038.0 | 3.8 | 12.9 | 8.2 | 10.1 | 46.4 | 27.5 |
| 20-24 | 260.0 | 285.7 | 272.9 | 485.2 | 1970.4 | 1,191.7 | 22.4 | 19.6 | 21.1 | 39.5 | 79.4 | 58.5 |
| 25-29 | 174.0 | 123.0 | 150.0 | 229.3 | 752.5 | 480.0 | 18.1 | 16.3 | 17.3 | 36.7 | 56.6 | 46.3 |
| 30-34 | 121.9 | 76.8 | 99.8 | 114.3 | 334.5 | 219.0 | 19.1 | 10.8 | 15.0 | 25.7 | 43.8 | 34.2 |
| 35-39 | 93.2 | 41.0 | 67.5 | 62.6 | 152.9 | 106.3 | 17.8 | 12.3 | 15.1 | 14.6 | 17.0 | 15.8 |
| 40-44 | 65.7 | 24.9 | 45.3 | 35.3 | 59.0 | 47.0 | 14.5 | 9.3 | 11.9 | 9.7 | 21.5 | 15.5 |
| 45-54 | 32.6 | 6.8 | 19.5 | 15.1 | 19.4 | 17.3 | 10.1 | 2.6 | 6.3 | 8.0 | 11.2 | 9.6 |
| 55-64 | 11.3 | 2.8 | 6.8 | 4.4 | 4.7 | 4.5 | 4.8 | 0.0 | 2.3 | 4.4 | 4.7 | 4.5 |
| 65-over | 1.9 | 0.0 | 0.8 | 0.6 | 0.3 | 0.4 | 0.3 | 0.0 | 0.1 | 0.9 | 2.2 | 1.6 |
| Total | 69.0 | 58.0 | 63.5 | 98.3 | 355.5 | 227.1 | 8.9 | 6.0 | 7.4 | 11.7 | 20.6 | 16.2 |

¹Number of cases per 100,000 population.

Source: Arizona Department of Health Services, Bureau of Epidemiology and Disease Control Services, Office of HIV/STD Services