

INDEX TO TABLES

(Numbers and letters refer to tables)

A

Abdominal pain, emergency department visits for, 4C-2, 7C-2

Abnormal conditions of the newborn 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Abortion

Abortions per 1,000 live births 5D-2

Abortions per 1,000 women 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1

Age group 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1D-1, 1D-3, 1D-5, 5A-4, 5D-4

County of residence 5A-1, 5A-4, 5D-1, 5D-2, 5D-3, 5D-4, 5D-5, 5D-6, 5D-7

Gestation, length of 1D-1, 1D-3, 1D-4, 5D-7

Hospitalized for complications 1D-1

Marital status 5D-6

Number performed in Arizona 1D-1, 5D-3

Race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1D-1, 5D-5

Reason for termination 1D-1

Type of facility 1D-1

Abruptio placenta, (*see also* **Complications of labor and/or delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Abstinence from cigarette smoking 6A-1, 6B-2-1

Accidents, (*see* **Injuries, unintentional**)

Acute myocardial infarction, deaths from 2B-6, 2B-28, 5E-12

Adverse effects of medical treatment, emergency department visits related to, 4D-2, 7D-2

Adverse effects of medical treatment, inpatient discharges related to, 4D-1, 7D-1

African-American residents, (*see* **Black residents**)

AIDS, (*see* **HIV/AIDS**)

Alcohol-induced deaths 2B-6, 2C-28, 5E-12, 9C

Alcoholic liver disease 2B-6, 2C-28, 5E-12

Alcoholic psychoses, emergency department visits for, 4C-1, 7C-1

Alcoholic psychoses, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Alcohol dependence syndrome, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Alcohol use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Alzheimer's disease deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34

American Indian residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-12, 1B-13, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

Amebiasis, 3A-1, 3A-2, 5F-1, 5F-2

Amniocentesis, (*see also* **Obstetric procedures**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Anemia

Mother's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Newborn's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28

Deaths from 2B-6, 2C-28, 5E-12

Anencephalus, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Anesthetic complications 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Anxiety states, emergency department visits for, 4C-1, 7C-1

Anxiety states, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Aortic aneurysm and dissection, 2B-6, 2C-28, 5E-12

Appendix, diseases of, deaths from 2B-6, 2C-28, 5E-12

Appendicitis, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Appendectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Appendix, diseases of (deaths from) 2B-6, 2C-28, 5E-12

Arizona Health Care Cost Containment

System (AHCCCS) 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20

Arterio- & angiocardiology using contrast material, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Artificial rupture of membranes, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Asian (Asian or Pacific Islander) residents

1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-37, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5D-5, 5E-6, 5E-18

Assault, (*see* **Homicide**)

Assisted ventilation, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28

Asthma, deaths from 2B-6, 2C-28, 6A-8, 5E-12

Asthma, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2

Asthma, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Atelectasis deaths from 2C-7, 5E-20

Atherosclerosis, deaths from 2B-6, 2C-28, 5E-12

Atherosclerosis, coronary, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Atherosclerotic cardiovascular disease, deaths from 2B-6, 2C-28, 5E-12

Attendant at birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Average age at death

County of residence 5E-11

Gender differences 2D-1, 2D-3,

Race/ethnic differences 2D-1, 2D-3,

Ten leading causes 2D-3

Urban/rural differences 2D-3

Axial tomography, computerized, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

B

Bilateral destruction/occlusion of fallopian tubes, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Births

Abnormal conditions of the newborn 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Age of father 1B-19

Age of mother 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-9, 5B-10, 5B-14, 5B-19

Alcohol use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-24

Attendant at birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Birth defects, (see **Congenital anomalies**)

Birth injury, (see **Abnormal conditions of the newborn**)

Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2

Birth weights 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Cesarean deliveries 1B-2, 1B-3, 1B-4, B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 6A-1-11, 5B-26, 5B-30, 6B-2-1-11

Complication of labor and/or delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27, 5B-30

County of occurrence 5B-4, 5B-5

County of residence 5B-2, 5B-3

Education of father 1B-21

Education of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15

Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1

Gestational age 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A

Low-weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, B-30, 9A

Marital status 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15

Medical risk factors 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Method of delivery 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16

Newborn intensive care 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-24, 5B-30

Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

Payee for births 1B-26, 1B-27, 1B-28, 1B-29, 1B-32,

1B-33, 1B-34, 5B-20, 5B-22,

Place of delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Prenatal visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A

Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30

Previous live births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-24

Race/ethnicity of father 1B-20

Race/ethnicity of mother 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22

Rural areas 1B-5, 1B-25, 1B-26, 5B-17

Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Teenage mothers 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-2, 5A-3, 5A-4, 5B-9, 5B-10, 5B-19, 9A

Tobacco use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Trimester of entry into prenatal care 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11

Unmarried mothers 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15, 9A

Urban areas 1B-4, 1B-25, 1B-26

Very low weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, B-28, 1B-32

Weight gain during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Black residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-10, 1B-11, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-4, 2B-5, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

Blood and blood forming organs, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Body disposition (see also **Deaths**) 5E-9, 5E-10

Breech malpresentation, (see also **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Bronchiolitis, acute, deaths from 2B-6, 2C-28, 5E-12

Bronchitis, chronic, emergency department visits for, 4C-1, 7C-1

Bronchitis, chronic, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Bronchitis, chronic and unspecified, deaths from 2B-6, 2C-28, 5E-12
Bronchitis, chronic and unspecified, emergency department visits for, 4C-2, 7C-2
Bronchitis and bronchiolitis, acute, emergency department visits for, 4C-1, 7C-1
Bronchitis and bronchiolitis, acute, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Bronchoscopy with or without biopsy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Brucellosis 3A-1, 3A-2, 5F-1, 5F-2
Burns, emergency department visits for, 4C-1, 7C-1

C

Calculus of kidney and ureter, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Campylobacteriosis 3A-1, 5F-1, 5F-2
Cancer (malignant neoplasms), deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 2D-3, 2D-4, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5
Bladder 2B-6, 2B-8, 2C-28, 5E-11
Brain 2B-6, 2B-8, 2C-28, 5E-11
Breast 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5
Cervix uteri 2B-4, 2B-5, 2B-6, 2B-8, 5E-11, 6A-5, 6B-5
Colon, rectum, and anus (colorectal) 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 5E-11, 6A-5, 6B-5
Corpus uteri and uterus 2B-6, 2B-8, 2C-28, 5E-11
Esophagus 2B-6, 2B-8, 2C-28, 5E-11
Hodgkin's disease 2B-6, 2B-8, 2C-28, 5E-11
In situ 2B-6, 2C-28, 5E-12
Kidney 2B-6, 2B-8, 2C-28, 5E-11
Larynx 2B-6, 2C-28, 5E-11
Leukemia 2B-6, 2C-28, 5E-11
Lip, oral cavity and pharynx 2B-6, 2C-28, 5E-11
Liver and intrahepatic bile ducts 2B-6, 2C-28, 5E-11
Lung 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5
Lymphoid and hematopoietic tissue 2B-6, 2C-28, 5E-11
Malignant lymphoma other than Hodgkin's disease 2B-8
Melanoma of skin 2B-8, 6A-5
Multiple myeloma 2B-8
Oropharyngeal 2B-6, 2B-8, 2C-28, 5E-11
Ovary 2B-6, 2C-28, 5E-11
Pancreas 2B-6, 2B-8, 2C-28, 5E-11
Prostate 2B-4, 2B-12, 2B-7, 5E-11, 5E-12, 5E-13, 5E-14, 6A-5, 6B-5
Skin 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 5E-11, 5E-12
Stomach 2B-6, 2B-8, 2C-28, 5E-11
Trachea, bronchus and lung 2B-6, 2B-8, 2C-28, 5E-11
Cancer (malignant neoplasm), inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Breast 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Large intestine 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Prostate 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Trachea, bronchus and lung 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Cancer (neoplasm), emergency department visits for, 4C-1, 7C-1
Cardiac catheterization, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Cardiac disease as a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Cardiac dysrhythmias, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Cardiovascular disease, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 6A-5-32, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5-29
Cellulitis and abscess, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Cephalopelvic disproportion, (*see also Complications of labor/delivery*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Cerebrovascular disease (stroke), deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 6A-5-32, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5-28
Cerebrovascular disease, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Certain conditions originating in the perinatal period, deaths due to 2B-6, 2C-28, 5E-11
Cesarean deliveries, (*see also Delivery, method of*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30
Cesarean section, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Chest pain, emergency department visits for, 4C-2, 7C-2
Chickenpox 3A-1, 3A-2, 5F-1, 5F-2
Chlamydia 3B-1, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2
Cholecystectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Cholelithiasis, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Cholelithiasis and other disorders of gallbladder, deaths from 2B-6, 2C-28, 5E-11
Cholera 3A-1, 5F-1, 5F-2
Chronic liver disease and cirrhosis deaths from 2B-1, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14
Chronic lower respiratory diseases deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14
Chronic obstructive pulmonary diseases, (*see Chronic lower respiratory diseases*)
Cigarette smoking during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Circulatory system, diseases of, emergency department visits for, 4C-1, 7C-1
Circulatory system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Cirrhosis, deaths from 6A-10, 6B-10
Cleft lip/palate, (*see also Congenital anomalies*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Club foot, (*see also Congenital anomalies*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Coccidioidomycosis (Valley Fever)
Reported cases 3A-1, 5F-1, 5F-2
Deaths from 3A-2
Cold, exposure to, deaths from 2B-9
Colorado Tick Fever 3A-1
Complications of medical and surgical care, deaths due to 2B-6, 2C-28, 5E-12
Complications of medical and surgical care, emergency department visits related to 4D-2, 7D-2
Complications of medical and surgical care, inpatient discharges related to, 4D-1, 7D-1
Communicable diseases, (*see Diseases, reportable*)
Complications of labor and/or delivery
1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27, 5B-30

Complications of pregnancy, childbirth and the puerperium, deaths from 1C-2, 2B-6, 2C-28, 5E-11

Complications, surgical and medical, emergency department visits for, 4C-1, 7C-1

Conditions originating in the perinatal period, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Congenital anomalies (birth defects) reported on birth certificate 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Congenital malformations, deformations and chromosomal abnormalities deaths from 2B-6, 2C-28, 5E-12

Congenital anomalies, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Contusion with intact skin surface, emergency department visits for, 4C-2, 7C-2

Contusions, emergency department visits for, 4C-1, 7C-1

Cord prolapse, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Coronary artery bypass graft, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Coronary artery obstruction, removal of, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Coronary heart disease, deaths from 6A-7, 6B-7

Cystoscopy with or without biopsy, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

D

Day of birth 1B-18

Day of death 2A-3

Deaths 2A-1, 2A-2, 2A-3, 2A-4, 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-7, 2B-8, 2B-9, 2B-10, 2B-11, 1C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 2D-1, 2D-2, 2D-3, 2D-4, 6A-3, 6A-4, 6A-5, 5E-1, 5E-2, 5E-3, 5E-4, 5E-5, 5E-6, 5E-7, 5E-8, 5E-9, 5E-10, 5E-11, 5E-12, 5E-13, 5E-14, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20, 5E-21, 5E-22, 5E-23, 5E-24, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-3, 6B-4, 6B-5, 9B, 9C

Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11

Age-specific numbers and rates 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 9B

Average age at death 2D-1, 2D-3, 5E-11

County of residence 5E-11, 5E-12, 5E-13, 5E-14

Crude death rates 2B-6, 5E-13

Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4

Premature mortality 2D-2, 2D-4

Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4

Urban/rural differences 2B-5, 2D-3, 2D-4

Decedent status 2A-4, 2B-10, 5E-8

Delivery, method of 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Dengue, 3A-1, 3A-2, 5F-1, 5F-2

Depression, emergency department visits for,

4C-1, 7C-1

Depression, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Diabetes mellitus as medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-26

Diabetes mellitus, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Diabetes mellitus, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Diabetes-related deaths 6A-6, 6B-6

Diaphragmatic hernia, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Digestive system, diseases of, emergency department visits for, 4C-1, 7C-1

Digestive system, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Diseases, reportable

AIDS 3C-1, 3C-2, 3C-3, 3C-4, 6A-2, 5F-3

Amebiasis 3A-1, 5F-1, 5F-2,

Botulism 3A-1, 5F-1, 5F-2

Brucellosis 3A-1, 3A-2, 5F-1, 5F-2

Central nervous system 3A-1, 5F-1, 5F-2

Chickenpox 3A-1, 5F-1

Chlamydia 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2

Coccidioidomycosis (Valley Fever) 3A-1, 5F-1, 5F-2

Colorado Tick Fever 3A-1, 5F-1, 5F-2

Cryptosporidiosis 3A-1, 5F-1, 5F-2

Dengue 3A-1, 3A-2, 5F-1, 5F-2

E. coli O157:H7 3A-1, 5F-1, 5F-2

Encephalitis, viral 3A-1, 5F-1, 5F-2

Enteric 3A-1, 5F-1, 5F-2

Erlinchiosis 3A-1

Fungal 3A-1, 5F-1, 5F-2

Giardiasis 3A-1, 5F-1, 5F-2

Gonorrhea 3B-1, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2, 6B-2

Gonococcal Pelvic Inflammatory Disease 3B-1, 5F-1, 5F-2

Haemophilus influenzae b 3A-1, 6A-2-16, 5F-1, 5F-2

Hantavirus Pulmonary Syndrome 3A-1, 5F-1, 5F-2

Hepatitis 3A-1, 6A-2-16, 5F-1, 5F-2

Legionellosis 3A-1, 3A-2, 5F-1, 5F-2

Listeriosis 3A-1, 3A-2, 5F-1, 5F-2

Lyme disease 3A-1, 5F-1, 5F-2

Malaria 3A-1, 3A-2, 5F-1, 5F-2

Measles 3A-1, 6A-2-15, 5F-1, 5F-2

Meningitis, aseptic 3A-1, 5F-1, 5F-2

Meningitis, bacterial 3A-1, 5F-1, 5F-2

Meningitis, meningococcal 3A-1, 5F-1, 5F-2

Mumps 3A-1, 6A-2-15, 5F-1, 5F-2

Plague 3A-1, 5F-1, 5F-2

Rabies, Human 3A-1, 5F-1, 5F-2

Reyes Syndrome 3A-1, 5F-1, 5F-2

Rocky Mountain Spotted Fever 3A-1, 3A-2, 5F-1, 5F-2

Rubella 3A-1, 5F-1, 5F-2

Salmonella paratyphi A 3A-1, 5F-1, 5F-2

Salmonella paratyphi B 3A-1, 5F-1, 5F-2

Salmonella paratyphi C 3A-1, 5F-1, 5F-2

Salmonellosis (except *S. typhi* and *S. paratyphi*) 3A-1, 5F-1, 5F-2

Sexually transmitted 3B-1, 5F-1, 5F-2

Shigellosis 3A-1, 5F-1, 5F-2

St. Louis encephalitis 3A-1, 5F-1, 5F-2

Streptococcal-Group A 3A-1, 5F-1, 5F-2

Streptococcal-Group B 3A-1, 5F-1, 5F-2

Streptococcus pneumoniae 3A-1, 5F-1, 5F-2

Diseases, reportable (continued)

- Syphilis 3B-1, 3B-3, 3B-4, 3B-5, 6A-2-14, 5F-1, 5F-2
 - Congenital 6A-2-14
- Toxic Shock Syndrome 3A-1, 5F-1, 5F-2
- Tuberculosis 3A-1, 6A-2-16, 5F-1, 5F-2
 - Pulmonary Tuberculosis 3A-1, 5F-1, 5F-2
- Tularemia 3A-1, 5F-1, 5F-2
- Typhoid fever 3A-1, 5F-1, 5F-2
- Vaccine preventable 3A-1, 5F-1, 5F-2
- Vibrio spp. 3A-1, 5F-1, 5F-2
- Vancomycin, resistant Enterococcus spp. 3A-1, 5F-1, 5F-2
- West Nile virus 3A-1, 5F-1, 5F-2
- Yersiniosis 3A-1, 5F-1, 5F-2
- Zoonotic 3A-1, 5F-1, 5F-2

Disorders relating to short gestation and unspecified low-birthweight, (see also Infant mortality) 2C-5, 2C-6, 2C-7, 5E-20**Dissolutions of marriage** 5G-4, 5G-5, 5G-6

Diverticula of intestine

Divorces, (see Dissolutions of marriage)**Down's syndrome, (see also Congenital anomalies)** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29**Drowning and submersion, accidental, deaths** from 2B-4, 2B-5, 2B-6, 2C-8, 2C-9, 2C-11, 2C-15, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14
Among children 4 years and younger 6A-3-23**Drug abuse, nondependent, inpatient discharges** for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**Drug abuse, nondependent, emergency department visits** for, 4C-1, 7C-1**Drug dependence, emergency department visits** for, 4C-1, 7C-1**Drug dependence, inpatient discharges** for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**Drug-induced deaths** 2B-6, 2C-28, 5E-12, 9C**Drug psychoses, emergency department visits** for, 4C-1, 7C-1**Drug psychoses, inpatient discharges** for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**Dysfunctional labor, (see also Complications of labor/delivery)** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27**E****E. coli O157:H7** 3A-1, 5F-1, 5F-2**Eclampsia, (see also Medical risk factors for pregnancy)** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25**Electronic fetal monitoring, (see also Obstetric procedures)** 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30**Emphysema, deaths** from 2B-6, 2C-28, 5E-12**Encephalitis, arthropod-borne, deaths** from 2B-6, 2C-28, 5E-12**Encephalitis, viral** 3A-1, 3A-2, 5F-1, 5F-2**Endocarditis, acute and subacute, deaths** from 2B-6, 2C-28, 5E-12**Endocrine nutritional metabolic and immunity diseases, emergency department visits** for, 4C-1, 7C-1**Endocrine nutritional metabolic and immunity diseases, inpatient discharges** for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**Endoscopy of small intestine, (inpatient procedure),** 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**Endoscopy of large intestine, (inpatient procedure),** 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**Endotracheal tube, insertion of (inpatient**

procedure),

4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Enteritis and colitis, noninfectious, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**Enterococcus spp., Vancomycin resistant** 3A-1, 5F-1, 5F-2**Episiotomy, (inpatient procedure),** 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**Erlinchiosis** 3A-1, 5F-1, 5F-2**Events of undetermined intent** as cause of death 2B-6, 2C-28, 5E-12**Excision (partial) of bone, (inpatient procedure),** 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**Excision (or destruction) of intervertebral disc, (inpatient procedure),** 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**Excision (partial) of large intestine, (inpatient procedure),** 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**F****Falls, deaths** from 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4**Father's age** 1B-19**Father's education** 1B-21**Father's race/ethnicity** 1B-20**Febrile, (see also Complications of labor/delivery)** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27**Fertility, (see also Births)** 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6

General fertility 1B-1

Total fertility 1B-1

Fetal alcohol syndrome 1B-26, 1B-27, B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30**Fetal deaths, (see also Perinatal mortality)** 1C-3, 1C-4, 1C-5, 5A-4, 5C-1, 5C-2, 5C-3, 5C-4, 5C-5, 5C-6**Fetal distress, (see also Complications of labor/delivery)** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27**Fire, flames, smoke (exposure to), deaths** due to 2B-9, 2B-6, 2C-28, 5E-12, 6A-3

Among children 4 years and younger 6A-3

Among persons 65 years and over 6A-3

Firearms, accidental discharge of, deaths due to 2B-6, 2B-9, 2C-28, 5E-12**Firearms, injury by, deaths** due to 2B-6, 2C-28, 6A-4, 5E-12, 6B-4**Foreign bodies, emergency department visits** for, 4C-1, 7C-1**Fractures, all sites, emergency department visits** for, 4C-1, 4C-2, 7C-1, 7C-2**Fractures, excluding lower limb, emergency department visits** for, 4C-2, 7C-2**Fracture, reduction of, (inpatient procedure),** 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**Fractures, inpatient discharges** for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**Fungal diseases** 3A-1, 3A-2, 5F-1, 5F-2

G

Gastric bypass, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Genitourinary system, diseases of, emergency department visits for, 4C-1, 7C-1

Genitourinary system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Gestation, length of
At birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30
At termination of pregnancy 1D-1, 1D-3, 1D-4, 5D-7

Giardiasis 3A-1, 3A-2, 5F-1, 5F-2

Glomerulonephritis, chronic, deaths from 2B-6, 2C-28, 5E-12

Gonococcal Pelvic Inflammatory Disease 3B-1, 3B-2, 5F-1, 5F-2

Gonorrhea 3B-1, 3B-2, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2, 6B-2

Gross reproduction rate 1B-1

H

Haemophilus influenzae (invasive) 3A-1, 6A-2, 5F-1, 5F-2, 6B-2

Hanta Pulmonary Syndrome 3A-1, 3A-2, 5F-1, 5F-2

Headache, emergency department visits for, 4C-2, 7C-2

Health Objectives for the Year 2010 6A-1, 6A-2, 6A-3, 6A-4, 6A-5, 6A-6, 6A-7, 6A-8, 6A-9, 6A-10, 6B-1, 6B-2, 6B-3, 6B-4, 6B-5, 6B-6, 6B-7, 6B-8, 6B-9, 6B-10
Cancer 6A-5, 6B-5
Diabetes 6A-6, 6B-6
Heart disease and stroke 6A-7, 6B-7
Human immunodeficiency virus (HIV) disease 6A-9, 6B-9
Injury and violence 6A-4, 6B-4
Maternal, infant and child health 6A-1, 6B-1
Respiratory diseases 6A-8, 6B-8
Responsible sexual behavior 6A-2, 6B-2
Substance abuse 6A-10, 6B-10
Vaccine preventable diseases 6A-3, 6B-3

Heart disease, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-7, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Heart disease, excluding ischemic, emergency department visits for, 4C-2, 7C-2

Heart disease, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, &A-1

Heart failure, death from, 2B-6, 2C-28, 5E-12

Heart failure, congestive, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Heart malformations, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Heat, exposure to, deaths from 2B-9

Hemodialysis, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Hemoglobinopathy, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hepatitis 3A-1, 3A-2, 6A-2, 5F-1, 5F-2, 6B-2

Hernia, deaths from 2B-6, 2C-28, 5E-12

Herpes, genital (reported cases) 3B-1, 5F-1, 5F-2
As a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hip replacement, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Hispanic residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-8, 1B-9, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

HIV Infection/AIDS
Reported cases 3C-1, 3C-2, 3C-3, 3C-4, 6A-9, 5F-3, 6B-9,
Deaths from 2B-4, 2B-5, 2B-6, 2C-16, 2C-17, 2C-19, 2C-28, 6A-9, 5E-11, 5E-12, 5E-13, 5E-14, 5E-29, 5E-30, 6B-9

Hodgkin's disease, deaths from 2B-6, 2C-28, 5E-12

Homicide (assault) as cause of death, 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-23, 2C-28, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 6B-4, 9C

Homicide (assault), emergency department visits related to, 4D-2, 7D-2

Homicide (assault), inpatient discharges related to, 4D-1, 7D-1

Hyaline membrane disease/Respiratory Distress Syndrome, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Hydramnios/Oligohydramnios, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hydrocephalus, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Hyperplasia of prostate 2B-6, 2C-28, 5E-12

Hypertension, chronic, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hypertension, essential (primary), and Hypertensive renal disease deaths from 2B-6, 2C-28, 5E-12

Hypertension, pregnancy-associated, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Hysterectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

I

Incompetent cervix, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Indian Health Service (IHS) 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-22

Induced terminations of pregnancy, (*see* **Abortions**)

Induction of labor, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Infant mortality, (*see also* **Perinatal mortality**)

2C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-28,
6A-1, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20,
5E-21, 5E-22, 5E-23, 5E-24, 6B-2-1, 8C-1, 8C-2

Infection of urinary tract, emergency department visits for, 4C-2, 7C-2

Infections of kidney, deaths from 2B-6, 2C-28, 5E-12

Infectious and parasitic diseases, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Infectious and parasitic diseases, emergency department visits for, 4C-1, 7C-1

Inflammatory diseases of female pelvic organs, deaths from 2B-6, 2C-28, 5E-12

Influenza, deaths from 2B-6, 2C-28, 5E-12

Influenza and pneumonia, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2C-5, 2C-6, 2C-7, 2C-11, 2C-19, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34

Injuries, intracranial, emergency department visits for, 4C-1, 7C-1

Injuries of undetermined intent, emergency department visits, 4D-2, 7D-2

Injuries of undetermined intent, inpatient discharges, 4D-1, 7D-1

Injuries, superficial, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2

Injuries, unintentional (accidents) deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-10, 2B-11, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 6A-3, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-5, 9C

Accidents involving aircraft 2B-9

Adverse effects of drugs in therapeutic use 2B-9

Bee (hornet, wasp) sting 2B-9

Bitten by a dog 2B-9

Choked on food 2B-9

Choked on other object 2B-9

Cold, exposure to 2B-9

Dog bite 2B-9

Drowning 2B-4, 2B-5, 2B-6, 2B-9, 2C-8, 2C-9, 2C-11, 2C-28, 2D-3, 2D-4, 6A-3-23, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28

Electric current 2B-9

Falls 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4

Fire, flames, smoke 2B-9

Firearm discharge 2B-6, 2B-9, 2C-28, 5E-12

Heat, exposure to 2B-9

Inhalation or ingestion of food 2B-9

Inhalation or ingestion of other objects 2B-9

Lightning 2B-9

Misadventures to patients during surgical and medical care 2B-9

Motorcyclist 2B-10

Motor vehicle accidents 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-9, 2B-10, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 6A-3-18, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-3-18

Overexertion 2B-9

Poisoning by drugs 2B-9

Poisoning by other substances, gases and vapors 2B-9

Railway accidents 2B-9

Spider bite 2B-9

Storms and floods 2B-9

Suffocation and other threats to breathing 2B-9

Venomous snakes and lizards 2B-9

Water transport accidents 2B-9

Injuries, unintentional (accidents),

emergency department visits for, 4D-2, 7D-2

Cutting or piercing instruments 4D-2, 7D-2

Drowning/submersion, 4D-2, 7D-2

Falls, 4D-2, 7D-2

Fire and flames, 4D-2, 7D-2

Firearm missile, 4D-2, 7D-2

Foreign body entering eye or other orifice, 4D-2, 7D-2

Machinery, 4D-2, 7D-2

Motor vehicle accident, 4D-2, 7D-2

Natural and environmental factors, 4D-2, 7D-2

Overexertion, 4D-2, 7D-2

Pedal cycle, 4D-2, 7D-2

Poisoning by drugs, 4D-2, 7D-2

Suffocation, 4D-2, 7D-2

Injuries, unintentional (accidents), inpatient

discharges for, 4D-1, 7D-1

Falls, 4D-1, 7D-1

Fire and flames, 4D-1, 7D-1

Machinery, 4D-1, 7D-1

Motor vehicle accident, 4D-1, 7D-1

Natural and environmental factors, 4D-1, 7D-1

Poisoning by drugs, 4D-1, 7D-1

Injury and poisoning, emergency department

visits for, 4C-1, 4D-2, 7C-1, 7D-2

Inpatient deaths 2A-4, 2B-11, 5E-8

Intentional self-harm, *see* **Suicide**

Intrauterine hypoxia and birth asphyxia

2C-5, 2C-6, 2C-7, 5E-20

Invertebral disc disorders, inpatient discharges

for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Ischemic heart disease, deaths from 2B-6,

2C-28, 5E-12

K

Knee replacement, (inpatient operation),

4B-1, 4B-2, 4B-3, 4B-4, 7B-1

L

Leading causes of death, (*see also*, **Deaths**),

2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14

Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11

Average age at death 2D-1, 2D-3, 5E-11

County of residence 5E-11, 5E-12, 5E-13, 5E-14

Crude death rates 2B-6, 5E-13

Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4

Premature mortality 2D-2, 2D-4

Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4

Urban/rural differences 2B-5, 2D-3, 2D-4

Leading causes of death among
infants <1 year 2C-5, 2C-6, 2C-7, 5E-20
children 1-14 years 2C-8, 2C-9, 2C-10, 2C-11, 5E-25, 5E-26
adolescents 15-19 years 2C-12, 2C-13, 2C-14, 2C-15, 5E-27, 5E-28
young adults 20-44 years 2C-16, 2C-17, 2C-18, 2C-19, 5E-29, 5E-30
middle-aged adults 45-64 2C-20, 2C-21, 2C-22, 2C-23, 5E-31, 5E-32
elderly 65 years and older 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-33, 5E-34
Selected 113 causes 2B-6, 2C-28, 5E-12
Legal intervention, deaths due to 2B-6, 2C-28, 5E-12
Legionellosis 3A-1, 3A-2, 5F-1, 5F-2
Length of stay (average) for inpatient discharges, 4A-5
Leukemia, deaths from 2B-6, 2C-28, 5E-12
Listeriosis 3A-1, 3A-2, 5F-1, 5F-2
Live births, (see **Births**)
Liver disease and cirrhosis, chronic, deaths from 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14
Low-birthweight (LBW) births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 6A-1-7, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 6B-2-1-7, 9A
Lung disease, chronic or acute, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Lyme disease 3A-1, 5F-1, 5F-2
Lysis of peritoneal adhesions, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

M

Malaria, deaths from, 2B-6, 2C-28, 5E-12
Malaria, reported cases, 3A-1, 3A-2, 5F-1, 5F-2
Malformed genitalia, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Malignant neoplasm, (see **Cancer**)
Malnutrition, deaths from 2B-6, 2C-28, 5E-12
Manic-depressive disorders, emergency department visits for, 4C-1, 7C-1
Manic-depressive disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Marital status of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-24, 5B-14, 5B-15
Marriages 5G-1, 5G-2, 5G-3
Maternal deaths 1C-1, 1C-2
Measles
 Number of reported cases 3A-1, 6A-2, 5F-1, 5F-2, 6B-2
 Number of deaths 2B-6, 2C-28, 3A-2, 5E-12
Meconium aspiration syndrome, (see also **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28
Meconium, moderate/heavy, (see also **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Medical risk factors for pregnancy 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Meningitis 2B-6, 2C-28, 3A-1, 3A-2, 5E-12, 5F-1, 5F-2
Meningococcal infection 2B-6, 2C-28, 3A-1, 3A-2, 6A-2, 5E-12, 5F-1, 5F-2, 6B-2
Mental disorders, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2
Mental disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Microcephalus, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Misadventures to patients during surgical or medical care, death due to 2B-9
Miscarriages, (see **Fetal Deaths**)
Month of birth 1B-18, 1B-17, 5B-6
Month of death 2A-2, 2A-3, 5E-7
Mortality, (see **Deaths**)
Mother's age 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-9, 5B-10
Mother's education 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15
Mother's race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15
Mother's weight gain during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34
Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16
Multiple myeloma and immunoproliferative neoplasms, deaths from 2B-6, 2C-28, 5E-12
Mumps 3A-1, 3A-2, 6A-2, 5F-1, 5F-2, 6B-2
Musculoskeletal system, diseases of, emergency department visits for, 4C-1, 7C-1
Musculoskeletal system, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Myocardial infarction, acute, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

N

Natality, (see **Births**)
Native American, (see **American Indian**)
Natural increase from births 5B-1
Neonatal deaths 2C-1, 2C-3, 2C-4, 2C-7, 5C-1, 5E-23, 5E-24
Nephritis, nephrotic syndrome, and nephrosis, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14
Nervous system, diseases of, emergency department visits for, 4C-1, 7C-1
Nervous system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Neuroses (neurotic disorders), inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

P

Newborn's health

Abnormal conditions 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30
Admitted to intensive care units 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-22, 5B-24
Congenital anomalies 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11,
Low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 5B-30
Prematurity 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A
Very low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32

Newborn's race/ethnicity 5B-7

Non-Hodgkin's lymphoma, deaths from 2B-6, 2C-28, 5E-12

Nontransport accidents, deaths from 2B-6, 2C-28, 5E-12

Notifiable diseases, (*see* **Diseases reportable**)

Nutritional deficiencies, deaths from 2B-6, 2C-28, 5E-12

O

Objectives, (*see* **Health objectives for the Year 2010**)

Obstetric laceration, repair of (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

Omphalocele, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35,

Oophorectomy and salpingo-oophorectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Open wound, excluding head, emergency department visits for, 4C-2, 7C-2

Open wound of head, emergency department visits for, 4C-2, 7C-2

Operations of war, deaths from 2B-6, 2C-28, 5E-12

Operations (inpatient procedures) on the cardiovascular system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
digestive system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
ear 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
endocrine system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
eye 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
female genital organs 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
hemic and lymphatic system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
integumentary system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
male genital organs 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
musculoskeletal system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
nervous system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
nose, mouth, pharynx 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
respiratory system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
urinary system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Otitis media and eustachian tube disorders, emergency department visits for, 4C-2, 7C-2

Osteoarthritis and allied disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Outpatient deaths 2A-4, 2B-11, 5E-8

Pacific Islanders, (*see* **Asian residents**)

Parkinson's disease, deaths from 2B-6, 2C-27, 2C-28, 5E-12, 5E-33, 5E-34

Payee for birth 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 6B-7, 5B-20

Pedal cyclist deaths 2B-10

Pedestrian deaths 2B-10

Peptic ulcer, deaths from 2B-6, 2C-28, 5E-12

Pericardium and (acute) myocarditis, deaths from, 2B-6, 2C-28, 5E-12

Perinatal deaths 1G-3, 6A-1, 5C-1, 6B-2-1

Pertussis (whooping cough)

Reported cases, 3A-1, 5F-1, 5F-2

Deaths from 2B-6, 2C-28, 3A-2, 5E-12

Pharyngitis, acute, emergency department visits for, 4C-2, 7C-2

Placenta previa, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Place of birth/delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

Place of death 2A-4, 2B-10, 5E-8

Plague 3A-1, 3A-2, 5F-1, 5F-2

Plurality (*see* **Multiple births**)

Pneumoconioses and chemical effects deaths from 2B-6, 2C-28, 5E-12

Pneumonia deaths from 2B-6, 2C-28, 5E-12

Pneumonia, emergency department visits for, 4C-1, 7C-1

Pneumonia, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Pneumonitis due to solids and liquids deaths from 2B-6, 2C-28, 5E-12

Poisoning, accidental, death from, 2B-6, 2B-9, 6A-4, 6B-4

Poisoning, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Poisonings, emergency department visits for, 4C-1, 7C-1

Poliomyelitis, acute, deaths from 2B-6, 2C-28, 5E-12

Polydactyly/Syndactyly/Adactyly, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Population denominators 10A-1, 10A-2, 10B-1, 10B-2, 10C-1

Postneonatal deaths 2C-1, 2C-3, 2C-4, 2C-7, 5E-21, 5E-22

Precipitous labor, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Pregnancies

Among girls 14 and younger 1A-7, 5A-4

Among girls 17 and younger 1A-2, 5A-3

Among girls 15-17 1A-3, 5A-4

Among girls 15-19 1A-7, 5A-3

Among girls 18-19 1A-4, 5A-4

Among girls 19 and younger 1A-5, 1A-7, 5A-2

By county of residence 5A-1, 5A-2, 5A-3, 5A-4

By outcome 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-4

By race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6
By women's age 1A-6, 1A-7, 5A-4

Pregnancy, childbirth and the puerperium, deaths related to 1C-2, 2B-6, 2C-28, 5E-12
Pregnancy with abortive outcome, deaths from 2B-6, 2C-28, 5E-12
Premature mortality 2D-2, 2D-4
Prenatal care
 Average number of visits 5B-22
 Number of visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A
 Trimester of entry 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11, 9A
Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 6A-1, 5B-23, 5B-24, 5B-30, 6B-1

Previous infant 4,000+ grams (*see also Medical risk factors for pregnancy*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Previous preterm or small for gestational age (SGA) infant (*see also Medical risk factors for pregnancy*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Prolonged labor, (*see also Complications of labor/delivery*) 1B-26, 1B-28, B-32, 1B-33, 1B-34, 5B-27
Prostate cancer, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34
Prostatectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Psychoses, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

R

Rabies 3A-1, 3A-2, 5F-1, 5F-2
Rates
 Age-adjusted death rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-5, 5E-11
 Age-specific death rates 2C-1, 2C-2, 2C-3, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-12, 2C-13, 2C-14, 2C-16, 2C-17, 2C-18, 2C-20, 2C-21, 2C-22, 2C-24, 2C-25, 2C-26, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34
 Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2
 Cause-specific death rates 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-6, 2C-7, 2C-8, 2C-9, 2C-12, 2C-13, 2C-16, 2C-17, 2C-20, 2C-21, 2C-24, 2C-25, 5E-11, 5E-13, 5E-20, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34
 Crude death rates 2B-6, 5E-13
 Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1
 Natural increase 5B-1
 Pregnancy rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-2, 5A-3
Rectal atresia/stenosis, (*see also Complications of labor/delivery*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Relapsing fever, Tick 3A-1, 5F-1, 5F-2
Renal agenesis, (*see also Complications of labor/delivery*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Renal disease, (*see also Medical risk factors for pregnancy*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Renal failure, deaths from 2B-6, 2C-28, 5E-12
Reportable diseases (*see Diseases, Reportable*)
Respiratory Distress Syndrome, deaths from, (*see also Certain conditions originating in the perinatal period*) 2C-5, 2C-6, 2C-7, 5E-20
Respiratory infection, acute upper, emergency department visits for, 4C-2, 7C-2
Respiratory system, diseases of, emergency department visits for, 4C-1, 7C-1
Respiratory system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Respiratory therapy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Reyes syndrome 3A-1, 3A-2, 5F-1, 5F-2
Rheumatism, excluding back, emergency department visits for, 4C-2, 7C-2
Rh sensitization, (*see also Medical risk factors for pregnancy*) 1B-26, 1B-28, 1B-32, 1B-34, 5B-25
Rocky Mountain Spotted Fever 3A-1, 3A-2, 5F-1, 5F-2
Rubella 3A-1, 3A-2, 6A-1, 5F-1, 5F-2
Rubella syndrome, congenital 3A-1, 5F-1, 5F-2
Rupture of membranes, (*see also Complications of labor/delivery*) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Rural areas 1B-5, 1B-7, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17

S

Salmonella paratyphi A 3A-1, 5F-1, 5F-2
Salmonella paratyphi B 3A-1, 5F-1, 5F-2
Salmonella paratyphi C 3A-1, 5F-1, 5F-2
Salmonellosis (except *S. typhi* and *S. paratyphi*)
 Reported cases 3A-1, 5F-1, 5F-2
 Deaths from 3A-2
Scarlet fever and erysipelas 2B-6, 2C-28, 5E-12
Schizophrenic disorders, emergency department visits for, 4C-1, 7C-1
Schizophrenic disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Seizures, (*see also Abnormal conditions of the newborn*) 1B-26, 1B-27, 1B-28, 1B-32, 1B-34, 5B-28
Seizures during labor, (*see also Complications of labor/delivery*) 1B-26, 1B-27, 1B-28, 1B-32, 1B-34, 5B-28
Self-harm, intentional, (*see Suicide*)
Septicemia, deaths from
 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-11, 2C-11, 2C-27, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-33, 5E-34
Septicemia, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Shigellosis, deaths from 2B-6, 2C-28, 3A-2, 5E-12
Shock syndrome, toxic 5A-1, 3A-2, 5F-1, 5F-2
Skin and subcutaneous tissue, diseases of, emergency department visits for, 4C-1, 7C-1
Skin and subcutaneous tissue, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Spina bifida/meningocele, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Spinal disorders, emergency department visits for, 4C-2, 7C-2

Spinal tap, (inpatient procedure) 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Sprains, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2

Stillbirths, (*see* **Fetal deaths**)

Stimulation of labor, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-26

Streptococcal-Group A 3A-1, 5F-1, 5F-2

Streptococcal-Group B 3A-1, 5F-1, 5F-2

Streptococcal sore throat, scarlatina and erysipelas, deaths from 2B-11

Streptococcus pneumoniae 3A-1, 5F-1, 5F-2

Stroke, (*see* **Cerebrovascular disease**)

Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Sudden infant death syndrome (SIDS) 2C-5, 2C-6, 2C-7, 5E-20

Suffocation 6A-4

Suicide (intentional self-harm) as cause of death 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-28, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4, 9C

Suicide (intentional self-harm), emergency department visits related to, 4D-1, 7D-1

Suicide (intentional self-harm), inpatient discharges related to, 4D-2, 7D-2

Symptoms, signs, abnormal findings (as cause of death) 2B-6, 2C-28, 5E-12

Symptoms, signs, and ill-defined conditions, emergency department visits for, 4C-1, 7C-1

Syphilis

Congenital 6A-2

Early 3B-3, 3B-4, 3B-5

Late 3B-5

Primary and secondary 3B-1, 6A-2, 6B-2

Reported cases 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2

Deaths from 2B-6, 2C-28, 3B-2, 5E-12

T

Teenage pregnancies, (*see* **Pregnancies**)

Tobacco use during pregnancy, (*see also* **Births**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Tocolysis, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Transport accidents, deaths from, 2B-6, 2C-28, 5E-12

Trauma complications and unspecified injuries, emergency department visits for, 4C-1, 7C-1

Tuberculosis 3A-1, 6A-2, 5F-1, 5F-2, 6B-2

Deaths from 2B-6, 2C-28, 5E-12

Pulmonary 3A-1, 3A-2, 5F-1, 5F-2

Tularemia

Deaths from 3A-2

Reported cases 3A-1, 5F-1

Typhoid fever 3A-1, 3A-2, 5F-1, 5F-2

U

Ulcer, peptic, deaths from 2B-6, 2C-28, 5E-12

Ultrasound, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

Ultrasound, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Urban areas 1B-4, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17

Uterine bleeding, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

V

Valley Fever (Coccidioidomycosis), (*see also* **Diseases, Reportable**)

Vancomycin resistant Enterococcus spp. 3A-1, 5F-1, 5F-2

Varicella (*see* **Chickenpox**)

Very low-birthweight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32

Vibrio spp. 3A-1, 5F-1, 5F-2

Viral hepatitis, deaths from 2B-6, 2C-28, 5E-12

Volume depletion, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

W

White, non-Hispanic residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

Whooping cough (*see also* **Pertussis**)

Reported cases 3A-1, 5F-1, 5F-2

Deaths from 2B-6, 2C-28, 3A-2, 5E-12

Work-related injury, deaths from 9C-1

Y

Yersiniosis (except *Y. pestis*) 3A-1, 5F-1, 5F-2

