

**TABLE 3B-3
FREQUENCY OF REPORTED CASES OF GONORRHEA, CHLAMYDIA, EARLY SYPHILIS AND GENITAL HERPES
BY AGE AND GENDER, ARIZONA, 2005**

Age Group	GONORRHEA			CHLAMYDIA			EARLY SYPHILIS			GENITAL HERPES		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
0-4	5	3	8	8	23	31	0	0	0	3	8	11
5-9	1	1	2	5	8	13	0	0	0	1	1	2
10-14	10	40	50	37	210	247	0	0	0	1	5	6
15-19	360	721	1,081	1,142	5,451	6,593	7	13	20	29	128	157
20-24	739	745	1,484	1,769	5,934	7,703	23	18	41	78	193	271
25-29	530	392	922	1,019	2,595	3,614	36	18	54	86	127	213
30-34	340	189	529	515	1,094	1,609	36	14	50	67	104	171
35-39	235	116	351	270	480	750	40	16	56	31	50	81
40-44	192	72	264	137	226	363	30	12	42	27	53	80
45-54	144	50	194	117	156	273	30	6	36	32	93	125
55-64	46	6	52	22	22	44	8	1	9	16	31	47
65-over	9	5	14	12	12	24	1	0	1	7	18	25
Total	2,611	2,340	4,951	5,053	16,211	21,264	211	98	309	378	811	1,189

Note: The increase in the number of chlamydia and gonorrhea cases reported for 2005 was likely due to changes in surveillance and may not represent a true increase in incidence.

Source: Arizona Department of Health Services, Bureau of Epidemiology and Disease Control Services, Office of Infectious Disease Services