

TABLE 5E-11
AGE-ADJUSTED* MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY GENDER AND AVERAGE AGE AT DEATH
FROM ALL CAUSES BY COUNTY OF RESIDENCE, ARIZONA, 2005

| | ARIZONA | Apache | Cochise | Coconino | Gila | Graham | Greenlee | Maricopa | Mohave | Navajo | Pima | Pinal | Santa Cruz | Yavapai | Yuma | La Paz |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PER 100,000 TOTAL POPULATION (BOTH GENDERS): | | | | | | | | | | | | | | | | |
| Total, all causes | 772.5 | 959.0 | 819.6 | 815.4 | 981.5 | 897.2 | 971.8 | 750.8 | 974.1 | 955.2 | 789.3 | 737.8 | 736.9 | 764.3 | 651.0 | 633.4 |
| Cardiovascular disease | 245.7 | 208.6 | 272.5 | 239.5 | 298.8 | 256.0 | 337.8 | 242.9 | 316.4 | 239.0 | 242.0 | 246.8 | 248.0 | 242.0 | 203.4 | 247.9 |
| Diseases of heart | 186.9 | 152.1 | 219.8 | 184.4 | 229.8 | 174.2 | 220.6 | 184.3 | 251.1 | 174.2 | 181.7 | 201.7 | 190.2 | 181.0 | 144.7 | 203.1 |
| Coronary heart disease | 147.9 | 107.7 | 161.1 | 133.5 | 162.3 | 107.2 | 129.6 | 158.6 | 177.2 | 136.2 | 121.2 | 156.3 | 125.3 | 123.1 | 112.0 | 160.4 |
| Malignant neoplasms | 161.8 | 132.6 | 180.2 | 159.9 | 190.0 | 159.4 | 261.8 | 155.8 | 218.8 | 177.0 | 171.2 | 162.9 | 167.1 | 164.1 | 130.4 | 79.8 |
| Lung cancer | 43.0 | 7.8 | 46.7 | 30.8 | 50.9 | 30.7 | 103.6 | 40.6 | 81.0 | 23.9 | 45.9 | 49.5 | 30.0 | 38.1 | 40.6 | 26.2 |
| Colorectal cancer | 15.4 | 1.6 | 14.6 | 11.1 | 15.4 | 19.5 | 12.2 | 15.5 | 21.1 | 15.5 | 16.1 | 15.3 | 7.3 | 17.2 | 9.8 | 13.8 |
| Malignant melanoma of skin | 2.8 | 5.6 | 4.2 | 3.6 | 4.0 | 10.1 | 0.0 | 2.8 | 1.5 | 4.2 | 2.4 | 1.8 | 0.0 | 5.7 | 2.3 | 0.0 |
| Accident (unintentional injury) | 51.1 | 129.3 | 48.4 | 68.1 | 81.9 | 68.8 | 38.3 | 47.9 | 51.1 | 98.2 | 51.3 | 49.6 | 36.6 | 55.8 | 40.3 | 102.0 |
| Motor vehicle accident | 18.9 | 63.4 | 21.0 | 32.8 | 45.4 | 29.8 | 12.6 | 16.2 | 22.4 | 51.6 | 16.3 | 26.6 | 23.6 | 20.5 | 12.8 | 56.0 |
| Accidental falls | 12.0 | 4.7 | 8.0 | 14.5 | 7.5 | 6.2 | 0.0 | 13.4 | 4.4 | 14.7 | 11.9 | 7.7 | 7.6 | 14.9 | 7.3 | 2.7 |
| Accidental poisoning | 9.7 | 12.1 | 8.0 | 5.1 | 11.2 | 0.0 | 0.0 | 9.4 | 6.7 | 4.3 | 15.3 | 6.1 | 0.0 | 8.5 | 7.8 | 18.1 |
| Accidental drowning | 1.4 | 0.0 | 0.9 | 0.0 | 0.0 | 2.6 | 0.0 | 1.5 | 1.3 | 4.3 | 1.4 | 0.9 | 0.0 | 0.3 | 1.5 | 5.2 |
| Chronic lower respiratory diseases | 46.8 | 23.5 | 42.5 | 25.7 | 57.4 | 47.7 | 30.0 | 45.7 | 69.1 | 45.9 | 48.7 | 48.9 | 47.4 | 39.5 | 46.1 | 39.8 |
| Cerebrovascular disease | 40.6 | 20.7 | 39.4 | 35.8 | 47.7 | 68.9 | 96.2 | 39.1 | 48.2 | 47.9 | 43.7 | 29.4 | 35.6 | 49.0 | 40.6 | 34.3 |
| Alzheimer's disease | 32.7 | 11.2 | 27.3 | 19.8 | 54.3 | 12.8 | 0.0 | 39.0 | 23.6 | 21.9 | 25.4 | 17.5 | 20.2 | 31.3 | 8.6 | 7.4 |
| Influenza and pneumonia | 22.3 | 72.3 | 16.0 | 42.0 | 25.2 | 16.4 | 11.4 | 21.9 | 17.8 | 57.5 | 20.9 | 15.1 | 21.2 | 21.9 | 32.4 | 8.3 |
| Diabetes | 20.1 | 51.4 | 18.6 | 24.7 | 34.9 | 43.3 | 45.8 | 18.0 | 36.5 | 36.2 | 18.3 | 24.5 | 48.7 | 10.6 | 29.2 | 13.5 |
| Intentional self-harm (suicide) | 15.4 | 19.9 | 21.4 | 21.5 | 31.6 | 9.7 | 0.0 | 13.7 | 19.7 | 23.9 | 15.6 | 15.3 | 12.1 | 27.6 | 10.5 | 14.8 |
| Chronic liver disease and cirrhosis | 12.7 | 22.9 | 15.2 | 13.3 | 18.7 | 19.3 | 25.7 | 11.3 | 17.0 | 24.5 | 14.3 | 13.8 | 7.7 | 12.8 | 9.2 | 10.4 |
| Nephritis | 10.4 | 18.6 | 19.4 | 26.1 | 14.8 | 28.5 | 16.7 | 6.4 | 14.4 | 22.8 | 13.2 | 14.5 | 8.1 | 16.6 | 20.0 | 21.1 |
| Parkinson's disease | 8.5 | 10.9 | 5.0 | 14.3 | 6.3 | 0.0 | 0.0 | 8.9 | 5.2 | 3.1 | 9.9 | 10.1 | 11.5 | 8.1 | 2.4 | 0.0 |
| Septicemia | 8.4 | 12.4 | 13.5 | 11.9 | 13.8 | 16.3 | 0.0 | 7.8 | 10.4 | 14.3 | 7.0 | 7.2 | 17.8 | 7.6 | 13.8 | 1.9 |
| Assault (homicide) | 8.2 | 15.4 | 4.8 | 1.3 | 23.9 | 6.1 | 0.0 | 8.7 | 8.4 | 9.3 | 7.4 | 11.6 | 0.0 | 3.6 | 7.1 | 0.0 |
| Essential (primary) hypertension | 6.8 | 19.5 | 2.1 | 7.3 | 5.3 | 6.3 | 0.0 | 8.1 | 5.6 | 8.8 | 4.3 | 7.8 | 10.6 | 2.6 | 5.8 | 5.2 |
| HIV disease | 2.4 | 5.1 | 2.5 | 0.8 | 1.8 | 0.0 | 0.0 | 2.7 | 1.7 | 0.0 | 2.6 | 1.8 | 0.0 | 0.3 | 1.0 | 0.0 |
| Injury by firearms | 15.2 | 16.1 | 20.6 | 12.3 | 38.6 | 6.6 | 12.3 | 14.8 | 16.9 | 16.3 | 14.1 | 19.0 | 9.8 | 16.5 | 8.6 | 8.3 |
| Drug-induced deaths | 13.8 | 12.7 | 12.2 | 10.0 | 13.5 | 6.6 | 0.0 | 13.5 | 16.6 | 7.8 | 18.5 | 9.4 | 0.0 | 15.4 | 10.7 | 29.7 |
| Alcohol-induced deaths | 11.2 | 31.0 | 8.5 | 7.9 | 15.7 | 15.6 | 13.4 | 10.5 | 15.1 | 31.3 | 11.2 | 12.8 | 7.4 | 10.9 | 3.3 | 6.4 |
| AVERAGE AGE AT DEATH | 71.5 | 63.5 | 70.6 | 65.5 | 71.2 | 72.2 | 71.8 | 71.6 | 71.6 | 64.6 | 72.5 | 68.3 | 72.7 | 75.2 | 71.8 | 68.4 |
| MEDIAN AGE AT DEATH | 76.8 | 68.6 | 74.2 | 71.1 | 75.1 | 77.3 | 75.9 | 77.4 | 75.2 | 70.2 | 77.8 | 72.9 | 77.2 | 79.2 | 75.9 | 73.2 |

*Adjusted to the 2000 standard U.S. population. The causes of death for 2005 are classified by the Tenth Revision of the International Classification of Diseases (ICD-10).

Note: All rates are per 100,000 resident population.

The rates based on fewer than 10 deaths (see Table 5E-12) are not statistically reliable.

TABLE 5E-11 (continued)
AGE-ADJUSTED* MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY GENDER AND AVERAGE AGE AT DEATH
FROM ALL CAUSES BY COUNTY OF RESIDENCE, ARIZONA, 2005

| | ARIZONA | Apache | Cochise | Coconino | Gila | Graham | Greenlee | Maricopa | Mohave | Navajo | Pima | Pinal | Santa Cruz | Yavapai | Yuma | La Paz |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PER 100,000 MALES: | | | | | | | | | | | | | | | | |
| Total, all causes | 925.7 | 1268.8 | 1004.7 | 889.8 | 1190.1 | 1135.8 | 1175.9 | 899.5 | 1142.7 | 1161.8 | 948.4 | 842.7 | 989.4 | 918.2 | 760.5 | 895.8 |
| Cardiovascular disease | 298.2 | 314.6 | 346.0 | 268.7 | 374.3 | 328.7 | 520.1 | 292.7 | 411.2 | 284.8 | 291.0 | 294.0 | 376.4 | 277.6 | 243.2 | 348.2 |
| Diseases of heart | 237.4 | 234.2 | 275.0 | 213.7 | 294.6 | 240.6 | 300.0 | 233.8 | 339.1 | 224.9 | 224.3 | 250.8 | 300.3 | 225.1 | 179.4 | 302.4 |
| Coronary heart disease | 193.1 | 173.3 | 214.3 | 175.0 | 215.6 | 162.3 | 238.0 | 204.1 | 249.6 | 183.5 | 157.4 | 200.5 | 226.6 | 167.4 | 142.4 | 228.3 |
| Malignant neoplasms | 197.1 | 203.4 | 220.1 | 159.6 | 218.2 | 189.9 | 336.8 | 190.5 | 247.3 | 223.9 | 211.4 | 192.3 | 198.7 | 210.0 | 150.2 | 99.3 |
| Lung cancer | 54.1 | 17.0 | 62.5 | 22.7 | 61.4 | 47.5 | 108.7 | 51.4 | 90.6 | 32.8 | 58.6 | 62.4 | 71.3 | 48.5 | 46.8 | 33.0 |
| Prostate cancer | 23.8 | 27.6 | 18.9 | 16.0 | 36.8 | 14.9 | 0.0 | 23.0 | 31.5 | 30.7 | 25.1 | 19.7 | 28.4 | 32.0 | 13.3 | 11.5 |
| Colorectal cancer | 18.9 | 3.4 | 13.7 | 17.4 | 20.1 | 10.7 | 22.5 | 19.4 | 26.8 | 21.4 | 18.4 | 18.4 | 5.2 | 24.0 | 9.9 | 9.3 |
| Malignant melanoma of skin | 5.0 | 12.7 | 8.5 | 5.4 | 6.7 | 14.1 | 0.0 | 4.9 | 3.2 | 6.3 | 4.3 | 1.6 | 0.0 | 10.8 | 3.5 | 0.0 |
| Accident (unintentional injury) | 68.7 | 196.0 | 74.6 | 92.9 | 101.3 | 93.8 | 50.7 | 65.9 | 67.2 | 138.4 | 66.5 | 52.9 | 69.0 | 69.9 | 53.0 | 188.6 |
| Motor vehicle accident | 27.0 | 98.7 | 34.1 | 47.4 | 64.8 | 44.7 | 25.3 | 23.3 | 31.0 | 73.4 | 24.1 | 29.4 | 40.1 | 26.3 | 18.1 | 93.6 |
| Accidental falls | 13.1 | 5.9 | 11.8 | 19.3 | 13.4 | 6.3 | 0.0 | 15.3 | 6.1 | 11.9 | 12.8 | 5.6 | 16.8 | 13.6 | 6.8 | 5.4 |
| Accidental poisoning | 13.0 | 13.7 | 11.2 | 6.2 | 9.0 | 0.0 | 0.0 | 13.5 | 6.1 | 4.3 | 19.0 | 5.7 | 0.0 | 12.7 | 9.6 | 29.3 |
| Accidental drowning | 2.0 | 0.0 | 1.7 | 0.0 | 0.0 | 5.0 | 0.0 | 2.4 | 1.3 | 6.8 | 1.2 | 0.8 | 0.0 | 0.5 | 2.9 | 13.2 |
| Chronic lower respiratory diseases | 51.3 | 31.5 | 52.6 | 37.0 | 75.6 | 71.3 | 34.0 | 48.8 | 77.6 | 62.8 | 53.4 | 50.3 | 56.6 | 43.3 | 46.7 | 44.5 |
| Cerebrovascular disease | 40.0 | 36.6 | 50.7 | 46.8 | 49.8 | 72.7 | 158.0 | 35.7 | 52.7 | 53.5 | 48.9 | 29.4 | 36.5 | 38.5 | 43.0 | 32.6 |
| Alzheimer's disease | 27.7 | 15.5 | 25.2 | 20.7 | 41.2 | 10.7 | 0.0 | 33.5 | 12.6 | 18.4 | 21.9 | 15.6 | 17.9 | 30.0 | 8.5 | 0.0 |
| Influenza and pneumonia | 26.6 | 106.2 | 15.8 | 40.2 | 35.3 | 28.8 | 23.2 | 25.8 | 24.0 | 63.7 | 25.5 | 12.2 | 20.6 | 27.9 | 41.8 | 12.5 |
| Intentional self-harm (suicide) | 24.9 | 41.0 | 38.0 | 31.2 | 61.5 | 18.4 | 0.0 | 22.7 | 25.8 | 37.1 | 23.7 | 21.5 | 23.3 | 42.2 | 17.6 | 20.0 |
| Diabetes | 24.7 | 50.8 | 22.3 | 28.5 | 36.9 | 61.8 | 0.0 | 22.4 | 47.4 | 49.9 | 22.5 | 25.7 | 50.6 | 14.0 | 29.4 | 33.2 |
| Chronic liver disease and cirrhosis | 17.7 | 34.0 | 24.0 | 14.8 | 17.5 | 29.7 | 0.0 | 15.7 | 24.2 | 26.3 | 22.3 | 14.8 | 5.3 | 18.5 | 13.1 | 12.5 |
| Assault (homicide) | 13.5 | 24.5 | 7.7 | 2.6 | 33.9 | 10.7 | 0.0 | 14.4 | 10.1 | 14.2 | 12.6 | 19.0 | 0.0 | 4.7 | 10.4 | 0.0 |
| Parkinson's disease | 12.8 | 6.0 | 5.4 | 26.0 | 9.6 | 0.0 | 0.0 | 13.5 | 9.4 | 3.2 | 14.4 | 14.9 | 21.7 | 13.8 | 4.3 | 0.0 |
| Nephritis | 12.7 | 9.1 | 18.7 | 31.2 | 15.9 | 70.9 | 34.0 | 6.7 | 22.5 | 32.5 | 17.4 | 17.5 | 13.4 | 23.6 | 18.8 | 36.1 |
| Septicemia | 9.7 | 6.7 | 19.3 | 7.3 | 17.4 | 18.1 | 0.0 | 9.0 | 7.5 | 19.7 | 8.3 | 5.3 | 25.4 | 8.6 | 21.4 | 3.9 |
| Essential (primary) hypertension | 6.9 | 19.5 | 3.1 | 3.9 | 8.1 | 15.4 | 0.0 | 8.6 | 5.3 | 4.5 | 4.4 | 6.2 | 11.2 | 2.1 | 4.1 | 13.2 |
| HIV disease | 4.0 | 6.9 | 5.0 | 0.0 | 3.7 | 0.0 | 0.0 | 4.7 | 2.4 | 0.0 | 4.0 | 3.5 | 0.0 | 0.7 | 2.0 | 0.0 |
| Injury by firearms | 26.9 | 30.0 | 39.3 | 21.6 | 71.0 | 6.3 | 25.4 | 26.0 | 26.0 | 30.7 | 26.0 | 31.5 | 18.6 | 27.5 | 15.1 | 20.0 |
| Drug-induced deaths | 17.0 | 17.1 | 12.9 | 9.4 | 9.0 | 12.1 | 0.0 | 18.1 | 10.8 | 6.4 | 20.8 | 8.6 | 0.0 | 21.1 | 14.4 | 42.4 |
| Alcohol-induced deaths | 17.0 | 47.5 | 12.9 | 7.4 | 18.5 | 25.0 | 0.0 | 16.1 | 24.1 | 39.2 | 18.4 | 15.4 | 10.6 | 18.4 | 7.0 | 16.1 |
| AVERAGE AGE AT DEATH | 68.1 | 59.6 | 68.5 | 61.3 | 69.5 | 68.3 | 71.1 | 67.6 | 70.4 | 61.7 | 69.3 | 66.7 | 69.4 | 72.2 | 69.8 | 67.6 |
| MEDIAN AGE AT DEATH | 73.5 | 63.6 | 72.2 | 64.2 | 73.2 | 73.6 | 74.6 | 73.6 | 73.8 | 66.4 | 74.7 | 71.0 | 73.3 | 76.3 | 74.4 | 70.7 |

TABLE 5E-11 (continued)
AGE-ADJUSTED* MORTALITY RATES FOR SELECTED LEADING CAUSES OF DEATH BY GENDER AND AVERAGE AGE AT DEATH
FROM ALL CAUSES BY COUNTY OF RESIDENCE, ARIZONA, 2005

| | ARIZONA | Apache | Cochise | Coconino | Gila | Graham | Greenlee | Maricopa | Mohave | Navajo | Pima | Pinal | Santa Cruz | Yavapai | Yuma | La Paz |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PER 100,000 FEMALES: | | | | | | | | | | | | | | | | |
| Total, all causes | 644.9 | 690.8 | 654.5 | 755.5 | 802.1 | 692.6 | 802.8 | 630.9 | 827.5 | 765.3 | 661.7 | 635.1 | 542.7 | 633.4 | 543.8 | 429.7 |
| Cardiovascular disease | 203.8 | 125.5 | 212.2 | 217.6 | 16.3 | 201.8 | 214.6 | 204.6 | 233.3 | 197.3 | 204.4 | 200.8 | 159.5 | 210.4 | 166.7 | 165.1 |
| Diseases of heart | 147.3 | 88.1 | 171.7 | 161.6 | 2.4 | 128.9 | 150.2 | 147.1 | 174.3 | 130.8 | 149.5 | 155.5 | 115.6 | 143.3 | 112.5 | 122.3 |
| Coronary heart disease | 112.4 | 58.3 | 114.8 | 104.6 | 2.4 | 65.2 | 31.6 | 124.3 | 114.1 | 96.2 | 93.6 | 114.2 | 56.1 | 86.5 | 83.7 | 106.1 |
| Malignant neoplasms | 136.1 | 76.1 | 147.2 | 157.3 | 335.6 | 131.2 | 187.7 | 131.8 | 198.9 | 141.5 | 142.2 | 136.5 | 143.0 | 131.5 | 111.3 | 61.8 |
| Lung cancer | 34.4 | 0.0 | 32.6 | 37.3 | 0.0 | 21.8 | 98.2 | 32.5 | 72.3 | 18.3 | 36.5 | 36.8 | 0.0 | 30.1 | 34.6 | 20.6 |
| Breast cancer | 20.7 | 18.7 | 29.3 | 25.1 | 86.9 | 16.0 | 0.0 | 19.2 | 30.6 | 20.3 | 23.5 | 19.6 | 28.9 | 19.0 | 15.5 | 9.2 |
| Colorectal cancer | 12.8 | 0.0 | 14.4 | 5.2 | 6.7 | 28.1 | 0.0 | 12.6 | 16.6 | 11.6 | 14.3 | 12.4 | 9.2 | 12.3 | 9.7 | 16.2 |
| Cervical cancer | 2.1 | 3.9 | 1.3 | 1.5 | 4.7 | 0.0 | 24.1 | 2.2 | 1.7 | 1.7 | 0.8 | 3.2 | 0.0 | 3.4 | 8.1 | 0.0 |
| Malignant melanoma of skin | 1.1 | 0.0 | 0.0 | 2.3 | 29.7 | 5.1 | 0.0 | 1.2 | 0.0 | 2.5 | 0.9 | 1.9 | 0.0 | 1.9 | 1.3 | 0.0 |
| Chronic lower respiratory diseases | 43.5 | 15.3 | 34.7 | 19.2 | 2.4 | 33.3 | 24.8 | 43.4 | 62.2 | 32.5 | 45.3 | 48.2 | 40.7 | 37.4 | 44.9 | 36.4 |
| Cerebrovascular disease | 40.5 | 9.9 | 31.5 | 31.0 | 57.1 | 62.4 | 64.4 | 40.6 | 44.6 | 41.6 | 39.6 | 28.7 | 33.0 | 56.9 | 38.0 | 33.0 |
| Alzheimer's disease | 35.7 | 7.8 | 27.9 | 19.6 | 2.3 | 16.1 | 0.0 | 42.2 | 30.8 | 24.0 | 27.3 | 19.2 | 21.8 | 31.5 | 8.6 | 14.7 |
| Accident (unintentional injury) | 34.4 | 68.5 | 23.2 | 46.6 | 15.9 | 35.3 | 24.8 | 31.3 | 36.0 | 57.3 | 37.8 | 46.6 | 9.0 | 40.6 | 28.2 | 39.0 |
| Motor vehicle accident | 11.1 | 29.6 | 7.5 | 20.3 | 15.5 | 12.0 | 0.0 | 9.4 | 13.7 | 29.9 | 9.0 | 24.4 | 9.0 | 14.7 | 7.6 | 28.3 |
| Accidental falls | 11.1 | 3.9 | 5.5 | 12.2 | 11.6 | 5.4 | 0.0 | 11.8 | 3.6 | 16.3 | 11.7 | 9.9 | 0.0 | 15.0 | 7.7 | 0.0 |
| Accidental poisoning | 6.5 | 10.8 | 4.9 | 4.2 | 17.3 | 0.0 | 0.0 | 5.3 | 7.2 | 4.1 | 11.7 | 6.6 | 0.0 | 4.5 | 5.8 | 10.7 |
| Accidental drowning | 0.8 | 0.0 | 0.0 | 0.0 | 31.2 | 0.0 | 0.0 | 0.7 | 1.3 | 1.7 | 1.6 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| Influenza and pneumonia | 19.2 | 45.1 | 14.9 | 45.0 | 43.5 | 10.6 | 0.0 | 19.3 | 13.1 | 52.3 | 17.3 | 17.5 | 17.7 | 17.6 | 23.8 | 5.5 |
| Diabetes | 16.7 | 53.2 | 14.9 | 20.6 | 22.7 | 30.8 | 79.0 | 14.8 | 27.8 | 24.8 | 15.7 | 23.8 | 44.8 | 7.5 | 28.0 | 0.0 |
| Nephritis | 8.8 | 26.1 | 19.0 | 23.4 | 6.7 | 0.0 | 0.0 | 6.2 | 8.1 | 15.3 | 10.3 | 12.5 | 4.4 | 11.9 | 20.4 | 9.8 |
| Chronic liver disease and cirrhosis | 8.1 | 12.4 | 6.7 | 12.1 | 10.5 | 10.8 | 48.9 | 7.2 | 10.3 | 22.6 | 7.3 | 12.4 | 9.4 | 7.6 | 5.6 | 8.4 |
| Septicemia | 7.5 | 16.7 | 9.2 | 15.0 | 10.3 | 18.8 | 0.0 | 6.9 | 13.1 | 9.7 | 6.0 | 8.8 | 10.9 | 6.5 | 6.7 | 0.0 |
| Intentional self-harm (suicide) | 6.5 | 0.0 | 6.0 | 11.8 | 2.4 | 0.0 | 0.0 | 5.3 | 14.0 | 11.0 | 8.3 | 7.6 | 3.5 | 13.6 | 3.6 | 10.7 |
| Essential (primary) hypertension | 6.6 | 18.4 | 1.3 | 9.9 | 69.9 | 0.0 | 0.0 | 7.7 | 5.3 | 12.2 | 4.2 | 9.1 | 10.9 | 3.2 | 7.4 | 0.0 |
| Parkinson's disease | 5.7 | 15.1 | 4.0 | 6.1 | 2.4 | 0.0 | 0.0 | 6.0 | 1.8 | 2.8 | 6.9 | 5.8 | 5.0 | 4.8 | 0.9 | 0.0 |
| Assault (homicide) | 2.6 | 6.3 | 1.8 | 0.0 | 4.3 | 0.0 | 0.0 | 2.6 | 6.9 | 4.3 | 2.1 | 2.7 | 0.0 | 2.3 | 3.5 | 0.0 |
| HIV disease | 0.7 | 3.4 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.6 | 1.1 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Injury by firearms | 3.8 | 3.1 | 3.0 | 3.1 | 8.1 | 7.2 | 0.0 | 3.9 | 8.2 | 2.0 | 3.0 | 3.6 | 3.5 | 6.1 | 2.5 | 0.0 |
| Drug-induced deaths | 10.6 | 8.8 | 11.5 | 10.6 | 2.1 | 0.0 | 0.0 | 8.9 | 22.1 | 8.8 | 16.3 | 10.4 | 0.0 | 10.0 | 7.0 | 21.4 |
| Alcohol-induced deaths | 5.8 | 15.6 | 4.0 | 8.5 | 9.7 | 5.5 | 24.8 | 5.4 | 6.8 | 24.2 | 4.9 | 9.9 | 4.4 | 3.7 | 0.0 | 0.0 |
| AVERAGE AGE AT DEATH | 75.2 | 70.0 | 73.5 | 69.8 | 73.3 | 77.1 | 72.7 | 75.8 | 73.1 | 68.5 | 75.8 | 70.4 | 77.3 | 78.4 | 74.6 | 69.9 |
| MEDIAN AGE AT DEATH | 80.2 | 73.6 | 77.9 | 75.0 | 78.2 | 82.1 | 75.9 | 80.9 | 77.3 | 76.4 | 80.9 | 74.8 | 80.7 | 82.1 | 79.0 | 77.0 |