

INDEX TO TABLES

(Numbers and letters refer to tables)

A

- Abdominal pain**, emergency department visits for, 4C-2, 7C-2
- Abnormal conditions of the newborn** 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30
- Abortion**
Abortions per 1,000 live births 5D-2
Abortions per 1,000 women 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1
Age group 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1D-1, 1D-3, 1D-5, 5A-4, 5D-4
County of residence 5A-1, 5A-4, 5D-1, 5D-2, 5D-3, 5D-4, 5D-5, 5D-6, 5D-7
Gestation, length of 1D-1, 1D-3, 1D-4, 5D-7
Hospitalized for complications 1D-1
Marital status 5D-6
Number performed in Arizona 1D-1, 5D-3
Race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1D-1, 5D-5
Reason for termination 1D-1
Type of facility 1D-1
- Abruptio placenta**, (*see also* **Complications of labor and/or delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
- Abstinence from cigarette smoking** 6A-1, 6B-2-1
- Accidents**, (*see* **Injuries, unintentional**)
- Acute myocardial infarction**, deaths from 2B-6, 2B-8, 5E-12
- Adverse effects of medical treatment**, emergency department visits related to, 4D-2, 7D-2
- Adverse effects of medical treatment**, inpatient discharges related to, 4D-1, 7D-1
- African-American residents**, (*see* **Black residents**)
- AIDS**, (*see* **HIV/AIDS**)
- Alcohol-induced deaths** 2B-6, 2C-28, 5E-12, 9C
- Alcoholic liver disease** 2B-6, 2C-28, 5E-12
- Alcoholic psychoses**, emergency department visits for, 4C-1, 7C-1
- Alcoholic psychoses**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
- Alcohol dependence syndrome**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
- Alcohol use during pregnancy** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
- Alzheimer's disease** deaths from 2B-1, 2B-2, 2B-4, 2B-5, B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34
- American Indian or Alaska Native residents** 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-12, 1B-13, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18
- Amebiasis**, 3A-1, 3A-2, 5F-1, 5F-2
- Amniocentesis**, (*see also* **Obstetric procedures**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26
- Anemia**
Mother's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Newborn's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28
Deaths from 2B-6, 2C-28, 5E-12
- Anencephalus**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
- Anesthetic complications** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
- Anxiety states**, emergency department visits for, 4C-1, 7C-1
- Anxiety states**, inpatient discharges for, 4A-1, 4A-2, 4A-3, A-5, 7A-1
- Aortic aneurysm and dissection**, 2B-6, 2C-28, 5E-12
- Appendix, diseases of**, deaths from 2B-6, 2C-28, 5E-12
- Appendicitis**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
- Appendectomy**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
- Appendix, diseases of** (deaths from) 2B-6, 2C-28, 5E-12
- Arizona Health Care Cost Containment System** (AHCCCS) 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20
- Arterio- & angiocardiology using contrast material**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
- Artificial rupture of membranes**, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
- Asian (Asian or Pacific Islander) residents** 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-37, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5D-5, 5E-6, 5E-18
- Assault**, (*see* **Homicide**)
- Assisted ventilation**, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28
- Asthma**, deaths from 2B-6, 2C-28, 6A-8, 5E-12
- Asthma**, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2
- Asthma**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
- Atelectasis** deaths from 2C-7, 5E-20
- Atherosclerosis**, deaths from 2B-6, 2C-28, 5E-12
- Atherosclerosis, coronary**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
- Atherosclerotic cardiovascular disease**, deaths from 2B-6, 2C-28, 5E-12
- Attendant at birth** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15
- Average age at death**
County of residence 5E-11
Gender differences 2D-1, 2D-3,
Race/ethnic differences 2D-1, 2D-3,
Ten leading causes 2D-3
Urban/rural differences 2D-3
- Axial tomography, computerized**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

B

- Bilateral destruction/occlusion of fallopian tubes**, inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
- Births**
Abnormal conditions of the newborn 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30
Age of father 1B-19
Age of mother 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-9, 5B-10, 5B-14, 5B-19
Alcohol use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-24
Attendant at birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15
Birth defects, (*see* **Congenital anomalies**)
Birth injury, (*see* **Abnormal conditions of the newborn**)
Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2
Birth weights 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34
Cesarean deliveries 1B-2, 1B-3, 1B-4, B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 6A-1-11, 5B-26, 5B-30, 6B-2-1-11
Complication of labor and/or delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27, 5B-30

County of occurrence 5B-4, 5B-5
County of residence 5B-2, 5B-3
Education of father 1B-21
Education of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15
Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1
Gestational age 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A
Low-weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, B-30, 9A
Marital status 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15
Medical risk factors 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Method of delivery 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26
Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16
Newborn intensive care 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-24, 5B-30
Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30
Payee for births 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20, 5B-22,
Place of delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15
Prenatal visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A
Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30
Previous live births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-24
Race/ethnicity of father 1B-20
Race/ethnicity of mother 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22
Rural areas 1B-5, 1B-25, 1B-26, 5B-17
Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Teenage mothers 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-2, 5A-3, 5A-4, 5B-9, 5B-10, 5B-19, 9A
Tobacco use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Trimester of entry into prenatal care 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11
Unmarried mothers 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15, 9A
Urban areas 1B-4, 1B-25, 1B-26
Very low weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, B-28, 1B-32

Weight gain during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34
Black (African American) residents, 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-10, B-11, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-4, 2B-5, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18
Blood and blood forming organs, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Body disposition (see also Deaths) 5E-9, 5E-10
Breech malpresentation, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Bronchiolitis, acute, deaths from 2B-6, 2C-28, 5E-12
Bronchitis, chronic, emergency department visits for, 4C-1, 7C-1
Bronchitis, chronic, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Bronchitis, chronic and unspecified, deaths from 2B-6, 2C-28, 5E-12
Bronchitis, chronic and unspecified, emergency department visits for, 4C-2, 7C-2
Bronchitis and bronchiolitis, acute, emergency department visits for, 4C-1, 7C-1
Bronchitis and bronchiolitis, acute, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Bronchoscopy with or without biopsy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Brucellosis 3A-1, 3A-2, 5F-1, 5F-2
Burns, emergency department visits for, 4C-1, 7C-1

C

Calculus of kidney and ureter, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Campylobacteriosis 3A-1, 5F-1, 5F-2
Cancer (malignant neoplasms), deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 2D-3, 2D-4, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5
Bladder 2B-6, 2B-8, 2C-28, 5E-11
Brain 2B-6, 2B-8, 2C-28, 5E-11
Breast 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5
Cervix uteri 2B-4, 2B-5, 2B-6, 2B-8, 5E-11, 6A-5, 6B-5
Colon, rectum, and anus (colorectal) 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 5E-11, 6A-5, 6B-5
Corpus uteri and uterus 2B-6, 2B-8, 2C-28, 5E-11
Esophagus 2B-6, 2B-8, 2C-28, 5E-11
Hodgkin's disease 2B-6, 2B-8, 2C-28, 5E-11
In situ 2B-6, 2C-28, 5E12
Kidney 2B-6, 2B-8, 2C-28, 5E-11
Larynx 2B-6, 2C-28, 5E-11
Leukemia 2B-6, 2C-28, 5E-11
Lip, oral cavity and pharynx 2B-6, 2C-28, 5E-11
Liver and intrahepatic bile ducts 2B-6, 2C-28, 5E-11
Lung 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5
Lymphoid and hematopoietic tissue 2B-6, 2C-28, 5E-11
Malignant lymphoma other than Hodgkin's disease 2B-8
Melanoma of skin 2B-8, 6A-5
Multiple myeloma 2B-8
Oropharyngeal 2B-6, 2B-8, 2C-28, 5E-11
Ovary 2B-6, 2C-28, 5E-11
Pancreas 2B-6, 2B-8, 2C-28, 5E-11
Prostate 2B-4, 2B-12, 2B-7, 5E-11, 5E-12, 5E-13, 5E-14, 6A-5, 6B-5
Skin 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 5E-11, 5E-12
Stomach 2B-6, 2B-8, 2C-28, 5E-11
Trachea, bronchus and lung 2B-6, 2B-8, 2C-28, 5E-11
Cancer (malignant neoplasm), inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Breast 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Large intestine 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Prostate 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
 Trachea, bronchus and lung 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Cancer (neoplasm), emergency department visits for, 4C-1, 7C-1

Cardiac catheterization, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Cardiac disease as a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Cardiac dysrhythmias, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Cardiovascular disease, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 6A-5-32, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5-29

Cellulitis and abscess, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Cephalopelvic disproportion, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Cerebrovascular disease (stroke), deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 6A-5-32, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5-28

Cerebrovascular disease, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Certain conditions originating in the perinatal period, deaths due to 2B-6, 2C-28, 5E-11

Cesarean deliveries, (*see also* **Delivery, method of**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

Cesarean section, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Chest pain, emergency department visits for, 4C-2, 7C-2

Chickenpox 3A-1, 3A-2, 5F-1, 5F-2

Chinese mothers, number of births to, 1B-22

Chlamydia 3B-1, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2

Cholecystectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Cholelithiasis, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Cholelithiasis and other disorders of gallbladder, deaths from 2B-6, 2C-28, 5E-11

Cholera 3A-1, 5F-1, 5F-2

Chronic liver disease and cirrhosis deaths from 2B-1, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14

Chronic lower respiratory diseases deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Chronic obstructive pulmonary diseases, (*see* **Chronic lower respiratory diseases**)

Cigarette smoking during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

Circulatory system, diseases of, emergency department visits for, 4C-1, 7C-1

Circulatory system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Cirrhosis, deaths from 6A-10, 6B-10

Cleft lip/palate, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Club foot, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Coccidioidomycosis (Valley Fever)
 Reported cases 3A-1, 5F-1, 5F-2
 Deaths from 3A-2

Cold, exposure to, deaths from 2B-9

Colorado Tick Fever 3A-1

Complications of medical and surgical care, deaths due to 2B-6, 2C-28, 5E-12

Complications of medical and surgical care, emergency department visits related to 4D-2, 7D-2

Complications of medical and surgical care, inpatient discharges related to, 4D-1, 7D-1

Communicable diseases, (*see* **Diseases, reportable**)

Complications of labor and/or delivery
 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27, 5B-30

Complications of pregnancy, childbirth and the

puerperium, deaths from 1C-2, 2B-6, 2C-28, 5E-11

Complications, surgical and medical, emergency department visits for, 4C-1, 7C-1

Conditions originating in the perinatal period, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Congenital anomalies (birth defects) **reported on birth certificate** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

Congenital malformations, deformations and chromosomal abnormalities deaths from 2B-6, 2C-28, 5E-12

Congenital anomalies, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Contusion with intact skin surface, emergency department visits for, 4C-2, 7C-2

Contusions, emergency department visits for, 4C-1, 7C-1

Cord prolapse, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Coronary artery bypass graft, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Coronary artery obstruction, removal of, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Coronary heart disease, deaths from 6A-7, 6B-7

Cuban mothers, number of births to, 1B-22

Cystoscopy with or without biopsy, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

D

Day of birth 1B-18

Day of death 2A-3

Deaths 2A-1, 2A-2, 2A-3, 2A-4, 2B-1, 2B-2, 2B-3, 2B-4, 2-5, 2B-6, 2B-7, 2B-8, 2B-9, 2B-10, 2B-11, 1C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 2D-1, 2D-2, 2D-3, 2D-4, 6A-3, 6A-4, 6A-5, 5E-1, 5E-2, 5E-3, 5E-4, 5E-5, 5E-6, 5E-7, 5E-8, 5E-9, 5E-10, 5E-11, 5E-12, 5E-13, 5E-14, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20, 5E-21, 5E-22, 5E-23, 5E-24, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-3, 6B-4, 6B-5, 9B, 9C

Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11

Age-specific numbers and rates 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 9B

Average age at death 2D-1, 2D-3, 5E-11

County of residence 5E-11, 5E-12, 5E-13, 5E-14

Crude death rates 2B-6, 5E-13

Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4

Premature mortality 2D-2, 2D-4

Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4

Urban/rural differences 2B-5, 2D-3, 2D-4

Decedent status 2A-4, 2B-10, 5E-8

Delivery, method of 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

Dengue, 3A-1, 3A-2, 5F-1, 5F-2

Depression, emergency department visits for, 4C-1, 7C-1

Depression, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Diabetes mellitus as medical risk factor for pregnancy, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-26

Diabetes mellitus, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

Diabetes mellitus, emergency department visits for, 4C-1, 7C-1

Diabetes mellitus, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Diabetes-related deaths 6A-6, 6B-6

Diaphragmatic hernia, (see also Congenital anomalies)

1B-26, 1B-28, 1B-32, 1B-33, 1B-34,
1B-35, 5B-29

Digestive system, diseases of, emergency department visits for, 4C-1, 7C-1

Digestive system, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Diseases, reportable

AIDS 3C-1, 3C-2, 3C-3, 3C-4, 6A-2, 5F-3
Amebiasis 3A-1, 5F-1, 5F-2,
Botulism 3A-1, 5F-1, 5F-2
Brucellosis 3A-1, 3A-2, 5F-1, 5F-2
Central nervous system 3A-1, 5F-1, 5F-2
Chickenpox 3A-1, 5F-1
Chlamydia 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2
Coccidioidomycosis (Valley Fever) 3A-1, 5F-1, 5F-2
Colorado Tick Fever 3A-1, 5F-1, 5F-2
Cryptosporidiosis 3A-1, 5F-1, 5F-2
Dengue 3A-1, 3A-2, 5F-1, 5F-2
E. coli O157:H7 3A-1, 5F-1, 5F-2
Encephalitis, viral 3A-1, 5F-1, 5F-2
Enteric 3A-1, 5F-1, 5F-2
Erlchiosis 3A-1
Fungal 3A-1, 5F-1, 5F-2
Giardiasis 3A-1, 5F-1, 5F-2
Gonorrhea 3B-1, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2, 6B-2
Gonococcal Pelvic Inflammatory Disease 3B-1, 5F-1, 5F-2
Haemophilus influenzae b 3A-1, 6A-2-16, 5F-1, 5F-2
Hantavirus Pulmonary Syndrome 3A-1, 5F-1, 5F-2
Hepatitis 3A-1, 6A-2-16, 5F-1, 5F-2
Legionellosis 3A-1, 3A-2, 5F-1, 5F-2
Listeriosis 3A-1, 3A-2, 5F-1, 5F-2
Lyme disease 3A-1, 5F-1, 5F-2
Malaria 3A-1, 3A-2, 5F-1, 5F-2
Measles 3A-1, 6A-2-15, 5F-1, 5F-2
Meningitis, aseptic 3A-1, 5F-1, 5F-2
Meningitis, bacterial 3A-1, 5F-1, 5F-2
Meningitis, meningococcal 3A-1, 5F-1, 5F-2
Mumps 3A-1, 6A-2-15, 5F-1, 5F-2
Plague 3A-1, 5F-1, 5F-2
Rabies, Human 3A-1, 5F-1, 5F-2
Reyes Syndrome 3A-1, 5F-1, 5F-2
Rocky Mountain Spotted Fever 3A-1, 3A-2, 5F-1, 5F-2
Rubella 3A-1, 5F-1, 5F-2
Salmonella paratyphi A 3A-1, 5F-1, 5F-2
Salmonella paratyphi B 3A-1, 5F-1, 5F-2
Salmonella paratyphi C 3A-1, 5F-1, 5F-2
Salmonellosis (except S. typhi and S. paratyphi)
3A-1, 5F-1, 5F-2
Sexually transmitted 3B-1, 5F-1, 5F-2
Shigellosis 3A-1, 5F-1, 5F-2
St. Louis encephalitis 3A-1, 5F-1, 5F-2
Streptococcal-Group A 3A-1, 5F-1, 5F-2
Streptococcal-Group B 3A-1, 5F-1, 5F-2
Streptococcus pneumoniae 3A-1, 5F-1, 5F-2
Syphilis 3B-1, 3B-3, 3B-4, 3B-5, 6A-2-14, 5F-1,
5F-2
Congenital 6A-2-14
Toxic Shock Syndrome 3A-1, 5F-1, 5F-2
Tuberculosis 3A-1, 6A-2-16, 5F-1, 5F-2
Pulmonary Tuberculosis 3A-1, 5F-1, 5F-2
Tularemia 3A-1, 5F-1, 5F-2
Typhoid fever 3A-1, 5F-1, 5F-2
Vaccine preventable 3A-1, 5F-1, 5F-2
Vibrio spp. 3A-1, 5F-1, 5F-2
Vancomycin, resistant Enterococcus spp. 3A-1,
5F-1, 5F-2
West Nile virus 3A-1, 5F-1, 5F-2
Yersiniosis 3A-1, 5F-1, 5F-2
Zoonotic 3A-1, 5F-1, 5F-2

Disorders relating to short gestation and unspecified low-birthweight, (see also Infant mortality) 2C-5, 2C-6, 2C-7, 5E-20

Dissolutions of marriage 5G-4, 5G-5, 5G-6

Diverticula of intestine

Divorces, (see Dissolutions of marriage)

**Downs syndrome, (see also Congenital anomalies) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34,
1B-35, 5B-29**

Drowning and submersion, accidental, deaths from 2B-4, 2B-5, 2B-6, 2C-8, 2C-9, 2C-11,

2C-15, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14
Among children 4 years and younger 6A-3-23

Drug abuse, nondependent, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Drug abuse, nondependent, emergency department visits for, 4C-1, 7C-1

Drug dependence, emergency department visits for, 4C-1, 7C-1

Drug dependence, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Drug-induced deaths 2B-6, 2C-28, 5E-12, 9C

Drug psychoses, emergency department visits for, 4C-1, 7C-1

Drug psychoses, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Dysfunctional labor, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33,
1B-34, 5B-27**

E

E. coli O157:H7 3A-1, 5F-1, 5F-2

Eclampsia, (see also Medical risk factors for pregnancy) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Electronic fetal monitoring, (see also Obstetric procedures) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33,
1B-34, 5B-26, 5B-30**

Empysema, deaths from 2B-6, 2C-28, 5E-12

Encephalitis, arthropod-borne, deaths from 2B-6, 2C-28, 5E-12

Encephalitis, viral 3A-1, 3A-2, 5F-1, 5F-2

Endocarditis, acute and subacute, deaths from 2B-6, 2C-28, 5E-12

Endocrine nutritional metabolic and immunity diseases, emergency department visits for, 4C-1, 7C-1

Endocrine nutritional metabolic and immunity diseases, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Endoscopy of small intestine, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Endoscopy of large intestine, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Endotracheal tube, insertion of (inpatient procedure),

Enteritis and colitis, noninfectious, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Enterococcus spp., Vancomycin resistant, 3A-1, 5F-1, 5F-2

Episiotomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Erlchiosis 3A-1, 5F-1, 5F-2

Events of undetermined intent as cause of death 2B-6, 2C-28, 5E-12

Excision (partial) of bone, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Excision (or destruction) of intervertebral disc, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Excision (partial) of large intestine, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

F

Falls, deaths from 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4

Father's age 1B-19

Father's education 1B-21

Father's race/ethnicity 1B-20

Febrile, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

Fertility, (see also Births) 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6

General fertility 1B-1

Total fertility 1B-1

Fetal alcohol syndrome 1B-26, 1B-27, B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Fetal deaths, (see also Perinatal mortality)

1C-3, 1C-4, 1C-5, 5A-4, 5C-1, 5C-2, 5C-3, 5C-4, 5C-5, 5C-6

Fever, emergency department visits for, 4C-2, 7C-2
Fetal distress, (see also **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Filipino mothers, number of births to, 1B-22
Fire, flames, smoke (exposure to), deaths due to 2B-9, 2B-6, 2C-28, 5E-12, 6A-3
Among children 4 years and younger 6A-3
Among persons 65 years and over 6A-3
Firearms, accidental discharge of, deaths due to 2B-6, 2B-9, 2C-28, 5E-12
Firearms, injury by, deaths due to 2B-6, 2C-28, 6A-4, 5E-12, 6B-4
Foreign bodies, emergency department visits for, 4C-1, 7C-1
Fractures, all sites, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2
Fractures, excluding lower limb, emergency department visits for, 4C-2, 7C-2
Fracture, reduction of, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Fractures, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Fungal diseases 3A-1, 3A-2, 5F-1, 5F-2

G

Gastric bypass, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Gastroenteritis and colitis, emergency department visits for, 4C-2, 7C-2
Genitourinary system, diseases of, emergency department visits for, 4C-1, 7C-1
Genitourinary system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Gestation, length of
At birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30
At termination of pregnancy 1D-1, 1D-3, 1D-4, 5D-7
Giardiasis 3A-1, 3A-2, 5F-1, 5F-2
Glomerulonephritis, chronic, deaths from 2B-6, 2C-28, 5E-12
Gonococcal Pelvic Inflammatory Disease, 3B-1, 3B-2, 5F-1, 5F-2
Gonorrhea 3B-1, 3B-2, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2, 6B-2
Gross reproduction rate 1B-1

H

Haemophilus influenzae (invasive) 3A-1, 6A-2, 5F-1, 5F-2, 6B-2
Hanta Pulmonary Syndrome 3A-1, 3A-2, 5F-1, 5F-2
Hawaiian mothers, number of births to, 1B-22
Headache, emergency department visits for, 4C-2, 7C-2
Health Objectives for the Year 2010 6A-1, 6A-2, 6A-3, 6A-4, 6A-5, 6A-4, 6A-5, 6A-6, 6A-7, 6A-8, 6A-9, 6A-10, 6B-1, 6B-2, 6B-3, 6B-4, 6B-5, 6B-6, 6B-7, 6B-8, 6B-9, 6B-10
Cancer 6A-5, 6B-5
Diabetes 6A-6, 6B-6
Heart disease and stroke 6A-7, 6B-7
Human immunodeficiency virus (HIV) disease 6A-9, 6B-9
Injury and violence 6A-4, 6B-4
Maternal, infant and child health 6A-1, 6B-1
Respiratory diseases 6A-8, 6B-8
Responsible sexual behavior 6A-2, 6B-2
Substance abuse 6A-10, 6B-10
Vaccine preventable diseases 6A-3, 6B-3
Heart disease, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-7, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14
Heart disease, excluding ischemic, emergency department visits for, 4C-2, 7C-2
Heart disease, inpatient discharges for, 4A-1, 4A-2,

4A-3, 4A-5, &A-1
Heart failure, death from, 2B-6, 2C-28, 5E-12
Heart failure, congestive, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Heart malformations, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Heat, exposure to, deaths from 2B-9
Hemodialysis, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Hemoglobinopathy, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Hepatitis 3A-1, 3A-2, 6A-2, 5F-1, 5F-2, 6B-2
Hernia, deaths from 2B-6, 2C-28, 5E-12
Herpes, genital (reported cases) 3B-1, 5F-1, 5F-2
As a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Hip replacement, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Hispanic (Latino) residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-8, 1B-9, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18
HIV Infection/AIDS
Reported cases 3C-1, 3C-2, 3C-3, 3C-4, 6A-9, 5F-3, 6B-9
Deaths from 2B-4, 2B-5, 2B-6, 2C-16, 2C-17, 2C-19, 2C-28, 6A-9, 5E-11, 5E-12, 5E-13, 5E-14, 5E-29, 5E-30, 6B-9
Hodgkin's disease, deaths from 2B-6, 2C-28, 5E-12
Homicide (assault) as cause of death, 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-23, 2C-28, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 6B-4, 9C
Homicide (assault), emergency department visits related to, 4D-2, 7D-2
Homicide (assault), inpatient discharges related to, 4D-1, 7D-1
Hyaline membrane disease/Respiratory Distress Syndrome, (see also **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30
Hydramnios/Oligohydramnios, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Hydrocephalus, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Hyperplasia of prostate 2B-6, 2C-28, 5E-12
Hypertension, chronic, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Hypertension, essential (primary), and Hypertensive renal disease deaths from 2B-6, 2C-28, 5E-12
Hypertension, pregnancy-associated, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Hysterectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

I

Incompetent cervix, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Indian Health Service (IHS) 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-22
Induced terminations of pregnancy, (see **Abortions**)
Induction of labor, (see also **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26
Infant mortality, (see also **Perinatal mortality**) 2C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-28, 6A-1, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20, 5E-21, 5E-22, 5E-23, 5E-24, 6B-2-1, 8C-1, 8C-2
Infection of urinary tract, emergency department visits for,

4C-2, 7C-2
Infections of kidney, deaths from 2B-6, 2C-28, 5E-12
Infectious and parasitic diseases, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Infectious and parasitic diseases, emergency department visits for, 4C-1, 7C-1
Inflammatory diseases of female pelvic organs, deaths from 2B-6, 2C-28, 5E-12
Influenza, deaths from 2B-6, 2C-28, 5E-12
Influenza and pneumonia, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2C-5, 2C-6, 2C-7, 2C-11, 2C-19, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34
Injuries, intracranial, emergency department visits for, 4C-1, 7C-1
Injuries of undetermined intent, emergency department visits, 4D-2, 7D-2
Injuries of undetermined intent, inpatient discharges, 4D-1, 7D-1
Injuries, superficial, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2
Injuries, unintentional (accidents) deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-10, 2B-11, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 6A-3, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-5, 9C
Accidents involving aircraft 2B-9
Adverse effects of drugs in therapeutic use 2B-9
Bee (hornet, wasp) sting 2B-9
Bitten by a dog 2B-9
Choked on food 2B-9
Choked on other object 2B-9
Cold, exposure to 2B-9
Dog bite 2B-9
Drowning 2B-4, 2B-5, 2B-6, 2B-9, 2C-8, 2C-9, 2C-11, 2C-28, 2D-3, 2D-4, 6A-3-23, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25,, 5E-26, 5E-27, 5E-28
Electric current 2B-9
Falls 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4
Fire, flames, smoke 2B-9
Firearm discharge 2B-6, 2B-9, 2C-28, 5E-12
Heat, exposure to 2B-9
Inhalation or ingestion of food 2B-9
Inhalation or ingestion of other objects 2B-9
Lightning 2B-9
Misadventures to patients during surgical and medical care 2B-9
Motorcyclist 2B-10
Motor vehicle accidents 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-10, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 6A-3-18, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-3-18
Overexertion 2B-9
Poisoning by drugs 2B-9
Poisoning by other substances, gases and vapors 2B-9
Railway accidents 2B-9
Spider bite 2B-9
Storms and floods 2B-9
Suffocation and other threats to breathing 2B-9
Venomous snakes and lizards 2B-9
Water transport accidents 2B-9
Injuries, unintentional (accidents), emergency department visits for, 4D-2, 7D-2
Cutting or piercing instruments 4D-2, 7D-2
Drowning/submersion, 4D-2, 7D-2
Falls, 4D-2, 7D-2
Fire and flames, 4D-2, 7D-2
Firearm missile, 4D-2, 7D-2
Foreign body entering eye or other orifice, 4D-2, 7D-2
Machinery, 4D-2, 7D-2

Motor vehicle accident, 4D-2, 7D-2
Natural and environmental factors, 4D-2, 7D-2
Overexertion, 4D-2, 7D-2
Pedal cycle, 4D-2, 7D-2
Poisoning by drugs, 4D-2, 7D-2
Suffocation, 4D-2, 7D-2
Injuries, unintentional (accidents), inpatient discharges for, 4D-1, 7D-1
Falls, 4D-1, 7D-1
Fire and flames, 4D-1, 7D-1
Machinery, 4D-1, 7D-1
Motor vehicle accident, 4D-1, 7D-1
Natural and environmental factors, 4D-1, 7D-1
Poisoning by drugs, 4D-1, 7D-1
Injury and poisoning, emergency department visits for, 4C-1, 4D-2, 7C-1, 7D-2
Inpatient deaths 2A-4, 2B-11, 5E-8
Intentional self-harm, see **Suicide**
Intrauterine hypoxia and birth asphyxia 2C-5, 2C-6, 2C-7, 5E-20
Intervertebral disc disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Ischemic heart disease, deaths from 2B-6, 2C-28, 5E-12

J

Japanese mothers, number of births to, 1B-22

K

Knee replacement, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

L

Leading causes of death, (*see also*, **Deaths**), 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14
Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11
Average age at death 2D-1, 2D-3, 5E-11
County of residence 5E-11, 5E-12, 5E-13, 5E-14
Crude death rates 2B-6, 5E-13
Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4
Premature mortality 2D-2, 2D-4
Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4
Urban/rural differences 2B-5, 2D-3, 2D-4
Leading causes of death among
infants <1 year 2C-5, 2C-6, 2C-7, 5E-20
children 1-14 years 2C-8, 2C-9, 2C-10, 2C-11, 5E-25, 5E-26
adolescents 15-19 years 2C-12, 2C-13, 2C-14, 2C-15, 5E-27, 5E-28
young adults 20-44 years 2C-16, 2C-17, 2C-18, 2C-19, 5E-29, 5E-30
middle-aged adults 45-64 2C-20, 2C-21, 2C-22, 2C-23, 5E-31, 5E-32
elderly 65 years and older 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-33, 5E-34
Selected 113 causes 2B-6, 2C-28, 5E-12
Legal intervention, deaths due to 2B-6, 2C-28, 5E-12
Legionellosis 3A-1, 3A-2, 5F-1, 5F-2
Length of stay (average) for inpatient discharges, 4A-5
Leukemia, deaths from 2B-6, 2C-28, 5E-12
Listeriosis 3A-1, 3A-2, 5F-1, 5F-2
Live births, (*see* **Births**)
Liver disease and cirrhosis, chronic, deaths from 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14
Low-birthweight (LBW) births 1B-2, 1B-3, B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 6A-1-7, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 6B-2-1-7, 9A

Lung disease, chronic or acute, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Lyme disease 3A-1, 5F-1, 5F-2
Lysis of peritoneal adhesions, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

M

Malaria, deaths from, 2B-6, 2C-28, 5E-12
Malaria, reported cases, 3A-1, 3A-2, 5F-1, 5F-2
Malformed genitalia, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Malignant neoplasm, (*see* **Cancer**)
Malnutrition, deaths from 2B-6, 2C-28, 5E-12
Manic-depressive disorders, emergency department visits or, 4C-1, 7C-1
Manic-depressive disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Marital status of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-24, 5B-14, 5B-15
Marriages 5G-1, 5G-2, 5G-3
Maternal deaths 1C-1, 1C-2
Measles
Number of reported cases 3A-1, 6A-2, 5F-1, 5F-2, 6B-2
Number of deaths 2B-6, 2C-28, 3A-2, 5E-12
Meconium aspiration syndrome, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28
Meconium, moderate/heavy, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Medical risk factors for pregnancy 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Meningitis 2B-6, 2C-28, 3A-1, 3A-2, 5E-12, 5F-1, 5F-2
Meningococcal infection 2B-6, 2C-28, 3A-1, 3A-2, 6A-2, 5E-12, 5F-1, 5F-2, 6B-2
Mental disorders, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2
Mental disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Mexican mothers, number of births to, 1B-22
Microcephalus, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Migraine, emergency department visits for, 4C-2, 7C-2
Misadventures to patients during surgical or medical care, death due to 2B-9
Miscarriages, (*see* **Fetal Deaths**)
Month of birth 1B-18, 1B-17, 5B-6
Month of death 2A-2, 2A-3, 5E-7
Mortality, (*see* **Deaths**)
Mother's age 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-9, 5B-10
Mother's education 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15
Mother's race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15
Mother's weight gain during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34
Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16
Multiple myeloma and immunoproliferative neoplasms, deaths from 2B-6, 2C-28, 5E-12
Mumps 3A-1, 3A-2, 6A-2, 5F-1, 5F-2, 6B-2
Musculoskeletal system, diseases of, emergency

department visits for, 4C-1, 7C-1
Musculoskeletal system, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Myocardial infarction, acute, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

N

Nausea, vomiting, emergency department visits for, 4C-2, 7C-2
Nativity, (*see* **Births**)
Native American, (*see* **American Indian**)
Natural increase from births 5B-1
Neonatal deaths 2C-1, 2C-3, 2C-4, 2C-7, 5C-1, 5E-23, 5E-24
Nephritis, nephrotic syndrome, and nephrosis, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14
Nervous system, diseases of, emergency department visits for, 4C-1, 7C-1
Nervous system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Neuroses (neurotic disorders), inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Newborn's health
Abnormal conditions 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30
Admitted to intensive care units 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-22, 5B-24
Congenital anomalies 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11,
Low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 5B-30
Prematurity 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A
Very low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32
Newborn's race/ethnicity 5B-7
Non-Hodgkin's lymphoma, deaths from 2B-6, 2C-28, 5E-12
Nontransport accidents, deaths from 2B-6, 2C-28, 5E-12
Notifiable diseases, (*see* **Diseases reportable**)
Nutritional deficiencies, deaths from 2B-6, 2C-28, 5E-12

O

Objectives, (*see* **Health objectives for the Year 2010**)
Obstetric laceration, repair of (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30
Omphalocele, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35,
Oophorectomy and salpingo-oophorectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Open wound, excluding head, emergency department visits for, 4C-2, 7C-2
Open wound of head, emergency department visits for, 4C-2, 7C-2
Operations of war, deaths from 2B-6, 2C-28, 5E-12
Operations (inpatient procedures) on the cardiovascular system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 digestive system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 ear 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 endocrine system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 eye 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 female genital organs 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 hemic and lymphatic system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

integumentary system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
male genital organs 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
musculoskeletal system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
nervous system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
nose, mouth, pharynx 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
respiratory system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
urinary system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Otitis media and eustachian tube disorders, emergency department visits for, 4C-2, 7C-2
Osteoarthritis and allied disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Outpatient deaths 2A-4, 2B-11, 5E-8

P

Pacific Islanders, (*see* **Asian residents**)
Parkinson's disease, deaths from 2B-6, 2C-27, 2C-28, 5E-12, 5E-33, 5E-34
Payee for birth 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 6B-7, 5B-20
Pedal cyclist deaths 2B-10
Pedestrian deaths 2B-10
Peptic ulcer, deaths from 2B-6, 2C-28, 5E-12
Pericardium and (acute) myocarditis, deaths from, 2B-6, 2C-28, 5E-12
Perinatal deaths 1G-3, 6A-1, 5C-1, 6B-2-1
Pertussis (whooping cough)
Reported cases, 3A-1, 5F-1, 5F-2
Deaths from 2B-6, 2C-28, 3A-2, 5E-12
Pharyngitis, acute, emergency department visits for, 4C-2, 7C-2
Placenta previa, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Place of birth/delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15
Place of death 2A-4, 2B-10, 5E-8
Plague 3A-1, 3A-2, 5F-1, 5F-2
Plurality (*see* **Multiple births**)
Pneumoconioses and chemical effects deaths from 2B-6, 2C-28, 5E-12
Pneumonia deaths from 2B-6, 2C-28, 5E-12
Pneumonia, emergency department visits for, 4C-1, 7C-1
Pneumonia, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Pneumonitis due to solids and liquids deaths from 2B-6, 2C-28, 5E-12
Poisoning, accidental, death from, 2B-6, 2B-9, 6A-4, 6B-4
Poisoning, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Poisonings, emergency department visits for, 4C-1, 7C-1
Poliomyelitis, acute, deaths from 2B-6, 2C-28, 5E-12
Polydactyly/Syndactyly/Adactyly, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Population denominators 10A-1, 10A-2, 10B-1, 10B-2, 10C-1
Postneonatal deaths 2C-1, 2C-3, 2C-4, 2C-7, 5E-21, 5E-22
Precipitous labor, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Pregnancies
Among girls 14 and younger 1A-7, 5A-4
Among girls 17 and younger 1A-2, 5A-3
Among girls 15-17 1A-3, 5A-4
Among girls 15-19 1A-7, 5A-3
Among girls 18-19 1A-4, 5A-4
Among girls 19 and younger 1A-5, 1A-7, 5A-2
By county of residence 5A-1, 5A-2, 5A-3, 5A-4
By outcome 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-4
By race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6
By women's age 1A-6, 1A-7, 5A-4
Pregnancy, childbirth and the puerperium, deaths related to 1C-2, 2B-6, 2C-28, 5E-12
Pregnancy with abortive outcome, deaths from 2B-6, 2C-28, 5E-12
Premature mortality 2D-2, 2D-4
Prenatal care
Average number of visits 5B-22
Number of visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,

1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A
Trimester of entry 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11, 9A
Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 6A-1, 5B-23, 5B-24, 5B-30, 6B-2-1
Previous infant 4,000+ grams (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Previous preterm or small for gestational age (SGA) infant (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Prolonged labor, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Prostate cancer, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34
Prostatectomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Psychoses, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Puerto-Rican mothers, number of births to, 1B-22

R

Rabies 3A-1, 3A-2, 5F-1, 5F-2
Rates
Age-adjusted death rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-5, 5E-11
Age-specific death rates 2C-1, 2C-2, 2C-3, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-12, 2C-13, 2C-14, 2C-16, 2C-17, 2C-18, 2C-20, 2C-21, 2C-22, 2C-24, 2C-25, 2C-26, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34
Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2
Cause-specific death rates 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-6, 2C-7, 2C-8, 2C-9, 2C-12, 2C-13, 2C-14, 2C-16, 2C-17, 2C-20, 2C-21, 2C-24, 2C-25, 5E-11, 5E-13, 5E-20, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34
Crude death rates 2B-6, 5E-13
Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1
Natural increase 5B-1
Pregnancy rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-2, 5A-3
Rectal atresia/stenosis, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Relapsing fever, Tick 3A-1, 5F-1, 5F-2
Renal agenesis, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Renal disease, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25
Renal failure, deaths from 2B-6, 2C-28, 5E-12
Reportable diseases (*see* **Diseases, Reportable**)
Respiratory Distress Syndrome, deaths from, (*see also* **Certain conditions originating in the perinatal period**) 2C-5, 2C-6, 2C-7, 5E-20
Respiratory infection, acute upper, emergency department visits for, 4C-2, 7C-2
Respiratory system, diseases of, emergency department visits for, 4C-1, 7C-1
Respiratory system, diseases of, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Respiratory therapy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Reyes syndrome 3A-1, 3A-2, 5F-1, 5F-2
Rheumatism, excluding back, emergency department visits for, 4C-2, 7C-2

Rh sensitization, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-34, 5B-25
Rocky Mountain Spotted Fever 3A-1, 3A-2, 5F-1, 5F-2
Rubella 3A-1, 3A-2, 6A-1, 5F-1, 5F-2
Rubella syndrome, congenital 3A-1, 5F-1, 5F-2
Rupture of membranes, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27
Rural areas 1B-5, 1B-7, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17

S

Salmonella paratyphi A 3A-1, 5F-1, 5F-2
Salmonella paratyphi B 3A-1, 5F-1, 5F-2
Salmonella paratyphi C 3A-1, 5F-1, 5F-2
Salmonellosis (except *S. typhi* and *S. paratyphi*)
Reported cases 3A-1, 5F-1, 5F-2
Deaths from 3A-2
Scarlet fever and erysipelas 2B-6, 2C-28, 5E-12
Schizophrenic disorders, emergency department visits for, 4C-1, 7C-1
Schizophrenic disorders, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Seizures, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-34, 5B-28
Self-harm, intentional, (*see* **Suicide**)
Septicemia, deaths from
2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-11, 2C-11, 2C-27, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-33, 5E-34
Septicemia, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Shigellosis, deaths from 2B-6, 2C-28, 3A-2, 5E-12
Shock syndrome, toxic 5A-1, 3A-2, 5F-1, 5F-2
Skin and subcutaneous tissue, diseases of, emergency department visits for, 4C-1, 7C-1
Skin and subcutaneous tissue, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Spina bifida/meningocele, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Spinal disorders, emergency department visits for, 4C-2, 7C-2
Spinal tap, (inpatient procedure) 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Sprains, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2
Stillbirths, (*see* **Fetal deaths**)
Stimulation of labor, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-26
Streptococcal-Group A 3A-1, 5F-1, 5F-2
Streptococcal-Group B 3A-1, 5F-1, 5F-2
Streptococcal sore throat, scarlatina and erysipelas, deaths from 2B-11
Streptococcus pneumoniae 3A-1, 5F-1, 5F-2
Stroke, (*see* **Cerebrovascular disease**)
Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Sudden infant death syndrome (SIDS) 2C-5, 2C-6, 2C-7, 5E-20
Suffocation 6A-4
Suicide (intentional self-harm) as cause of death 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-28, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4, 9C
Suicide (intentional self-harm), emergency department visits related to, 4D-1, 7D-1
Suicide (intentional self-harm), inpatient discharges related to, 4D-2, 7D-2
Symptoms, signs, abnormal findings (as cause of death) 2B-6, 2C-28, 5E-12
Symptoms, signs, and ill-defined conditions, emergency department visits for, 4C-1, 7C-1
Syphilis
Congenital 6A-2

Early 3B-3, 3B-4, 3B-5
Late 3B-5
Primary and secondary 3B-1, 6A-2, 6B-2
Reported cases 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2
Deaths from 2B-6, 2C-28, 3B-2, 5E-12

T

Teenage pregnancies, (*see* **Pregnancies**)
Tobacco use during pregnancy, (*see also* **Births**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Tocolysis, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26
Transport accidents, deaths from, 2B-6, 2C-28, 5E-12
Trauma complications and unspecified injuries, emergency department visits for, 4C-1, 7C-1
Tuberculosis 3A-1, 6A-2, 5F-1, 5F-2, 6B-2
Deaths from 2B-6, 2C-28, 5E-12
Pulmonary 3A-1, 3A-2, 5F-1, 5F-2
Tularemia
Deaths from 3A-2
Reported cases 3A-1, 5F-1
Typhoid fever 3A-1, 3A-2, 5F-1, 5F-2

U

Ulcer, peptic, deaths from
2B-6, 2C-28, 5E-12
Ultrasound, (*see also* **Obstetric procedures**)
1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26
Ultrasound, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Urban areas 1B-4, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17
Uterine bleeding, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

V

Valley Fever (Coccidioidomycosis), (*see also* **Diseases, Reportable**)
Vancomycin resistant Enterococcus spp.
3A-1, 5F-1, 5F-2
Varicella (*see* **Chickenpox**)
Very low-birthweight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32
Viral spp. 3A-1, 5F-1, 5F-2
Viral hepatitis, deaths from 2B-6, 2C-28, 5E-12
Volume depletion, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

W

White, non-Hispanic residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18
Whooping cough (*see also* **Pertussis**)
Reported cases 3A-1, 5F-1, 5F-2
Deaths from 2B-6, 2C-28, 3A-2, 5E-12

Y

Yersiniosis (except *Y. pestis*) 3A-1, 5F-1, 5F-2