

# INDEX TO TABLES

(Numbers and letters refer to tables)

4B-4, 7B-1

## A

**Abdominal pain**, emergency department visits for, 4C-2, 7C-2

**Abnormal conditions of the newborn** 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

### Abortion

Abortions per 1,000 live births 5D-2

Abortions per 1,000 women 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1

Age group 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1D-1, 1D-3, 1D-5, 5A-4, 5D-4

County of residence 5A-1, 5A-4, 5D-1, 5D-2, 5D-3, 5D-4, 5D-5, 5D-6, 5D-7

Gestation, length of 1D-1, 1D-3, 1D-4, 5D-7

Hospitalized for complications 1D-1

Marital status 5D-6

Number performed in Arizona 1D-1, 5D-3

Race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1D-1, 5D-5

Reason for termination 1D-1

Type of facility 1D-1

**Abruptio placenta**, (*see also* **Complications of labor and/or delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

**Abstinence from cigarette smoking** 6A-1, 6B-2-1

**Accidents**, (*see* **Injuries, unintentional**)

**Acute myocardial infarction**, deaths from 2B-6, 2B-28, 5E-12

**Adverse effects of medical treatment**, emergency department visits related to, 4D-2, 7D-2

**Adverse effects of medical treatment**, inpatient discharges related to, 4D-1, 7D-1

**African-American residents**, (*see* **Black residents**)

**AIDS**, (*see* **HIV/AIDS**)

**Alcohol-induced deaths** 2B-6, 2C-28, 5E-12, 9C

**Alcoholic liver disease** 2B-6, 2C-28, 5E-12

**Alcoholic psychoses**, emergency department visits for, 4C-1, 7C-1

**Alcoholic psychoses**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Alcohol dependence syndrome**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Alcohol use during pregnancy** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

**Alzheimer's disease** deaths from 2B-1, 2B-2, 2B-4, 2B-5, B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34

**American Indian or Alaska Native residents** 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-12, 1B-13, 1B-20,

1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

**Amebiasis**, 3A-1, 3A-2, 5F-1, 5F-2

**Amniocentesis**, (*see also* **Obstetric procedures**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

### Anemia

Mother's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

Newborn's condition 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28

Deaths from 2B-6, 2C-28, 5E-12

**Anencephalus**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

**Anesthetic complications** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

**Anxiety states**, emergency department visits for, 4C-1, 7C-1

**Anxiety states**, inpatient discharges for, 4A-1, 4A-2, 4A-3, A-5, 7A-1

**Aortic aneurysm and dissection**, 2B-6, 2C-28, 5E-12

**Appendix, diseases of**, deaths from 2B-6, 2C-28, 5E-12

**Appendicitis**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Appendectomy**, (inpatient procedure), 4B-1, 4B-2, 4B-3,

**Appendix, diseases of** (deaths from) 2B-6, 2C-28, 5E-12

**Arizona Health Care Cost Containment System**

(AHCCCS) 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20

**Arterio- & angiocardiology using contrast material**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Artificial rupture of membranes**, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Asian (Asian or Pacific Islander) residents** 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-37, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5D-5, 5E-6, 5E-18

**Assault**, (*see* **Homicide**)

**Assisted ventilation**, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28

**Asthma**, deaths from 2B-6, 2C-28, 6A-8, 5E-12

**Asthma**, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2

**Asthma**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Atelectasis** deaths from 2C-7, 5E-20

**Atherosclerosis**, deaths from 2B-6, 2C-28, 5E-12

**Atherosclerosis, coronary**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Atherosclerotic cardiovascular disease**, deaths from 2B-6, 2C-28, 5E-12

**Attendant at birth** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

**Average age at death**

County of residence 5E-11

Gender differences 2D-1, 2D-3,

Race/ethnic differences 2D-1, 2D-3,

Ten leading causes 2D-3

Urban/rural differences 2D-3

**Axial tomography, computerized**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

## B

**Bilateral destruction/occlusion of fallopian tubes**,

(inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

### Births

**Abnormal conditions of the newborn** 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

Age of father 1B-19

Age of mother 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2,

1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11,

1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-

26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-

9, 5B-10, 5B-14, 5B-19

**Alcohol use during pregnancy** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-24

**Attendant at birth** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15

**Birth defects**, (*see* **Congenital anomalies**)

**Birth injury**, (*see* **Abnormal conditions of the newborn**)

**Birth rates** 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2

**Birth weights** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7,

1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13,

1B-14, 1B-15,

1B-16, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

**Cesarean deliveries** 1B-2, 1B-3, 1B-4, B-5, 1B-6, 1B-7,

1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-

15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 6A-1-

11, 5B-26, 5B-30, 6B-2-1-11

**Complication of labor and/or delivery** 1B-2, 1B-3, 1B-4,

1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12,

1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32,

1B-33, 1B-34, 5B-27, 5B-30

County of occurrence 5B-4, 5B-5  
County of residence 5B-2, 5B-3  
Education of father 1B-21  
Education of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15  
Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1  
Gestational age 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A  
Low-weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, B-30, 9A  
Marital status 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15  
Medical risk factors 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30  
Method of delivery 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26  
Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16  
Newborn intensive care 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-24, 5B-30  
Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30  
Payee for births 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-20, 5B-22,  
Place of delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15  
Prenatal visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A  
Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30  
Previous live births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-24  
Race/ethnicity of father 1B-20  
Race/ethnicity of mother 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22  
Rural areas 1B-5, 1B-25, 1B-26, 5B-17  
Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30  
Teenage mothers 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-25, 1B-26, 1B-27, 1B-28, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-2, 5A-3, 5A-4, 5B-9, 5B-10, 5B-19, 9A  
Tobacco use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30  
Trimester of entry into prenatal care 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11  
Unmarried mothers 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15, 9A  
Urban areas 1B-4, 1B-25, 1B-26  
Very low weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, B-28, 1B-32

Weight gain during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34  
**Black (African American) residents**, 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-10, B-11, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-4, 2B-5, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18  
**Blood and blood forming organs, diseases of**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Body disposition** (see also Deaths) 5E-9, 5E-10  
**Breech malpresentation**, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Bronchiolitis, acute**, deaths from 2B-6, 2C-28, 5E-12  
**Bronchitis, chronic**, emergency department visits for, 4C-1, 7C-1  
**Bronchitis, chronic**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Bronchitis, chronic and unspecified**, deaths from 2B-6, 2C-28, 5E-12  
**Bronchitis, chronic and unspecified**, emergency department visits for, 4C-2, 7C-2  
**Bronchitis and bronchiolitis, acute**, emergency department visits for, 4C-1, 7C-1  
**Bronchitis and bronchiolitis, acute**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Bronchoscopy with or without biopsy**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Brucellosis** 3A-1, 3A-2, 5F-1, 5F-2  
**Burns**, emergency department visits for, 4C-1, 7C-1

## C

**Calculus of kidney and ureter**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Campylobacteriosis** 3A-1, 5F-1, 5F-2  
**Cancer** (malignant neoplasms), deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 2D-3, 2D-4, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5  
Bladder 2B-6, 2B-8, 2C-28, 5E-11  
Brain 2B-6, 2B-8, 2C-28, 5E-11  
Breast 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5  
Cervix uteri 2B-4, 2B-5, 2B-6, 2B-8, 5E-11, 6A-5, 6B-5  
Colon, rectum, and anus (colorectal) 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 5E-11, 6A-5, 6B-5  
Corpus uteri and uterus 2B-6, 2B-8, 2C-28, 5E-11  
Esophagus 2B-6, 2B-8, 2C-28, 5E-11  
Hodgkin's disease 2B-6, 2B-8, 2C-28, 5E-11  
In situ 2B-6, 2C-28, 5E12  
Kidney 2B-6, 2B-8, 2C-28, 5E-11  
Larynx 2B-6, 2C-28, 5E-11  
Leukemia 2B-6, 2C-28, 5E-11  
Lip, oral cavity and pharynx 2B-6, 2C-28, 5E-11  
Liver and intrahepatic bile ducts 2B-6, 2C-28, 5E-11  
Lung 2B-2, 2B-3, 2B-4, 2B-6, 2B-8, 2C-28, 6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5  
Lymphoid and hematopoietic tissue 2B-6, 2C-28, 5E-11  
Malignant lymphoma other than Hodgkin's disease 2B-8  
Melanoma of skin 2B-8, 6A-5  
Multiple myeloma 2B-8  
Oropharyngeal 2B-6, 2B-8, 2C-28, 5E-11  
Ovary 2B-6, 2C-28, 5E-11  
Pancreas 2B-6, 2B-8, 2C-28, 5E-11  
Prostate 2B-4, 2B-12, 2B-7, 5E-11, 5E-12, 5E-13, 5E-14, 6A-5, 6B-5  
Skin 2B-4, 2B-5, 2B-6, 2B-8, 2C-28, 5E-11, 5E-12  
Stomach 2B-6, 2B-8, 2C-28, 5E-11  
Trachea, bronchus and lung 2B-6, 2B-8, 2C-28, 5E-11  
**Cancer** (malignant neoplasm), inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
Breast 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
Large intestine 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Prostate 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
 Trachea, bronchus and lung 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Cancer** (neoplasm), emergency department visits for, 4C-1, 7C-1

**Cardiac catheterization**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Cardiac disease** as a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Cardiac dysrhythmias**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Cardiovascular disease**, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 6A-5-32, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5-29

**Cellulitis and abscess**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Cephalopelvic disproportion**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

**Cerebrovascular disease** (stroke), deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 6A-5-32, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5-28

**Cerebrovascular disease**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Certain conditions originating in the perinatal period**, deaths due to 2B-6, 2C-28, 5E-11

**Cesarean deliveries**, (*see also* **Delivery, method of**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30

**Cesarean section**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Chest pain**, emergency department visits for, 4C-2, 7C-2

**Chickenpox** 3A-1, 3A-2, 5F-1, 5F-2

**Chinese mothers**, number of births to, 1B-22

**Chlamydia** 3B-1, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2

**Cholecystectomy**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Cholelithiasis**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Cholelithiasis and other disorders of gallbladder**, deaths from 2B-6, 2C-28, 5E-11

**Cholera** 3A-1, 5F-1, 5F-2

**Chronic liver disease and cirrhosis** deaths from 2B-1, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14

**Chronic lower respiratory diseases** deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

**Chronic obstructive pulmonary diseases**, (*see* **Chronic lower respiratory diseases**)

**Cigarette smoking during pregnancy** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30

**Circulatory system, diseases of**, emergency department visits for, 4C-1, 7C-1

**Circulatory system, diseases of**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Cirrhosis**, deaths from 6A-10, 6B-10

**Cleft lip/palate**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

**Club foot**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

**Coccidioidomycosis (Valley Fever)**  
 Reported cases 3A-1, 5F-1, 5F-2  
 Deaths from 3A-2

**Cold, exposure to**, deaths from 2B-9

**Colorado Tick Fever** 3A-1

**Complications of medical and surgical care**, deaths due to 2B-6, 2C-28, 5E-12

**Complications of medical and surgical care**, emergency department visits related to 4D-2, 7D-2

**Complications of medical and surgical care**, inpatient discharges related to, 4D-1, 7D-1

**Communicable diseases**, (*see* **Diseases, reportable**)

**Complications of labor and/or delivery**  
 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27, 5B-30

**Complications of pregnancy, childbirth and the**

**puerperium**, deaths from 1C-2, 2B-6, 2C-28, 5E-11

**Complications, surgical and medical**, emergency department visits for, 4C-1, 7C-1

**Conditions originating in the perinatal period**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Congenital anomalies** (birth defects) **reported on birth certificate** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

**Congenital malformations, deformations and chromosomal abnormalities** deaths from 2B-6, 2C-28, 5E-12

**Congenital anomalies**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Contusion with intact skin surface**, emergency department visits for, 4C-2, 7C-2

**Contusions**, emergency department visits for, 4C-1, 7C-1

**Cord prolapse**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

**Coronary artery bypass graft**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Coronary artery obstruction, removal of**, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Coronary heart disease**, deaths from 6A-7, 6B-7

**Cuban mothers**, number of births to, 1B-22

**Cystoscopy with or without biopsy**, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

## D

**Day of birth** 1B-18

**Day of death** 2A-3

**Deaths** 2A-1, 2A-2, 2A-3, 2A-4, 2B-1, 2B-2, 2B-3, 2B-4, 2-5, 2B-6, 2B-7, 2B-8, 2B-9, 2B-10, 2B-11, 1C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 2D-1, 2D-2, 2D-3, 2D-4, 6A-3, 6A-4, 6A-5, 5E-1, 5E-2, 5E-3, 5E-4, 5E-5, 5E-6, 5E-7, 5E-8, 5E-9, 5E-10, 5E-11, 5E-12, 5E-13, 5E-14, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20, 5E-21, 5E-22, 5E-23, 5E-24, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-3, 6B-4, 6B-5, 9B, 9C

Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11

Age-specific numbers and rates 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-11, 2C-12, 2C-13, 2C-14, 2C-15, 2C-16, 2C-17, 2C-18, 2C-19, 2C-20, 2C-21, 2C-22, 2C-23, 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 9B

Average age at death 2D-1, 2D-3, 5E-11

County of residence 5E-11, 5E-12, 5E-13, 5E-14

Crude death rates 2B-6, 5E-13

Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4

Premature mortality 2D-2, 2D-4

Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4

Urban/rural differences 2B-5, 2D-3, 2D-4

**Decedent status** 2A-4, 2B-10, 5E-8

**Delivery, method of** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34

**Dengue**, 3A-1, 3A-2, 5F-1, 5F-2

**Depression**, emergency department visits for, 4C-1, 7C-1

**Depression**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Diabetes mellitus** as medical risk factor for pregnancy, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-26

**Diabetes mellitus**, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

**Diabetes mellitus**, emergency department visits for, 4C-1, 7C-1

**Diabetes mellitus**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Diabetes-related deaths** 6A-6, 6B-6

**Diaphragmatic hernia, (see also Congenital anomalies)**

1B-26, 1B-28, 1B-32, 1B-33, 1B-34,  
1B-35, 5B-29

**Digestive system, diseases of, emergency department visits for, 4C-1, 7C-1**

**Digestive system, diseases of, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**

**Diseases, reportable**

AIDS 3C-1, 3C-2, 3C-3, 3C-4, 6A-2, 5F-3  
Amebiasis 3A-1, 5F-1, 5F-2,  
Botulism 3A-1, 5F-1, 5F-2  
Brucellosis 3A-1, 3A-2, 5F-1, 5F-2  
Central nervous system 3A-1, 5F-1, 5F-2  
Chickenpox 3A-1, 5F-1  
Chlamydia 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2  
Coccidioidomycosis (Valley Fever) 3A-1, 5F-1, 5F-2  
Colorado Tick Fever 3A-1, 5F-1, 5F-2  
Cryptosporidiosis 3A-1, 5F-1, 5F-2  
Dengue 3A-1, 3A-2, 5F-1, 5F-2  
E. coli O157:H7 3A-1, 5F-1, 5F-2  
Encephalitis, viral 3A-1, 5F-1, 5F-2  
Enteric 3A-1, 5F-1, 5F-2  
Erlchiosis 3A-1  
Fungal 3A-1, 5F-1, 5F-2  
Giardiasis 3A-1, 5F-1, 5F-2  
Gonorrhea 3B-1, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2, 6B-2  
Gonococcal Pelvic Inflammatory Disease 3B-1, 5F-1, 5F-2  
Haemophilus influenzae b 3A-1, 6A-2-16, 5F-1, 5F-2  
Hantavirus Pulmonary Syndrome 3A-1, 5F-1, 5F-2  
Hepatitis 3A-1, 6A-2-16, 5F-1, 5F-2  
Legionellosis 3A-1, 3A-2, 5F-1, 5F-2  
Listeriosis 3A-1, 3A-2, 5F-1, 5F-2  
Lyme disease 3A-1, 5F-1, 5F-2  
Malaria 3A-1, 3A-2, 5F-1, 5F-2  
Measles 3A-1, 6A-2-15, 5F-1, 5F-2  
Meningitis, aseptic 3A-1, 5F-1, 5F-2  
Meningitis, bacterial 3A-1, 5F-1, 5F-2  
Meningitis, meningococcal 3A-1, 5F-1, 5F-2  
Mumps 3A-1, 6A-2-15, 5F-1, 5F-2  
Plague 3A-1, 5F-1, 5F-2  
Rabies, Human 3A-1, 5F-1, 5F-2  
Reyes Syndrome 3A-1, 5F-1, 5F-2  
Rocky Mountain Spotted Fever 3A-1, 3A-2, 5F-1, 5F-2  
Rubella 3A-1, 5F-1, 5F-2  
Salmonella paratyphi A 3A-1, 5F-1, 5F-2  
Salmonella paratyphi B 3A-1, 5F-1, 5F-2  
Salmonella paratyphi C 3A-1, 5F-1, 5F-2  
Salmonellosis (except S. typhi and S. paratyphi)  
3A-1, 5F-1, 5F-2  
Sexually transmitted 3B-1, 5F-1, 5F-2  
Shigellosis 3A-1, 5F-1, 5F-2  
St. Louis encephalitis 3A-1, 5F-1, 5F-2  
Streptococcal-Group A 3A-1, 5F-1, 5F-2  
Streptococcal-Group B 3A-1, 5F-1, 5F-2  
Streptococcus pneumoniae 3A-1, 5F-1, 5F-2  
Syphilis 3B-1, 3B-3, 3B-4, 3B-5, 6A-2-14, 5F-1,  
5F-2  
Congenital 6A-2-14  
Toxic Shock Syndrome 3A-1, 5F-1, 5F-2  
Tuberculosis 3A-1, 6A-2-16, 5F-1, 5F-2  
Pulmonary Tuberculosis 3A-1, 5F-1, 5F-2  
Tularemia 3A-1, 5F-1, 5F-2  
Typhoid fever 3A-1, 5F-1, 5F-2  
Vaccine preventable 3A-1, 5F-1, 5F-2  
Vibrio spp. 3A-1, 5F-1, 5F-2  
Vancomycin, resistant Enterococcus spp. 3A-1,  
5F-1, 5F-2  
West Nile virus 3A-1, 5F-1, 5F-2  
Yersiniosis 3A-1, 5F-1, 5F-2  
Zoonotic 3A-1, 5F-1, 5F-2

**Disorders relating to short gestation and unspecified low-birthweight, (see also Infant mortality) 2C-5, 2C-6, 2C-7, 5E-20**

**Dissolutions of marriage 5G-4, 5G-5, 5G-6**

**Diverticula of intestine**

**Divorces, (see Dissolutions of marriage)**

**Downs syndrome, (see also Congenital anomalies) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34,  
1B-35, 5B-29**

**Drowning and submersion, accidental, deaths from 2B-4, 2B-5, 2B-6, 2C-8, 2C-9, 2C-11,**

2C-15, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14  
Among children 4 years and younger 6A-3-23

**Drug abuse, nondependent, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**

**Drug abuse, nondependent, emergency department visits for, 4C-1, 7C-1**

**Drug dependence, emergency department visits for, 4C-1, 7C-1**

**Drug dependence, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**

**Drug-induced deaths 2B-6, 2C-28, 5E-12, 9C**

**Drug psychoses, emergency department visits for, 4C-1, 7C-1**

**Drug psychoses, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**

**Dysfunctional labor, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33,  
1B-34, 5B-27**

**E**

**E. coli O157:H7 3A-1, 5F-1, 5F-2**

**Eclampsia, (see also Medical risk factors for pregnancy) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25**

**Electronic fetal monitoring, (see also Obstetric procedures) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33,  
1B-34, 5B-26, 5B-30**

**Empysema, deaths from 2B-6, 2C-28, 5E-12**

**Encephalitis, arthropod-borne, deaths from 2B-6, 2C-28, 5E-12**

**Encephalitis, viral 3A-1, 3A-2, 5F-1, 5F-2**

**Endocarditis, acute and subacute, deaths from 2B-6, 2C-28, 5E-12**

**Endocrine nutritional metabolic and immunity diseases, emergency department visits for, 4C-1, 7C-1**

**Endocrine nutritional metabolic and immunity diseases, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**

**Endoscopy of small intestine, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**

**Endoscopy of large intestine, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**

**Endotracheal tube, insertion of (inpatient procedure),**

**Enteritis and colitis, noninfectious, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1**

**Enterococcus spp., Vancomycin resistant, 3A-1, 5F-1, 5F-2**

**Episiotomy, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**

**Erlchiosis 3A-1, 5F-1, 5F-2**

**Events of undetermined intent as cause of death 2B-6, 2C-28, 5E-12**

**Excision (partial) of bone, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**

**Excision (or destruction) of intervertebral disc, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**

**Excision (partial) of large intestine, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1**

**F**

**Falls, deaths from 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4**

**Father's age 1B-19**

**Father's education 1B-21**

**Father's race/ethnicity 1B-20**

**Febrile, (see also Complications of labor/delivery) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27**

**Fertility, (see also Births) 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6**

General fertility 1B-1

Total fertility 1B-1

**Fetal alcohol syndrome 1B-26, 1B-27, B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30**

**Fetal deaths, (see also Perinatal mortality)**

1C-3, 1C-4, 1C-5, 5A-4, 5C-1, 5C-2, 5C-3, 5C-4, 5C-5, 5C-6

**Fever**, emergency department visits for, 4C-2, 7C-2

**Fetal distress**, (see also **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27

**Filipino mothers**, number of births to, 1B-22

**Fire, flames, smoke (exposure to)**, deaths due to 2B-9, 2B-6, 2C-28, 5E-12, 6A-3  
Among children 4 years and younger 6A-3  
Among persons 65 years and over 6A-3

**Firearms, accidental discharge of**, deaths due to 2B-6, 2B-9, 2C-28, 5E-12

**Firearms, injury by**, deaths due to 2B-6, 2C-28, 6A-4, 5E-12, 6B-4

**Foreign bodies**, emergency department visits for, 4C-1, 7C-1

**Fractures, all sites**, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2

**Fractures, excluding lower limb**, emergency department visits for, 4C-2, 7C-2

**Fracture, reduction of**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Fractures**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Fungal diseases** 3A-1, 3A-2, 5F-1, 5F-2

## G

**Gastric bypass**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Gastroenteritis and colitis**, emergency department visits for, 4C-2, 7C-2

**Genitourinary system, diseases of**, emergency department visits for, 4C-1, 7C-1

**Genitourinary system, diseases of**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Gestation, length of**  
At birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30  
At termination of pregnancy 1D-1, 1D-3, 1D-4, 5D-7

**Giardiasis** 3A-1, 3A-2, 5F-1, 5F-2

**Glomerulonephritis, chronic**, deaths from 2B-6, 2C-28, 5E-12

**Gonococcal Pelvic Inflammatory Disease**, 3B-1, 3B-2, 5F-1, 5F-2

**Gonorrhea** 3B-1, 3B-2, 3B-3, 3B-4, 3B-5, 6A-2, 5F-1, 5F-2, 6B-2

**Gross reproduction rate** 1B-1

## H

**Haemophilus influenzae (invasive)** 3A-1, 6A-2, 5F-1, 5F-2, 6B-2

**Hanta Pulmonary Syndrome** 3A-1, 3A-2, 5F-1, 5F-2

**Hawaiian mothers**, number of births to, 1B-22

**Headache**, emergency department visits for, 4C-2, 7C-2

**Health Objectives for the Year 2010** 6A-1, 6A-2, 6A-3, 6A-4, 6A-5, 6A-4, 6A-5, 6A-6, 6A-7, 6A-8, 6A-9, 6A-10, 6B-1, 6B-2, 6B-3, 6B-4, 6B-5, 6B-6, 6B-7, 6B-8, 6B-9, 6B-10  
Cancer 6A-5, 6B-5  
Diabetes 6A-6, 6B-6  
Heart disease and stroke 6A-7, 6B-7  
Human immunodeficiency virus (HIV) disease 6A-9, 6B-9  
Injury and violence 6A-4, 6B-4  
Maternal, infant and child health 6A-1, 6B-1  
Respiratory diseases 6A-8, 6B-8  
Responsible sexual behavior 6A-2, 6B-2  
Substance abuse 6A-10, 6B-10  
Vaccine preventable diseases 6A-3, 6B-3

**Heart disease**, deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-7, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14

**Heart disease, excluding ischemic**, emergency department visits for, 4C-2, 7C-2

**Heart disease**, inpatient discharges for, 4A-1, 4A-2,

4A-3, 4A-5, &A-1

**Heart failure**, death from, 2B-6, 2C-28, 5E-12

**Heart failure, congestive**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

**Heart malformations**, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

**Heat, exposure to**, deaths from 2B-9

**Hemodialysis**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Hemoglobinopathy**, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Hepatitis** 3A-1, 3A-2, 6A-2, 5F-1, 5F-2, 6B-2

**Hernia**, deaths from 2B-6, 2C-28, 5E-12

**Herpes, genital** (reported cases) 3B-1, 5F-1, 5F-2  
As a medical risk factor for pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Hip replacement**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

**Hispanic (Latino) residents** 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-8, 1B-9, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18

**HIV Infection/AIDS**  
Reported cases 3C-1, 3C-2, 3C-3, 3C-4, 6A-9, 5F-3, 6B-9  
Deaths from 2B-4, 2B-5, 2B-6, 2C-16, 2C-17, 2C-19, 2C-28, 6A-9, 5E-11, 5E-12, 5E-13, 5E-14, 5E-29, 5E-30, 6B-9

**Hodgkin's disease**, deaths from 2B-6, 2C-28, 5E-12

**Homicide (assault)** as cause of death, 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-23, 2C-28, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 6B-4, 9C

**Homicide (assault)**, emergency department visits related to, 4D-2, 7D-2

**Homicide (assault)**, inpatient discharges related to, 4D-1, 7D-1

**Hyaline membrane disease/Respiratory Distress Syndrome**, (see also **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30

**Hydramnios/Oligohydramnios**, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Hydrocephalus**, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29

**Hyperplasia of prostate** 2B-6, 2C-28, 5E-12

**Hypertension, chronic**, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Hypertension, essential (primary), and Hypertensive renal disease** deaths from 2B-6, 2C-28, 5E-12

**Hypertension, pregnancy-associated**, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Hysterectomy**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

## I

**Incompetent cervix**, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

**Indian Health Service (IHS)** 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 5B-22

**Induced terminations of pregnancy**, (see **Abortions**)

**Induction of labor**, (see also **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26

**Infant mortality**, (see also **Perinatal mortality**) 2C-1, 2C-2, 2C-3, 2C-4, 2C-5, 2C-6, 2C-7, 2C-28, 6A-1, 5E-15, 5E-16, 5E-17, 5E-18, 5E-19, 5E-20, 5E-21, 5E-22, 5E-23, 5E-24, 6B-2-1, 8C-1, 8C-2

**Infection of urinary tract**, emergency department visits for,

4C-2, 7C-2  
**Infections of kidney**, deaths from 2B-6, 2C-28, 5E-12  
**Infectious and parasitic diseases**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Infectious and parasitic diseases**, emergency department visits for, 4C-1, 7C-1  
**Inflammatory diseases of female pelvic organs**, deaths from 2B-6, 2C-28, 5E-12  
**Influenza**, deaths from 2B-6, 2C-28, 5E-12  
**Influenza and pneumonia**, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2C-5, 2C-6, 2C-7, 2C-11, 2C-19, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34  
**Injuries, intracranial**, emergency department visits for, 4C-1, 7C-1  
**Injuries of undetermined intent**, emergency department visits, 4D-2, 7D-2  
**Injuries of undetermined intent**, inpatient discharges, 4D-1, 7D-1  
**Injuries, superficial**, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2  
**Injuries, unintentional (accidents)** deaths from 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-10, 2B-11, 2C-5, 2C-6, 2C-7, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 6A-3, 5E-11, 5E-12, 5E-13, 5E-14, 5E-20, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-5, 9C  
 Accidents involving aircraft 2B-9  
 Adverse effects of drugs in therapeutic use 2B-9  
 Bee (hornet, wasp) sting 2B-9  
 Bitten by a dog 2B-9  
 Choked on food 2B-9  
 Choked on other object 2B-9  
 Cold, exposure to 2B-9  
 Dog bite 2B-9  
 Drowning 2B-4, 2B-5, 2B-6, 2B-9, 2C-8, 2C-9, 2C-11, 2C-28, 2D-3, 2D-4, 6A-3-23, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25,, 5E-26, 5E-27, 5E-28  
 Electric current 2B-9  
 Falls 2B-4, 2B-5, 2B-6, 2B-9, 2C-23, 2C-27, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4  
 Fire, flames, smoke 2B-9  
 Firearm discharge 2B-6, 2B-9, 2C-28, 5E-12  
 Heat, exposure to 2B-9  
 Inhalation or ingestion of food 2B-9  
 Inhalation or ingestion of other objects 2B-9  
 Lightning 2B-9  
 Misadventures to patients during surgical and medical care 2B-9  
 Motorcyclist 2B-10  
 Motor vehicle accidents 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-9, 2B-9, 2B-10, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-27, 2C-28, 2D-3, 2D-4, 6A-3-18, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-3-18  
 Overexertion 2B-9  
 Poisoning by drugs 2B-9  
 Poisoning by other substances, gases and vapors 2B-9  
 Railway accidents 2B-9  
 Spider bite 2B-9  
 Storms and floods 2B-9  
 Suffocation and other threats to breathing 2B-9  
 Venomous snakes and lizards 2B-9  
 Water transport accidents 2B-9  
**Injuries, unintentional (accidents)**, emergency department visits for, 4D-2, 7D-2  
 Cutting or piercing instruments 4D-2, 7D-2  
 Drowning/submersion, 4D-2, 7D-2  
 Falls, 4D-2, 7D-2  
 Fire and flames, 4D-2, 7D-2  
 Firearm missile, 4D-2, 7D-2  
 Foreign body entering eye or other orifice, 4D-2, 7D-2  
 Machinery, 4D-2, 7D-2

Motor vehicle accident, 4D-2, 7D-2  
 Natural and environmental factors, 4D-2, 7D-2  
 Overexertion, 4D-2, 7D-2  
 Pedal cycle, 4D-2, 7D-2  
 Poisoning by drugs, 4D-2, 7D-2  
 Suffocation, 4D-2, 7D-2  
**Injuries, unintentional (accidents)**, inpatient discharges for, 4D-1, 7D-1  
 Falls, 4D-1, 7D-1  
 Fire and flames, 4D-1, 7D-1  
 Machinery, 4D-1, 7D-1  
 Motor vehicle accident, 4D-1, 7D-1  
 Natural and environmental factors, 4D-1, 7D-1  
 Poisoning by drugs, 4D-1, 7D-1  
**Injury and poisoning**, emergency department visits for, 4C-1, 4D-2, 7C-1, 7D-2  
**Inpatient deaths** 2A-4, 2B-11, 5E-8  
**Intentional self-harm**, see **Suicide**  
**Intrauterine hypoxia and birth asphyxia** 2C-5, 2C-6, 2C-7, 5E-20  
**Invertebral disc disorders**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Ischemic heart disease**, deaths from 2B-6, 2C-28, 5E-12

## J

**Japanese mothers**, number of births to, 1B-22

## K

**Knee replacement**, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

## L

**Leading causes of death**, (*see also*, **Deaths**), 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14  
 Age adjusted rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-11  
 Average age at death 2D-1, 2D-3, 5E-11  
 County of residence 5E-11, 5E-12, 5E-13, 5E-14  
 Crude death rates 2B-6, 5E-13  
 Gender differences 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2D-3, 2D-4  
 Premature mortality 2D-2, 2D-4  
 Race/ethnicity 2B-3, 2B-4, 2D-3, 2D-4  
 Urban/rural differences 2B-5, 2D-3, 2D-4  
**Leading causes of death among**  
**infants <1 year** 2C-5, 2C-6, 2C-7, 5E-20  
**children 1-14 years** 2C-8, 2C-9, 2C-10, 2C-11, 5E-25, 5E-26  
**adolescents 15-19 years** 2C-12, 2C-13, 2C-14, 2C-15, 5E-27, 5E-28  
**young adults 20-44 years** 2C-16, 2C-17, 2C-18, 2C-19, 5E-29, 5E-30  
**middle-aged adults 45-64** 2C-20, 2C-21, 2C-22, 2C-23, 5E-31, 5E-32  
**elderly 65 years and older** 2C-24, 2C-25, 2C-26, 2C-27, 2C-28, 5E-33, 5E-34  
**Selected 113 causes** 2B-6, 2C-28, 5E-12  
**Legal intervention**, deaths due to 2B-6, 2C-28, 5E-12  
**Legionellosis** 3A-1, 3A-2, 5F-1, 5F-2  
**Length of stay (average)** for inpatient discharges, 4A-5  
**Leukemia**, deaths from 2B-6, 2C-28, 5E-12  
**Listeriosis** 3A-1, 3A-2, 5F-1, 5F-2  
**Live births**, (*see* **Births**)  
**Liver disease and cirrhosis, chronic**, deaths from 2B-3, 2B-4, 2B-5, 2B-6, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14  
**Low-birthweight (LBW) births** 1B-2, 1B-3, B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-16, 6A-1-7, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 6B-2-1-7, 9A

**Lung disease**, chronic or acute, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25  
**Lyme disease** 3A-1, 5F-1, 5F-2  
**Lysis of peritoneal adhesions**, (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

## M

**Malaria**, deaths from, 2B-6, 2C-28, 5E-12  
**Malaria**, reported cases, 3A-1, 3A-2, 5F-1, 5F-2  
**Malformed genitalia**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29  
**Malignant neoplasm**, (*see* **Cancer**)  
**Malnutrition**, deaths from 2B-6, 2C-28, 5E-12  
**Manic-depressive disorders**, emergency department visits or, 4C-1, 7C-1  
**Manic-depressive disorders**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Marital status of mother** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-24, 5B-14, 5B-15  
**Marriages** 5G-1, 5G-2, 5G-3  
**Maternal deaths** 1C-1, 1C-2  
**Measles**  
Number of reported cases 3A-1, 6A-2, 5F-1, 5F-2, 6B-2  
Number of deaths 2B-6, 2C-28, 3A-2, 5E-12  
**Meconium aspiration syndrome**, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28  
**Meconium, moderate/heavy**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Medical risk factors for pregnancy** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30  
**Meningitis** 2B-6, 2C-28, 3A-1, 3A-2, 5E-12, 5F-1, 5F-2  
**Meningococcal infection** 2B-6, 2C-28, 3A-1, 3A-2, 6A-2, 5E-12, 5F-1, 5F-2, 6B-2  
**Mental disorders**, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2  
**Mental disorders**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Mexican mothers**, number of births to, 1B-22  
**Microcephalus**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29  
**Migraine**, emergency department visits for, 4C-2, 7C-2  
**Misadventures to patients during surgical or medical care**, death due to 2B-9  
**Miscarriages**, (*see* **Fetal Deaths**)  
**Month of birth** 1B-18, 1B-17, 5B-6  
**Month of death** 2A-2, 2A-3, 5E-7  
**Mortality**, (*see* **Deaths**)  
**Mother's age** 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-19, 1B-23, 1B-24, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5A-4, 5B-9, 5B-10  
**Mother's education** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15  
**Mother's race/ethnicity** 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 5B-8, 5B-10, 5B-15  
**Mother's weight gain during pregnancy** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34  
**Multiple births** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16  
**Multiple myeloma and immunoproliferative neoplasms**, deaths from 2B-6, 2C-28, 5E-12  
**Mumps** 3A-1, 3A-2, 6A-2, 5F-1, 5F-2, 6B-2  
**Musculoskeletal system, diseases of**, emergency

department visits for, 4C-1, 7C-1  
**Musculoskeletal system, diseases of**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Myocardial infarction, acute**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

## N

**Nausea, vomiting**, emergency department visits for, 4C-2, 7C-2  
**Nativity**, (*see* **Births**)  
**Native American**, (*see* **American Indian**)  
**Natural increase from births** 5B-1  
**Neonatal deaths** 2C-1, 2C-3, 2C-4, 2C-7, 5C-1, 5E-23, 5E-24  
**Nephritis, nephrotic syndrome, and nephrosis**, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14  
**Nervous system, diseases of**, emergency department visits for, 4C-1, 7C-1  
**Nervous system, diseases of**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Neuroses (neurotic disorders)**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Newborn's health**  
Abnormal conditions 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-28, 5B-30  
Admitted to intensive care units 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-22, 5B-24  
Congenital anomalies 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11,  
Low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19, 5B-20, 5B-21, 5B-22, 5B-23, 5B-24, 5B-30  
Prematurity 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A  
Very low birth weight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32  
**Newborn's race/ethnicity** 5B-7  
**Non-Hodgkin's lymphoma**, deaths from 2B-6, 2C-28, 5E-12  
**Nontransport accidents**, deaths from 2B-6, 2C-28, 5E-12  
**Notifiable diseases**, (*see* **Diseases reportable**)  
**Nutritional deficiencies**, deaths from 2B-6, 2C-28, 5E-12

## O

**Objectives**, (*see* **Health objectives for the Year 2010**)  
**Obstetric laceration, repair of** (inpatient operation), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Obstetric procedures** 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26, 5B-30  
**Omphalocele**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35,  
**Oophorectomy and salpingo-oophorectomy**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Open wound, excluding head**, emergency department visits for, 4C-2, 7C-2  
**Open wound of head**, emergency department visits for, 4C-2, 7C-2  
**Operations of war**, deaths from 2B-6, 2C-28, 5E-12  
**Operations (inpatient procedures)** on the cardiovascular system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 digestive system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 ear 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 endocrine system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 eye 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 female genital organs 4B-1, 4B-2, 4B-3, 4B-4, 7B-1 hemic and lymphatic system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

integumentary system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
male genital organs 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
musculoskeletal system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
nervous system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
nose, mouth, pharynx 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
respiratory system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
urinary system 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Otitis media and eustachian tube disorders**, emergency department visits for, 4C-2, 7C-2  
**Osteoarthritis and allied disorders**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Outpatient deaths** 2A-4, 2B-11, 5E-8

## P

**Pacific Islanders**, (*see* **Asian residents**)  
**Parkinson's disease**, deaths from 2B-6, 2C-27, 2C-28, 5E-12, 5E-33, 5E-34  
**Payee for birth** 1B-26, 1B-27, 1B-28, 1B-29, 1B-32, 1B-33, 1B-34, 6B-7, 5B-20  
**Pedal cyclist deaths** 2B-10  
**Pedestrian deaths** 2B-10  
**Peptic ulcer**, deaths from 2B-6, 2C-28, 5E-12  
**Pericardium and (acute) myocarditis**, deaths from, 2B-6, 2C-28, 5E-12  
**Perinatal deaths** 1G-3, 6A-1, 5C-1, 6B-2-1  
**Pertussis (whooping cough)**  
Reported cases, 3A-1, 5F-1, 5F-2  
Deaths from 2B-6, 2C-28, 3A-2, 5E-12  
**Pharyngitis, acute**, emergency department visits for, 4C-2, 7C-2  
**Placenta previa**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Place of birth/delivery** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15  
**Place of death** 2A-4, 2B-10, 5E-8  
**Plague** 3A-1, 3A-2, 5F-1, 5F-2  
**Plurality** (*see* **Multiple births**)  
**Pneumoconioses and chemical effects** deaths from 2B-6, 2C-28, 5E-12  
**Pneumonia** deaths from 2B-6, 2C-28, 5E-12  
**Pneumonia**, emergency department visits for, 4C-1, 7C-1  
**Pneumonia**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Pneumonitis due to solids and liquids** deaths from 2B-6, 2C-28, 5E-12  
**Poisoning, accidental**, death from, 2B-6, 2B-9, 6A-4, 6B-4  
**Poisoning**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Poisonings**, emergency department visits for, 4C-1, 7C-1  
**Poliomyelitis, acute**, deaths from 2B-6, 2C-28, 5E-12  
**Polydactyly/Syndactyly/Adactyly**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29  
**Population denominators** 10A-1, 10A-2, 10B-1, 10B-2, 10C-1  
**Postneonatal deaths** 2C-1, 2C-3, 2C-4, 2C-7, 5E-21, 5E-22  
**Precipitous labor**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Pregnancies**  
Among girls 14 and younger 1A-7, 5A-4  
Among girls 17 and younger 1A-2, 5A-3  
Among girls 15-17 1A-3, 5A-4  
Among girls 15-19 1A-7, 5A-3  
Among girls 18-19 1A-4, 5A-4  
Among girls 19 and younger 1A-5, 1A-7, 5A-2  
By county of residence 5A-1, 5A-2, 5A-3, 5A-4  
By outcome 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-4  
By race/ethnicity 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6  
By women's age 1A-6, 1A-7, 5A-4  
**Pregnancy, childbirth and the puerperium**, deaths related to 1C-2, 2B-6, 2C-28, 5E-12  
**Pregnancy with abortive outcome**, deaths from 2B-6, 2C-28, 5E-12  
**Premature mortality** 2D-2, 2D-4  
**Prenatal care**  
Average number of visits 5B-22  
Number of visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,

1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-32, 1B-33, 1B-34, 5B-12, 5B-21, 9A  
Trimester of entry 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32, 1B-33, 1B-34, 5B-11, 9A  
**Preterm births** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-22, 6A-1, 5B-23, 5B-24, 5B-30, 6B-2-1  
**Previous infant 4,000+ grams** (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25  
**Previous preterm or small for gestational age (SGA) infant** (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25  
**Prolonged labor**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Prostate cancer**, deaths from 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-27, 2C-28, 2D-3, 2D-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-33, 5E-34  
**Prostatectomy**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Psychoses**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Puerto-Rican mothers**, number of births to, 1B-22

## R

**Rabies** 3A-1, 3A-2, 5F-1, 5F-2  
**Rates**  
Age-adjusted death rates 2B-2, 2B-3, 2B-4, 2B-5, 5E-5, 5E-11  
Age-specific death rates 2C-1, 2C-2, 2C-3, 2C-6, 2C-7, 2C-8, 2C-9, 2C-10, 2C-12, 2C-13, 2C-14, 2C-16, 2C-17, 2C-18, 2C-20, 2C-21, 2C-22, 2C-24, 2C-25, 2C-26, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34  
Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2  
Cause-specific death rates 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2C-6, 2C-7, 2C-8, 2C-9, 2C-12, 2C-13, 2C-14, 2C-16, 2C-17, 2C-20, 2C-21, 2C-24, 2C-25, 5E-11, 5E-13, 5E-20, 5E-26, 5E-28, 5E-30, 5E-32, 5E-34  
Crude death rates 2B-6, 5E-13  
Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5A-1  
Natural increase 5B-1  
Pregnancy rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 5A-1, 5A-2, 5A-3  
**Rectal atresia/stenosis**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Relapsing fever, Tick** 3A-1, 5F-1, 5F-2  
**Renal agenesis**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Renal disease**, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25  
**Renal failure**, deaths from 2B-6, 2C-28, 5E-12  
**Reportable diseases** (*see* **Diseases, Reportable**)  
**Respiratory Distress Syndrome**, deaths from, (*see also* **Certain conditions originating in the perinatal period**) 2C-5, 2C-6, 2C-7, 5E-20  
**Respiratory infection, acute upper**, emergency department visits for, 4C-2, 7C-2  
**Respiratory system, diseases of**, emergency department visits for, 4C-1, 7C-1  
**Respiratory system, diseases of**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Respiratory therapy**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Reyes syndrome** 3A-1, 3A-2, 5F-1, 5F-2  
**Rheumatism, excluding back**, emergency department visits for, 4C-2, 7C-2



**Rh sensitization**, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-34, 5B-25  
**Rocky Mountain Spotted Fever** 3A-1, 3A-2, 5F-1, 5F-2  
**Rubella** 3A-1, 3A-2, 6A-1, 5F-1, 5F-2  
**Rubella syndrome, congenital** 3A-1, 5F-1, 5F-2  
**Rupture of membranes**, (*see also* **Complications of labor/delivery**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-27  
**Rural areas** 1B-5, 1B-7, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17

## S

**Salmonella paratyphi A** 3A-1, 5F-1, 5F-2  
**Salmonella paratyphi B** 3A-1, 5F-1, 5F-2  
**Salmonella paratyphi C** 3A-1, 5F-1, 5F-2  
**Salmonellosis** (except *S. typhi* and *S. paratyphi*)  
Reported cases 3A-1, 5F-1, 5F-2  
Deaths from 3A-2  
**Scarlet fever and erysipelas** 2B-6, 2C-28, 5E-12  
**Schizophrenic disorders**, emergency department visits for, 4C-1, 7C-1  
**Schizophrenic disorders**, inpatient discharges for, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Seizures**, (*see also* **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-34, 5B-28  
**Self-harm, intentional**, (*see* **Suicide**)  
**Septicemia**, deaths from  
2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-11, 2C-11, 2C-27, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-33, 5E-34  
**Septicemia**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Shigellosis**, deaths from 2B-6, 2C-28, 3A-2, 5E-12  
**Shock syndrome, toxic** 5A-1, 3A-2, 5F-1, 5F-2  
**Skin and subcutaneous tissue, diseases of**, emergency department visits for, 4C-1, 7C-1  
**Skin and subcutaneous tissue, diseases of**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1  
**Spina bifida/meningocele**, (*see also* **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29  
**Spinal disorders**, emergency department visits for, 4C-2, 7C-2  
**Spinal tap**, (inpatient procedure) 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Sprains**, emergency department visits for, 4C-1, 4C-2, 7C-1, 7C-2  
**Stillbirths**, (*see* **Fetal deaths**)  
**Stimulation of labor**, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-26  
**Streptococcal-Group A** 3A-1, 5F-1, 5F-2  
**Streptococcal-Group B** 3A-1, 5F-1, 5F-2  
**Streptococcal sore throat, scarlatina and erysipelas**, deaths from 2B-11  
**Streptococcus pneumoniae** 3A-1, 5F-1, 5F-2  
**Stroke**, (*see* **Cerebrovascular disease**)  
**Substance use during pregnancy** 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30  
**Sudden infant death syndrome (SIDS)** 2C-5, 2C-6, 2C-7, 5E-20  
**Suffocation** 6A-4  
**Suicide (intentional self-harm)** as cause of death 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-8, 2C-9, 2C-11, 2C-12, 2C-13, 2C-15, 2C-16, 2C-17, 2C-19, 2C-20, 2C-21, 2C-23, 2C-28, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-26, 5E-27, 5E-28, 5E-29, 5E-30, 5E-31, 5E-32, 5E-33, 5E-34, 6B-4, 9C  
**Suicide (intentional self-harm)**, emergency department visits related to, 4D-1, 7D-1  
**Suicide (intentional self-harm)**, inpatient discharges related to, 4D-2, 7D-2  
**Symptoms, signs, abnormal findings** (as cause of death) 2B-6, 2C-28, 5E-12  
**Symptoms, signs, and ill-defined conditions**, emergency department visits for, 4C-1, 7C-1  
**Syphilis**  
Congenital 6A-2

Early 3B-3, 3B-4, 3B-5  
Late 3B-5  
Primary and secondary 3B-1, 6A-2, 6B-2  
Reported cases 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2  
Deaths from 2B-6, 2C-28, 3B-2, 5E-12

## T

**Teenage pregnancies**, (*see* **Pregnancies**)  
**Tobacco use during pregnancy**, (*see also* **Births**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30  
**Tocolysis**, (*see also* **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26  
**Transport accidents**, deaths from, 2B-6, 2C-28, 5E-12  
**Trauma complications and unspecified injuries**, emergency department visits for, 4C-1, 7C-1  
**Tuberculosis** 3A-1, 6A-2, 5F-1, 5F-2, 6B-2  
Deaths from 2B-6, 2C-28, 5E-12  
Pulmonary 3A-1, 3A-2, 5F-1, 5F-2  
**Tularemia**  
Deaths from 3A-2  
Reported cases 3A-1, 5F-1  
**Typhoid fever** 3A-1, 3A-2, 5F-1, 5F-2

## U

**Ulcer, peptic**, deaths from  
2B-6, 2C-28, 5E-12  
**Ultrasound**, (*see also* **Obstetric procedures**)  
1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26  
**Ultrasound**, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1  
**Urban areas** 1B-4, 1B-25, 1B-26, 2B-5, 2C-1, 2C-7, 2C-11, 2C-13, 2C-14, 2C-15, 2C-17, 2C-18, 2C-19, 2C-21, 2C-22, 2C-23, 2C-25, 2C-26, 2D-3, 2D-4, 5B-17  
**Uterine bleeding**, (*see also* **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

## V

**Valley Fever (Coccidioidomycosis)**, (*see also* **Diseases, Reportable**)  
**Vancomycin resistant Enterococcus spp.**  
3A-1, 5F-1, 5F-2  
**Varicella** (*see* **Chickenpox**)  
**Very low-birthweight** 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32  
**Viral spp.** 3A-1, 5F-1, 5F-2  
**Viral hepatitis**, deaths from 2B-6, 2C-28, 5E-12  
**Volume depletion**, inpatient discharges for 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

## W

**White, non-Hispanic residents** 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2C-27, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18  
**Whooping cough** (*see also* **Pertussis**)  
Reported cases 3A-1, 5F-1, 5F-2  
Deaths from 2B-6, 2C-28, 3A-2, 5E-12

## Y

**Yersiniosis** (except *Y. pestis*) 3A-1, 5F-1, 5F-2

