

TABLE 2B-3 (continued)
AGE-ADJUSTED* MORTALITY RATES FOR SELECTED CAUSES OF DEATH BY RACE/ETHNICITY
AND GENDER, ARIZONA, 1980, 1990, 2000-2007

	All groups			White non-Hispanic			Hispanic or Latino			Black or African American			American Indian or Alaska Native			Asian or Pacific Islander		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
-----Colorectal cancer																		
1980	22.9	26.7	19.9	24.4	28.6	21.0	15.3	18.0	13.0	14.1	12.4	14.7	3.6	2.4	4.5	13.4	33.3	0.0
1990	19.4	22.1	17.1	19.9	23.3	17.1	17.4	14.7	18.3	24.8	20.1	29.9	1.1	2.4	0.0	6.8	9.3	4.9
2000	17.0	20.5	14.1	17.4	20.7	14.6	16.4	20.5	13.5	16.3	26.3	9.7	8.2	15.1	2.7	6.6	12.9	2.2
2001	16.7	19.0	14.8	16.9	19.0	15.2	16.6	22.1	12.9	27.4	26.2	25.2	7.2	7.8	6.3	10.6	15.3	7.2
2002	16.5	20.6	13.4	16.9	21.0	13.6	16.2	23.4	11.7	26.4	36.4	19.8	9.1	7.9	9.3	9.7	13.9	7.0
2003	17.9	21.8	14.7	17.9	22.0	14.4	21.2	25.5	17.9	26.3	22.3	28.2	6.3	10.2	3.7	3.0	4.8	1.8
2004	15.3	18.9	12.6	15.5	19.2	12.8	13.1	15.8	11.5	27.3	41.2	16.9	9.3	14.1	5.6	11.0	7.7	15.9
2005	15.4	18.9	12.8	15.2	18.8	12.5	17.6	21.5	14.8	27.0	23.7	30.6	7.5	10.0	6.0	12.5	18.7	7.1
2006	14.6	18.1	12.0	15.1	18.9	12.0	14.2	15.8	13.1	14.9	21.1	10.1	4.7	3.5	5.5	6.5	11.4	3.9
2007	14.4	17.7	11.5	15.0	18.1	12.3	12.0	16.5	8.6	15.7	19.3	11.8	8.0	10.6	5.3	9.4	28.7	9.8
-----Female breast cancer																		
1980	NA	NA	31.1	NA	NA	33.7	NA	NA	18.2	NA	NA	34.0	NA	NA	4.7	NA	NA	0.0
1990	NA	NA	29.5	NA	NA	31.3	NA	NA	27.5	NA	NA	16.3	NA	NA	3.2	NA	NA	0.0
2000	NA	NA	25.4	NA	NA	26.2	NA	NA	20.7	NA	NA	29.5	NA	NA	12.1	NA	NA	12.8
2001	NA	NA	23.6	NA	NA	24.7	NA	NA	17.5	NA	NA	55.8	NA	NA	11.7	NA	NA	12.7
2002	NA	NA	22.2	NA	NA	22.5	NA	NA	18.7	NA	NA	42.3	NA	NA	9.6	NA	NA	17.7
2003	NA	NA	22.1	NA	NA	22.3	NA	NA	18.9	NA	NA	41.2	NA	NA	16.4	NA	NA	19.6
2004	NA	NA	21.4	NA	NA	21.4	NA	NA	18.0	NA	NA	32.2	NA	NA	18.4	NA	NA	35.2
2005	NA	NA	20.7	NA	NA	20.5	NA	NA	19.8	NA	NA	35.7	NA	NA	14.9	NA	NA	17.3
2006	NA	NA	21.6	NA	NA	23.2	NA	NA	14.0	NA	NA	25.7	NA	NA	6.9	NA	NA	7.5
2007	NA	NA	20.1	NA	NA	20.5	NA	NA	16.9	NA	NA	23.9	NA	NA	16.2	NA	NA	11.3
-----Prostate cancer																		
1980	NA	29.4	NA	NA	29.3	NA	NA	32.2	NA	NA	45.9	NA	NA	28.0	NA	NA	0.0	NA
1990	NA	34.0	NA	NA	34.1	NA	NA	28.3	NA	NA	94.9	NA	NA	20.4	NA	NA	13.9	NA
2000	NA	28.4	NA	NA	28.0	NA	NA	30.0	NA	NA	74.8	NA	NA	27.1	NA	NA	8.9	NA
2001	NA	24.3	NA	NA	24.1	NA	NA	26.3	NA	NA	45.0	NA	NA	14.0	NA	NA	24.2	NA
2002	NA	24.8	NA	NA	24.1	NA	NA	35.3	NA	NA	48.6	NA	NA	12.5	NA	NA	8.4	NA
2003	NA	25.1	NA	NA	25.2	NA	NA	22.4	NA	NA	41.2	NA	NA	21.0	NA	NA	7.6	NA
2004	NA	24.0	NA	NA	22.6	NA	NA	35.0	NA	NA	54.6	NA	NA	31.2	NA	NA	6.1	NA
2005	NA	23.8	NA	NA	23.5	NA	NA	30.6	NA	NA	20.4	NA	NA	23.5	NA	NA	5.1	NA
2006	NA	20.1	NA	NA	19.2	NA	NA	25.9	NA	NA	34.9	NA	NA	16.9	NA	NA	24.0	NA
2007	NA	18.9	NA	NA	19.5	NA	NA	15.8	NA	NA	23.6	NA	NA	16.6	NA	NA	19.4	NA
Chronic lower respiratory diseases**																		
1980	47.4	76.6	25.3	50.9	81.2	27.7	26.0	52.7	6.9	34.2	56.3	16.8	15.4	25.8	6.8	9.2	17.5	0.0
1990	44.4	58.2	35.0	47.7	62.5	37.9	19.9	26.7	15.3	29.7	48.6	15.6	16.4	18.9	14.6	32.6	27.9	32.6
2000	47.4	56.2	41.3	51.1	59.8	44.8	24.4	38.2	15.9	30.4	38.4	26.3	21.9	28.9	17.9	12.7	7.8	16.5
2001	46.9	53.9	42.2	51.0	58.1	46.2	17.7	25.4	12.5	37.9	48.9	32.2	26.8	30.0	24.3	21.4	19.2	23.0
2002	47.0	57.1	40.3	50.4	59.4	44.5	25.2	46.6	11.2	38.3	59.0	21.9	22.3	30.1	17.0	24.5	45.8	9.0
2003	45.4	53.8	40.0	48.3	56.5	42.9	28.7	39.9	22.1	30.3	39.7	23.1	19.4	20.8	18.4	15.5	34.4	2.1
2004	41.9	48.1	37.7	45.1	51.3	41.0	22.7	29.5	17.8	24.9	38.8	14.8	10.8	4.7	15.1	21.6	27.1	14.2
2005	46.8	51.3	43.5	49.6	53.6	46.7	31.6	42.7	24.0	43.9	49.4	37.9	12.0	12.9	11.4	17.9	22.6	13.8
2006	44.3	50.2	40.1	49.2	55.5	44.7	18.3	20.9	16.2	27.3	28.8	25.6	8.4	6.2	10.4	9.9	26.2	0.0
2007	39.2	43.5	36.0	43.7	47.9	40.7	18.8	26.4	13.4	18.7	10.1	26.7	13.0	20.1	8.4	7.5	19.9	6.1
Accidents (unintentional injuries)																		
1980	57.9	86.0	31.8	52.2	75.8	30.1	58.8	91.3	28.6	51.5	72.2	29.6	186.1	313.2	71.2	45.5	72.0	20.9
1990	42.6	61.4	24.5	37.7	53.4	22.4	39.4	60.8	19.2	48.1	65.4	34.4	139.4	225.5	62.4	29.6	43.0	16.6
2000	41.1	58.0	24.9	36.9	51.5	23.3	41.6	60.8	22.5	49.7	75.8	22.7	113.1	165.2	67.4	24.1	24.4	21.4
2001	46.6	66.5	27.7	42.5	59.5	26.8	45.6	63.9	25.9	52.6	83.2	22.4	112.7	177.5	53.9	29.9	41.3	46.6
2002	45.2	62.8	28.8	41.5	56.8	27.8	45.5	64.6	26.2	44.0	58.5	28.5	111.0	168.4	60.4	15.5	13.8	15.6
2003	44.8	61.6	28.8	40.9	55.2	27.6	44.7	63.3	26.3	52.4	69.8	35.0	108.6	153.5	66.3	25.3	35.2	17.8
2004	46.0	61.1	31.7	43.3	56.8	30.7	48.9	66.1	31.8	45.9	66.9	26.0	103.9	137.5	73.7	21.2	21.7	30.0
2005	51.1	68.7	34.4	46.2	62.4	31.4	54.8	71.5	37.2	64.3	80.3	46.9	117.8	174.1	67.4	34.2	41.2	28.1
2006	51.2	68.5	34.3	48.7	64.5	33.5	52.4	72.9	32.2	54.8	73	34.5	97.2	139.8	58.6	19.8	17	20.8
2007	46.6	60.6	32.3	44.9	57.7	32.2	40.6	53.5	27.5	48.1	62.8	29.6	95.0	143.9	50.3	20.3	72.6	20.3
-----Motor vehicle accidents																		
1980	31.9	47.1	17.4	28.2	41.2	15.7	34.6	49.8	19.8	23.3	31.7	13.7	103.6	162.5	50.4	27.6	32.4	20.9
1990	23.6	33.1	14.3	20.1	27.9	12.6	21.1	31.7	10.9	27.4	34.7	20.9	82.2	130.6	38.8	18.2	26.3	11.7
2000	17.5	24.4	10.6	13.8	18.5	9.2	18.2	28.5	7.5	19.3	33.1	6.8	74.2	106.4	46.3	15.3	11.6	12.8
2001	17.2	24.2	10.1	13.5	18.5	8.5	18.2	26.3	9.4	19.1	28.8	7.2	63.2	88.8	38.3	8.6	7.7	9.9
2002	18.5	25.5	11.6	14.7	20.3	9.3	21.1	27.4	14.0	11.9	15.9	7.5	65.9	100.2	35.3	10.1	8.2	11.1
2003	18.0	24.9	11.2	14.6	20.3	9.0	21.3	29.1	13.6	15.2	23.3	8.1	59.0	78.0	40.4	11.8	14.1	9.9
2004	18.1	23.9	12.5	15.3	20.3	10.6	23.2	30.0	16.0	14.8	18.2	10.8	54.1	63.9	44.1	11.3	13.7	13.9
2005	18.9	27.0	11.1	15.0	21.9	8.4	22.7	33.1	12.6	24.9	31.4	17.8	62.6	91.3	36.4	10.2	14.5	6.3
2006	19.6	26.8	12.4	16.6	22.8	10.7	21.9	29.9	13.3	15.3	22.9	7.7	56.9	76.5	38.5	5.9	5.3	6.1
2007	16.2	22.2	10.1	13.1	18.3	8.0	17.6	22.6	12.2	13.6	18.2	7.6	49.0	72.8	27.2	9.9	37.6	10.6

TABLE 2B-3 (continued)
AGE-ADJUSTED* MORTALITY RATES FOR SELECTED CAUSES OF DEATH BY RACE/ETHNICITY
AND GENDER, ARIZONA, 1980, 1990, 2000-2007

	All groups			White non-Hispanic			Hispanic or Latino			Black or African American			American Indian or Alaska Native			Asian or Pacific Islander		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Intentional self-harm (suicide)																		
1980	17.5	27.9	8.1	18.5	28.7	9.3	11.3	21.1	2.0	10.9	16.8	4.5	18.6	33.1	5.6	8.7	19.6	0.0
1990	19.0	32.6	6.5	20.9	36.1	7.2	9.4	16.6	2.8	12.5	17.2	7.7	20.1	39.1	2.6	7.9	4.6	10.1
2000	14.6	24.7	5.2	16.7	27.6	6.8	7.2	12.7	1.4	6.5	12.2	0.0	16.2	29.7	3.7	5.7	12.3	0.0
2001	14.9	24.6	4.4	12.8	21.0	5.1	5.9	9.9	1.6	9.2	15.2	2.4	15.4	26.4	5.2	9.4	15.4	4.7
2002	15.9	26.4	6.0	18.3	30.0	7.4	8.3	14.2	2.5	6.2	11.4	0.0	17.9	31.7	4.9	4.1	9.1	0.0
2003	14.6	24.0	5.8	16.4	27.1	6.4	8.2	11.8	4.2	11.3	16.6	4.8	15.2	27.4	3.6	6.0	7.0	5.9
2004	14.9	24.1	6.3	16.6	26.4	7.5	9.8	17.5	2.2	12.1	17.3	5.1	17.0	28.5	6.5	4.0	7.0	2.7
2005	15.4	24.9	6.5	16.6	26.7	7.3	10.5	17.8	3.0	3.3	4.7	1.8	17.5	28.7	6.8	11.7	8.9	14.1
2006	15.4	24.7	6.6	17.8	27.9	8.5	8.2	14.2	2.0	8.3	13.9	2.3	13.7	23.4	4.5	8.4	13.2	4.3
2007	15.4	24.4	6.7	18.7	29.4	8.3	9.2	14.7	3.6	6.2	10.1	1.7	9.8	16.3	3.6	6.1	49.2	2.4
Diabetes																		
1980	16.0	14.4	16.9	12.8	13.0	12.6	28.3	16.3	37.4	44.5	6.3	73.7	74.6	58.4	89.1	22.4	16.7	27.9
1990	15.6	16.9	14.2	12.0	13.2	10.8	31.5	32.2	30.0	26.0	20.2	29.0	77.4	86.1	70.2	5.5	7.2	4.4
2000	19.0	21.0	17.2	14.9	17.4	12.6	41.1	41.9	40.6	46.0	40.9	47.4	74.6	74.1	74.2	19.5	10.9	26.1
2001	19.9	22.9	17.5	15.4	19.2	12.2	42.9	43.5	42.3	55.7	42.2	64.1	72.8	71.2	73.9	14.8	3.0	23.3
2002	22.3	25.6	19.7	18.0	21.8	15.1	45.6	49.1	42.6	41.0	46.4	37.2	80.8	69.2	88.6	21.9	15.7	26.3
2003	20.3	23.6	17.5	16.5	20.6	13.1	39.1	35.9	40.9	53.6	55.0	49.8	55.8	48.2	60.3	15.7	22.2	11.6
2004	20.7	23.4	18.4	16.8	19.7	14.4	43.5	44.2	42.0	44.8	47.7	42.6	59.0	58.4	58.8	30.0	29.1	31.6
2005	20.1	24.7	16.7	15.5	20.2	12.1	46.0	49.9	42.4	55.2	56.2	54.0	69.9	73.5	68.2	17.8	17.7	18.0
2006	18.9	22.5	15.9	15.2	18.4	12.5	40.4	46.1	35.3	43.9	49.7	42.3	43.9	49.3	39.5	10.9	9.7	11.4
2007	17.0	20.5	13.9	13.7	17.4	10.4	30.8	32.6	28.9	30.3	32.0	30.0	51.1	61.1	42.1	5.1	12.8	4.4
Chronic liver disease and cirrhosis																		
1980	17.0	21.7	13.0	12.8	16.4	9.7	23.5	31.1	16.6	16.8	13.2	20.7	90.3	113.8	69.3	0.0	0.0	0.0
1990	12.4	17.3	8.3	10.3	14.1	7.1	15.4	23.2	8.4	17.4	25.3	9.0	48.6	60.2	38.1	10.8	16.4	7.1
2000	12.8	17.7	8.3	10.4	14.9	6.4	15.8	20.5	11.0	6.6	7.1	5.9	61.7	80.2	45.3	4.1	6.9	2.2
2001	12.3	17.7	7.5	10.6	15.0	6.6	17.4	27.0	8.7	11.7	24.1	2.0	39.1	51.1	28.4	4.0	3.8	4.2
2002	12.1	15.6	8.9	9.9	11.9	8.0	21.6	31.9	12.3	9.8	14.6	5.5	40.5	55.6	27.5	5.3	2.9	7.0
2003	11.5	16.2	7.1	9.7	13.8	5.8	17.6	25.1	10.6	3.5	6.3	1.0	38.8	49.6	29.8	3.3	0.0	5.8
2004	11.1	15.6	6.9	8.4	11.7	5.4	18.6	26.6	10.6	6.7	7.3	6.5	51.0	68.9	36.1	3.8	7.0	2.4
2005	12.7	17.7	8.1	10.7	15.1	6.6	19.4	28.6	11.4	12.8	14.7	10.7	51.2	60.3	42.8	4.9	10.4	0.0
2006	11.4	14.3	8.5	9.6	11.8	7.6	15.5	19.9	11.1	7.2	11.6	4.2	43.6	54.3	32.7	3.1	3.8	2.5
2007	11.3	15.4	7.6	9.6	13.0	6.6	16.3	23.5	9.4	5.9	9.9	2.3	36.8	46.9	28.3	3.2	5.5	4.2
Assault (homicide)																		
1980	10.4	15.0	5.8	7.3	9.4	5.3	15.9	25.2	6.2	48.3	71.3	21.4	25.3	40.6	11.6	2.8	6.7	0.0
1990	8.1	12.2	4.0	5.7	7.8	3.6	10.4	18.6	2.2	31.3	48.1	12.1	17.7	27.8	8.7	4.8	4.1	6.0
2000	7.6	11.1	3.8	3.9	5.4	2.3	13.0	19.2	6.1	22.7	32.3	11.0	14.9	22.1	7.5	7.6	5.1	9.7
2001	8.7	13.7	3.6	4.3	6.1	2.6	15.5	24.8	5.0	22.2	35.7	6.8	17.2	24.8	10.0	4.9	9.7	1.2
2002	8.6	13.9	3.0	4.4	6.8	2.0	15.1	25.8	3.4	21.3	32.5	7.1	20.3	29.0	11.8	3.3	0.0	5.8
2003	8.3	12.8	3.6	3.7	5.1	2.2	14.7	23.7	4.8	24.9	38.7	9.0	18.8	31.5	6.9	5.4	2.5	5.8
2004	8.2	13.3	2.9	4.8	7.0	2.6	13.6	23.2	3.0	22.3	35.5	7.4	14.7	25.9	4.5	1.4	2.3	0.0
2005	8.2	13.5	2.6	3.5	5.6	1.3	14.6	24.2	3.9	27.4	45.7	7.5	14.0	22.4	5.8	5.1	8.0	2.5
2006	8.5	13.5	3.1	4.6	6.8	2.4	13.0	21.6	3.3	19.6	30.5	7.5	13.2	23.7	3.2	2.4	1.5	3.5
2007	7.7	11.8	3.2	3.9	5.5	2.2	12.0	19.5	3.7	23.4	32.3	12.7	13.1	21.7	4.8	2.6	16.0	1.6

* Adjusted to the 2000 standard U.S. population.

** Chronic obstructive pulmonary diseases in 1980 and 1990.