TABLE 2C-13

MORTALITY RATES¹ FOR THE FIVE LEADING CAUSES OF DEATH AMONG ADOLESCENTS (15-19 YEARS)

BY GENDER IN URBAN AND RURAL AREAS², ARIZONA, 2000-2010

Area/Gender	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	% change from 2000
URBAN												
Male	110.9	110.1	121.8	98.4	105.1	112.7	121.7	97.9	84.3	73.8	62.8	-43.4
Female	37.3	42.6	40.0	38.9	44.2	36.1	54.2	45.3	36.8	27.6	23.4	-37.3
TOTAL	75.4	77.6	82.4	69.8	75.8	75.8	88.9	72.5	61.4	51.5	43.6	-42.2
RURAL												
Male	126.5	158.4	101.5	144.8	127.9	142.5	162.3	125.2	109.0	112.6	104.9	-17.1
Female	69.6	85.3	64.9	54.9	74.5	54.8	67.5	57.6	56.2	35.4	30.3	-56.5
TOTAL	92.8	123.2	83.9	101.5	102.7	100.3	116.2	97.2	83.3	75.0	68.6	-26.1
STATEWIDE												
Male	112.3	119.3	118.1	106.7	109.5	118.5	129.1	102.7	89.1	81.1	69.5	-38.1
Female	42.9	51.4	44.5	41.7	49.8	39.4	56.6	49.3	40.7	29.0	24.5	-42.9
TOTAL	78.9	86.6	82.7	75.4	80.8	80.1	93.8	76.9	65.7	55.9	47.7	-39.5

¹Rates are presented per 100,000 children 15-19 years old.

Note: Records with unknown county of residence are included in the statewide totals, but are not distributed by urban/rural area.

²Urban = Maricopa, Pima, Pinal, and Yuma counties. The remaining counties comprise Arizona's rural areas. See *Technical Notes* for more information.