

TABLE 2B-7 (correction)
NUMBER OF DEATHS FROM DISEASES OF THE HEART BY CATEGORY, GENDER, AND YEAR, ARIZONA, 2001-2011

		2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
ALL FORMS OF HEART DISEASE	TOTAL	10,312	10,551	10,649	10,402	10,779	10,362	10,147	10,299	10,151	9,719	10,424
	Male	5,469	5,642	5,649	5,543	5,789	5,538	5,455	5,701	5,558	5,351	5,748
	Female	4,843	4,909	5,000	4,859	4,990	4,834	4,692	4,598	4,593	4,368	4,675
Acute rheumatic fever and chronic rheumatic heart disease	TOTAL	37	46	63	46	55	57	38	57	51	42	69
	Male	16	14	25	18	16	15	15	24	16	15	22
	Female	21	32	38	28	39	42	23	33	35	27	47
Hypertensive heart and renal disease*	TOTAL	26	31	33	32	39	24	29	48	35	36	49
	Male	11	14	20	9	18	13	15	22	18	16	22
	Female	15	17	13	23	21	11	14	26	17	20	27
Ischemic heart disease	TOTAL	7,656	7,962	8,037	7,836	8,060	7,628	7,163	7,487	7,372	7,043	7,498
	Male	4,245	4,449	4,402	4,344	4,509	4,202	4,005	4,337	4,233	4,076	4,409
	Female	3,411	3,513	3,635	3,492	3,551	3,426	3,158	3,150	3,139	2,967	3,089
Hypertensive heart disease	TOTAL	355	431	440	463	487	506	646	675	698	644	739
	Male	164	197	215	223	226	256	332	348	340	302	348
	Female	191	234	225	240	261	250	314	327	358	342	391
Other heart diseases	TOTAL	2,238	2,104	2,076	2,025	2,138	2,147	2,271	2,032	1,995	1,954	2,069
	Male	1,033	968	987	949	1,020	1,052	1,088	970	951	942	947
	Female	1,205	1,136	1,089	1,076	1,118	1,095	1,183	1,062	1,044	1,012	1,121

Note: Beginning in 2000, the causes of death are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

* The comparability ratio for hypertensive heart and renal disease is 1.5, indicating a 50 percent increase in hypertensive heart and renal disease deaths when classified by ICD-10.