


Maternal Lifestyle and Health Characteristics

- 2-1 Unmarried Mothers**
- 2-2 Tobacco Use During Pregnancy**
- 2-3 Alcohol Use During Pregnancy**
- 2-4 The Incidence of Chronic Hypertension**
- 2-5 Dysfunctional Labor**
- 2-6 The Incidence of Anemia During Pregnancy**
- 2-7 The Incidence of Diabetes**
- 2-8 The Incidence of Pregnancy-Associated Hypertension**
- 2-9 The Incidence of Genital Herpes**
- 2-10 Maternal Weight Gain of Less Than 21 Pounds**


2-1 UNMARRIED MOTHERS

2007



Per 100 live births.

2000



Per 100 live births.


COMPARATIVE RATES FOR 2000 AND 2007

Per 100 births by race/ethnicity

| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2000 | 39.3 | 24.8 | 51.4 | 62.2 | 68.5 | 15.1 |
| 2007 | 45.0 | 28.4 | 56.7 | 61.9 | 75.9 | 17.6 |
| % change from 2000 | 14.5 | 14.5 | 10.3 | -0.5 | 10.8 | 16.6 |


2-2 TOBACCO USE DURING PREGNANCY

2007



Per 100 live births.

2000



Per 100 live births.


COMPARATIVE RATES FOR 2000 AND 2007

Per 100 births by race/ethnicity


| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2000 | 6.8 | 11.0 | 2.4 | 11.0 | 3.5 | 2.5 |
| 2007 | 4.7 | 8.3 | 1.6 | 6.8 | 3.1 | 1.9 |
| % change from 2000 | -30.9 | -24.5 | -33.3 | -38.2 | -11.4 | -24.0 |

2-3 ALCOHOL USE DURING PREGNANCY

2007




2000




| COMPARATIVE RATES FOR 2000 AND 2007 | | | | | | |
|-------------------------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Per 100 births by race/ethnicity | | | | | | |
| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| 2000 | 1.0 | 1.3 | 0.6 | 1.6 | 2.3 | 0.6 |
| 2007 | 0.6 | 0.7 | 0.2 | 0.6 | 1.8 | 0.2 |
| % change from 2000 | -40.0 | -46.2 | -66.7 | -62.5 | -21.7 | -66.7 |

2-4 CHRONIC HYPERTENSION

2007



2000




COMPARATIVE RATES FOR 2000 AND 2007

Per 100 births by race/ethnicity


| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2000 | 0.4 | 0.4 | 0.2 | 0.7 | 1.3 | 0.3 |
| 2007 | 0.6 | 0.6 | 0.5 | 1.1 | 1.5 | 0.5 |
| % change from 2000 | 50.0 | 50.0 | 150.0 | 57.1 | 15.4 | 66.7 |

2-5 DYSFUNCTIONAL LABOR

2007




2000




| COMPARATIVE RATES FOR 2000 AND 2007 | | | | | | |
|-------------------------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Per 100 births by race/ethnicity | | | | | | |
| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| 2000 | 0.8 | 0.8 | 0.5 | 0.7 | 2.2 | 0.8 |
| 2007 | 1.1 | 1.2 | 0.8 | 1.1 | 2.9 | 1.3 |
| % change from 2000 | 37.5 | 50.0 | 60.0 | 57.1 | 31.8 | 62.5 |

2-6 ANEMIA DURING PREGNANCY

2007




2000



| COMPARATIVE RATES FOR 2000 AND 2007 | | | | | | |
|-------------------------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Per 100 births by race/ethnicity | | | | | | |
| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| 2000 | 1.7 | 1.7 | 1.1 | 2.0 | 4.8 | 1.1 |
| 2007 | 3.0 | 3.3 | 2.0 | 4.3 | 6.8 | 2.4 |
| % change from 2000 | 76.5 | 94.1 | 81.8 | 115.0 | 41.7 | 118.2 |


2-7 DIABETES DURING PREGNANCY

2007



Per 100 live births.

2000



Per 100 live births.


COMPARATIVE RATES FOR 2000 AND 2007

Per 100 births by race/ethnicity

| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2000 | 2.3 | 1.9 | 2.0 | 1.8 | 6.7 | 3.1 |
| 2007 | 3.4 | 2.7 | 3.3 | 3.0 | 8.0 | 5.9 |
| % change from 2000 | 47.8 | 42.1 | 65.0 | 66.7 | 19.4 | 90.3 |


2-8 PREGNANCY-ASSOCIATED HYPERTENSION

2007



Per 100 live births.

2000




Per 100 live births.

COMPARATIVE RATES FOR 2000 AND 2007

| Per 100 births by race/ethnicity | | | | | | |
|----------------------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| 2000 | 3.0 | 3.6 | 2.0 | 2.9 | 5.6 | 2.3 |
| 2007 | 3.1 | 3.7 | 2.2 | 3.5 | 5.8 | 2.4 |
| % change from 2000 | 3.3 | 2.8 | 10.0 | 20.7 | 3.6 | 4.3 |


2-9 GENITAL HERPES DURING PREGNANCY

2007



Per 100 live births.

2000




Per 100 live births.

| COMPARATIVE RATES FOR 2000 AND 2007 | | | | | | |
|-------------------------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Per 100 births by race/ethnicity | | | | | | |
| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| 2000 | 0.7 | 1.2 | 0.2 | 0.7 | 0.3 | 0.5 |
| 2007 | 0.7 | 1.2 | 0.3 | 0.8 | 0.5 | 0.5 |
| % change from 2000 | 0.0 | 0.0 | 50.0 | 14.3 | 66.7 | 0.0 |


2-10 WEIGHT GAIN OF LESS THAN 21 POUNDS

2007



Per 100 live births.

2000



Per 100 live births.

COMPARATIVE RATES FOR 2000 AND 2007

Per 100 births by race/ethnicity

| Year | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2000 | 19.1 | 15.4 | 21.3 | 22.4 | 30.4 | 16.7 |
| 2007 | 25.3 | 18.1 | 31.2 | 27.5 | 31.9 | 19.4 |
| % change from 2000 | 32.5 | 17.5 | 46.5 | 22.8 | 4.9 | 16.2 |