

# **RANK ORDER IN 2011**



## RANK ORDER IN 2011

(A rank is the ordering of each race/ethnic group according to score).

**1 = RANKS BEST AMONG RACE/ETHNIC GROUPS**

**5 = RANKS WORST AMONG RACE/ETHNIC GROUPS**

### 1. TEEN PREGNANCIES

| Figure No. | Indicator                                 | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|---|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 1-1        | Pregnancies among females 19 and younger  | 2.0                | 5.0                | 3.0                       | 4.0                              | 1.0                       |
| 1-2        | Pregnancies among females 14 and younger  | 1.0                | 4.5                | 4.5                       | 3.0                              | 2.0                       |
| 1-3        | Pregnancies among females 15-17 years old | 2.0                | 5.0                | 3.0                       | 4.0                              | 1.0                       |
| 1-4        | Pregnancies among females 18-19 years old | 2.0                | 5.0                | 3.0                       | 4.0                              | 1.0                       |
|            | <b>SUM OF RANKS</b>                       | <b>7.0</b>         | <b>19.5</b>        | <b>13.5</b>               | <b>15.0</b>                      | <b>5.0</b>                |
|            | <b>AVERAGE RANK</b>                       | <b>1.8</b>         | <b>4.9</b>         | <b>3.4</b>                | <b>3.8</b>                       | <b>1.3</b>                |

### 2. MATERNAL LIFESTYLE AND HEALTH CHARACTERISTICS

| Figure No. | Indicator                          | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|------------------------------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2-1        | Unmarried mothers                  | 2.0                | 3.0                | 4.0                       | 5.0                              | 1.0                       |
| 2-2        | Tobacco use during pregnancy       | 4.5                | 2.0                | 4.5                       | 3.0                              | 1.0                       |
| 2-3        | Alcohol use during pregnancy       | 3.5                | 1.0                | 3.5                       | 5.0                              | 2.0                       |
| 2-4        | Chronic hypertension               | 3.0                | 2.0                | 5.0                       | 4.0                              | 1.0                       |
| 2-5        | Dysfunctional labor                | 3.0                | 1.0                | 2.0                       | 5.0                              | 4.0                       |
| 2-6        | Anemia during pregnancy            | 3.0                | 2.0                | 4.0                       | 5.0                              | 1.0                       |
| 2-7        | Diabetes during pregnancy          | 1.0                | 3.0                | 2.0                       | 5.0                              | 4.0                       |
| 2-8        | Pregnancy associated hypertension  | 3.0                | 2.0                | 4.0                       | 5.0                              | 1.0                       |
| 2-9        | Genital herpes during pregnancy    | 4.0                | 1.0                | 5.0                       | 2.0                              | 3.0                       |
| 2-10       | Weight gain of less than 21 pounds | 1.0                | 4.0                | 3.0                       | 5.0                              | 2.0                       |
|            | <b>SUM OF RANKS</b>                | <b>28.0</b>        | <b>21.0</b>        | <b>37.0</b>               | <b>44.0</b>                      | <b>20.0</b>               |
|            | <b>AVERAGE RANK</b>                | <b>2.8</b>         | <b>2.1</b>         | <b>3.7</b>                | <b>4.4</b>                       | <b>2.0</b>                |

### 3. UTILIZATION OF PRENATAL CARE SERVICES

| Figure No. | Indicator                       | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|---------------------------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 3-1        | No care in the 1st trimester    | 1.0                | 4.0                | 3.0                       | 5.0                              | 2.0                       |
| 3-2        | Fewer than five prenatal visits | 1.0                | 4.0                | 3.0                       | 5.0                              | 2.0                       |
| 3-3        | No prenatal care                | 1.0                | 4.5                | 3.0                       | 4.5                              | 2.0                       |
|            | <b>SUM OF RANKS</b>             | <b>3.0</b>         | <b>12.5</b>        | <b>9.0</b>                | <b>14.5</b>                      | <b>6.0</b>                |
|            | <b>AVERAGE RANK</b>             | <b>1.0</b>         | <b>4.2</b>         | <b>3.0</b>                | <b>4.8</b>                       | <b>2.0</b>                |

### 4. NEWBORN'S HEALTH

| Figure No. | Indicator   | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|---|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 4-1        | Hyaline membrane disease                                  | 3.5                | 3.5                | 5.0                       | 2.0                              | 1.0                       |
| 4-2        | Newborn intensive care                                    | 4.0                | 2.5                | 5.0                       | 1.0                              | 2.5                       |
| 4-3        | Born too early (preterm or < 37 weeks)                    | 3.5                | 3.5                | 5.0                       | 1.5                              | 1.5                       |
| 4-4        | Born too small: low-birthweight (<2,500 grams)            | 2.0                | 1.0                | 5.0                       | 3.0                              | 4.0                       |
| 4-5        | Born too small: very low-birthweight (<1,500 grams)       | 2.0                | 2.0                | 5.0                       | 4.0                              | 2.0                       |
| 4-6        | Incidence of congenital anomalies (birth defects)         | 3.5                | 3.5                | 2.0                       | 5.0                              | 1.0                       |
| 4-7        | Infant mortality  | 2.0                | 5.0                | 4.0                       | 3.0                              | 1.0                       |
| 4-8        | Sudden Infant Death Syndrome (SIDS)                       | 2.0                | 3.5                | 5.0                       | 3.5                              | 1.0                       |
| 4-9        | Mortality of infants from low birthweight/short gestation | 1.0                | 3.0                | 4.0                       | 5.0                              | 2.0                       |
| 4-10       | Neonatal mortality  | 2.0                | 5.0                | 4.0                       | 3.0                              | 1.0                       |
| 4-11       | Postneonatal mortality                                    | 2.0                | 3.0                | 4.0                       | 5.0                              | 1.0                       |
|            | <b>SUM OF RANKS</b>                                       | <b>27.5</b>        | <b>35.5</b>        | <b>48.0</b>               | <b>36.0</b>                      | <b>18.0</b>               |
|            | <b>AVERAGE RANK</b>                                       | <b>2.5</b>         | <b>3.2</b>         | <b>4.4</b>                | <b>3.3</b>                       | <b>1.6</b>                |

### 5. MORTALITY FROM NATURAL CAUSES - Chronic or infectious diseases

| Figure No. | Indicator  | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|--|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 5-1        | Cardiovascular diseases                                      | 4.0                | 3.0                | 5.0                       | 2.0                              | 1.0                       |
| 5-2        | Diseases of the heart  | 4.0                | 3.0                | 5.0                       | 2.0                              | 1.0                       |
| 5-3        | Coronary heart disease                                       | 4.0                | 3.0                | 5.0                       | 2.0                              | 1.0                       |
| 5-4        | Cerebrovascular disease                                      | 3.0                | 4.0                | 5.0                       | 2.0                              | 1.0                       |
| 5-5        | Chronic lower respiratory diseases                           | 5.0                | 3.0                | 4.0                       | 1.0                              | 2.0                       |
| 5-6        | Malignant neoplasms (cancer)                                 | 5.0                | 3.0                | 4.0                       | 1.0                              | 2.0                       |
| 5-7        | Lung cancer  | 5.0                | 3.0                | 4.0                       | 1.0                              | 2.0                       |
| 5-8        | Breast cancer  | 4.0                | 2.0                | 5.0                       | 1.0                              | 3.0                       |
| 5-9        | Cervical cancer  | 1.0                | 5.0                | 2.0                       | 4.0                              | 3.0                       |
| 5-10       | Colorectal cancer  | 4.0                | 2.0                | 5.0                       | 1.0                              | 3.0                       |
| 5-11       | Prostate cancer  | 3.0                | 4.0                | 5.0                       | 2.0                              | 1.0                       |
| 5-12       | Influenza and pneumonia                                      | 3.0                | 4.0                | 1.0                       | 5.0                              | 2.0                       |
| 5-13       | Diabetes   | 1.0                | 3.0                | 4.0                       | 5.0                              | 2.0                       |
| 5-14       | Chronic liver disease and cirrhosis                          | 3.0                | 4.0                | 2.0                       | 5.0                              | 1.0                       |
| 5-15       | HIV disease  | 1.5                | 3.0                | 5.0                       | 4.0                              | 1.5                       |
| 5-16       | Septicemia   | 2.0                | 3.5                | 3.5                       | 5.0                              | 1.0                       |
| 5-17       | Alzheimer's disease  | 4.0                | 3.0                | 5.0                       | 1.0                              | 2.0                       |
| 5-18       | Nephritis, nephrotic syndrome and nephrosis (kidney disease) | 1.0                | 3.0                | 4.0                       | 5.0                              | 2.0                       |
| 5-19       | Essential (primary) hypertension                             | 3.0                | 4.0                | 5.0                       | 1.0                              | 2.0                       |
| 5-20       | Total mortality from all causes                              | 3.0                | 2.0                | 5.0                       | 4.0                              | 1.0                       |
|            | <b>SUM OF RANKS</b>  | <b>63.5</b>        | <b>64.5</b>        | <b>83.5</b>               | <b>54.0</b>                      | <b>34.5</b>               |
|            | <b>AVERAGE RANK</b>  | <b>3.2</b>         | <b>3.2</b>         | <b>4.2</b>                | <b>2.7</b>                       | <b>1.7</b>                |

### 6. MORTALITY FROM INJURIES

| Figure No. | Indicator                       | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|---------------------------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 6-1        | Unintentional injuries          | 4.0                | 2.0                | 3.0                       | 5.0                              | 1.0                       |
| 6-2        | Motor vehicle-related injuries  | 2.0                | 3.5                | 3.5                       | 5.0                              | 1.0                       |
| 6-3        | Fall-related injuries           | 4.0                | 3.0                | 2.0                       | 5.0                              | 1.0                       |
| 6-4        | Drowning mortality              | 2.0                | 1.0                | 5.0                       | 4.0                              | 3.0                       |
| 6-5        | Injury by firearms              | 5.0                | 3.0                | 4.0                       | 2.0                              | 1.0                       |
| 6-6        | Drug-induced deaths             | 5.0                | 3.0                | 4.0                       | 2.0                              | 1.0                       |
| 6-7        | Alcohol-induced deaths          | 3.0                | 4.0                | 2.0                       | 5.0                              | 1.0                       |
| 6-8        | Intentional self-harm (suicide) | 5.0                | 2.0                | 3.0                       | 4.0                              | 1.0                       |
| 6-9        | Assault (homicide)              | 1.0                | 3.0                | 5.0                       | 4.0                              | 2.0                       |
|            | <b>SUM OF RANKS</b>             | <b>31.0</b>        | <b>24.5</b>        | <b>31.5</b>               | <b>36.0</b>                      | <b>12.0</b>               |
|            | <b>AVERAGE RANK</b>             | <b>3.4</b>         | <b>2.7</b>         | <b>3.5</b>                | <b>4.0</b>                       | <b>1.3</b>                |

### 7. AGE-SPECIFIC MORTALITY

| Figure No. | Indicator   | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|---|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 7-1        | Mortality of children 1-14 years old                      | 2.0                | 3.0                | 5.0                       | 4.0                              | 1.0                       |
| 7-2        | Mortality of adolescents and young adults 15-19 years old | 4.0                | 3.0                | 2.0                       | 5.0                              | 1.0                       |
| 7-3        | Mortality among adults 20-44 years old                    | 3.0                | 2.0                | 4.0                       | 5.0                              | 1.0                       |
| 7-4        | Mortality among adults 45-65 years old                    | 3.0                | 2.0                | 5.0                       | 4.0                              | 1.0                       |
|            | <b>SUM OF RANKS</b>                                       | <b>12.0</b>        | <b>10.0</b>        | <b>16.0</b>               | <b>18.0</b>                      | <b>4.0</b>                |
|            | <b>AVERAGE RANK</b>                                       | <b>3.0</b>         | <b>2.5</b>         | <b>4.0</b>                | <b>4.5</b>                       | <b>1.0</b>                |

### 8. PREMATURE MORTALITY

| Figure No. | Indicator   | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|---|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 8-1        | Median age at death from all causes                           | 1.0                | 3.0                | 4.0                       | 5.0                              | 2.0                       |
| 8-2        | Median age at death from all causes among males               | 1.0                | 4.0                | 3.0                       | 5.0                              | 2.0                       |
| 8-3        | Median age at death from all causes among females             | 1.0                | 2.5                | 4.0                       | 5.0                              | 2.5                       |
| 8-4        | Percent of total deaths before expected years of life reached | 1.0                | 3.0                | 4.0                       | 5.0                              | 2.0                       |
|            | <b>SUM OF RANKS</b>   | <b>4.0</b>         | <b>12.5</b>        | <b>15.0</b>               | <b>20.0</b>                      | <b>8.5</b>                |
|            | <b>AVERAGE RANK</b>   | <b>1.0</b>         | <b>3.1</b>         | <b>3.8</b>                | <b>5.0</b>                       | <b>2.1</b>                |

### 9. REPORTABLE DISEASES - (Number of cases per 100,000 persons in specified group)

| Figure No. | Indicator                   | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|------------|-----------------------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 9-1        | Incidence of early syphilis | 2.0                | 3.0                | 5.0                       | 4.0                              | 1.0                       |
| 9-2        | Incidence of gonorrhea      | 2.0                | 3.0                | 5.0                       | 4.0                              | 1.0                       |
| 9-3        | Incidence of chlamydia      | 2.0                | 3.0                | 5.0                       | 4.0                              | 1.0                       |
| 9-4        | Incidence of genital herpes | 2.0                | 3.0                | 5.0                       | 4.0                              | 1.0                       |
| 9-5        | Incidence of HIV/AIDS       | 1.0                | 3.5                | 5.0                       | 3.5                              | 2.0                       |
|            | <b>SUM OF RANKS</b>         | <b>9.0</b>         | <b>15.5</b>        | <b>25.0</b>               | <b>19.5</b>                      | <b>6.0</b>                |
|            | <b>AVERAGE RANK</b>         | <b>1.8</b>         | <b>3.1</b>         | <b>5.0</b>                | <b>3.9</b>                       | <b>1.2</b>                |

### OVERALL HEALTH STATUS (ALL 70 INDICATORS)

|  |   | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--|---|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
|  | <b>SUM OF ALL RANKS FOR 70 MEASUREMENTS</b>   | <b>185.0</b>       | <b>215.5</b>       | <b>278.5</b>              | <b>257.0</b>                     | <b>114.0</b>              |
|  | <b>AVERAGE RANKS BASED ON 70 MEASUREMENTS</b> | <b>2.6</b>         | <b>3.1</b>         | <b>4.0</b>                | <b>3.7</b>                       | <b>1.6</b>                |