


II.

COMPARISON OF AMERICAN INDIANS' STANDING IN ARIZONA
WITH RESPECT TO SELECTED HEALTH OBJECTIVES FOR THE
YEAR 2010

2.1 Early Prenatal Care


National Year 2010 Objective (HP16-10a*): Increase to 90 percent the proportion of women giving birth who receive prenatal care in the first trimester of pregnancy.



Source: Table 1B-2 and Table 1B-12 in *Arizona Health Status and Vital Statistics 2005*.
HP16-10a: *Healthy People 2010 Objectives*, objective 16-10a.

2.2 Infant Mortality


National Year 2010 Objective (HP16-1c): Reduce the rate of infant deaths to no more than 6 per 1,000 live births.



Source: Table 2C-2 in *Arizona Health Status and Vital Statistics 2005*.
Infant deaths are by the race/ethnicity of the decedent. For consistency with the national data, the denominators used to calculate infant mortality rates are by race/ethnicity of mother.

2.3 Postneonatal Mortality


National Year 2010 Objective (HP16-1e): Reduce postneonatal mortality to no more than 1.2 per 1,000 live births.



Source: Table 2C-3 or Table 2C-4 in *Arizona Health Status and Vital Statistics 2005*.
Postneonatal deaths are by the race/ethnicity of the decedent. For consistency with the national data, the denominators used to calculate postneonatal mortality rates are by race/ethnicity of mother.

2.4 Unintentional Injury Deaths


National Year 2010 Objective (HP15-13): Reduce deaths caused by unintentional injuries to no more than 17.5 per 100,000 age-adjusted population.



Source: Table 2B-3 in *Arizona Health Status and Vital Statistics 2005*.

2.5 Motor Vehicle Crash Deaths


National Year 2010 Objective (HP15-15): Reduce deaths caused by motor vehicle crashes to no more than 16 per 100,000 age-adjusted population.



Source: Table 2B-3 in *Arizona Health Status and Vital Statistics 2005*.

2.6 Intentional Self-Harm (Suicide)


National Year 2010 Objective (HP18-1): Reduce the suicide rate to no more than 10 per 100,000 age-adjusted population.



Source: Table 2B-3 in *Arizona Health Status and Vital Statistics 2005*.

2.7 Assault (Homicide)


National Year 2010 Objective (HP15-32): Reduce the homicide rate to no more than 5 per 100,000 age-adjusted population.



Source: Table 2B-3 in *Arizona Health Status and Vital Statistics 2005*.

2.8 Diabetes-related Deaths


National Year 2010 Objective (HP5-5): Reduce the diabetes-related death rate to no more than 45 per 100,000 age-adjusted population.



Note: The age-adjusted rate for diabetes as the **underlying cause of death** among American Indians was 69.9/100,000 in 2005. The rate of 138.9/100,000 in Figure 2.8 accounts for **all mentions of diabetes** on the death certificates, whether or not it was the underlying cause of death.

2.9 Cirrhosis Deaths

National Year 2010 Objective (HP26-2): Reduce the cirrhosis* death rate to no more than 3 per 100,000 age-adjusted population.




Source: Table 2B-3 in *Arizona Health Status and Vital Statistics 2005*.

*Chronic liver disease and cirrhosis (ICD-10 codes K70, K73-K74).

2.10 Cervical Cancer Deaths

National Year 2010 Objective (HP3-4): Reduce the cervical cancer death rate to no more than 2 per 100,000 age-adjusted female population.



Source: Table 2B-4 in *Arizona Health Status and Vital Statistics 2005*.

*Note: These rates based on fewer than 10 deaths/year are not statistically reliable.