


5.13 Temporal Changes^{*} in the Selected Leading Causes of Death among American Indian Residents of Arizona, 1990-2008



* Based on age-adjusted mortality rates: Number of deaths per 100,000 population age-adjusted to the 2000 U.S. standard. See Table 2B-3 in the "Arizona Health Status and Vital Statistics 2008" report.

5.14 Five Leading Causes of Death^{*} by Gender among American Indian Residents of Arizona in 2008

| Rank | Female | Both | Male | |
|------|------------------------------------|------------------------------------------------|------------------------------------------------|--|
| 1 | Diseases of heart 103.1 | | | |
| 2 | Cancer Cancer 93.2 106.7 | | Diseases of heart 127.5 | |
| 3 | Diabetes 52.1 | Unintentional injury 86.0 | Cancer 126.4 | |
| 4 | Unintentional injury 44.4 | Diabetes 49.9 | Chronic liver disease and cirrhosis 52.1 | |
| 5 | Influenza and pneumonia 33.3 | Chronic liver disease and cirrhosis 40.3 | Diabetes 46.4 | |

* Based on age-adjusted mortality rates: Number of deaths per 100,000 population age-adjusted to the 2000 U.S. standard. See Table 2B-4 in the "Arizona Health Status and Vital Statistics 2008" report.

5.15 Five Leading Causes of Death among American Indians by Gender and Residence On or Off Reservation, Arizona, 2008

| Rank | Female, resided on reservation | Female, resided Male, resided off reservation on reservation | | Male, resided off reservation | |
|------|-------------------------------------|--------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|--|
| 1 | Cancer 14.3% | Diseases of heart 17.5% | Unint ent ional inj ury 20.0% | Unint ent ional inj ury 13.9% | |
| 2 | Diseases of heart 13.7% | Cancer 15.1% | Diseases of heart 12.2% | Cancer 13.7% | |
| 3 | Unint ent ional inj ury 10.8% | Chronic liver disease and cirrhosis 9.9% | Cancer 10.1% | Diseases of heart 10.4% | |
| 4 | Diabetes 8.8% | Diabetes 5.2% | Chronic liver disease and cirrhosis 6.2% | Chronic liver disease and cirrhosis 6.8% | |
| 5 | l nf luenza & pneumonia 6.1% | Unint ent ional injury 5.2% | Suicide 4.3% | Assault 4.9% | |

* Percent of total deaths in specified group.

5.16 Proportional Mortality^{*} by Type of Cancer and Gender among American Indians and all Residents of Arizona, 1998-2008

| Rank | Arizona male** | American Indian male | Arizona female** | American Indian female | |
|------|-------------------------|-------------------------|-------------------------|---------------------------|--|
| 1 | Trachea, bronchus, lung | Prostate | Trachea, bronchus, lung | Breast | |
| | 29.1% | 11.4% | 25.8% | 13.1% | |
| 2 | Prostate | Lymphioma | Breast | Lymphoma | |
| | 10.8% | 10.0% | 15.7% | 10.0 | |
| 3 | Colon, rectum, anus | Trachea, bronchus, lung | Colon, rectum, anus | Trachea, bronchus, lung | |
| | 9.6 | 9.7% | 9.6% | 8.0% | |
| 4 | Lymphoma | Liver | Lymphoma | Ovary | |
| | 8.9% | 8.2% | 7.9% | 6.5% | |
| 5 | Pancreas | Colon, rectum, anus | Ovary | Colon, rectum, anus | |
| | 4.7% | 8.1% | 4.9% | 5.8% | |
| 6 | Es ophagus | Kidney | Pancreas | Liver | |
| | 3.1% | 7.2% | 4.8% | 5.0% | |
| 7 | Liver | Stomach | Brain | Stomach | |
| | 3.0% | 7.2% | 2.0% | 5.0% | |
| 8 | Bladder | Pancreas | Liver | Pancreas | |
| | 2.8% | 5.6% | 1.8% | 4.6% | |
| 9 | Kidney | Es ophagus | Uterus | Cervix uteri | |
| | 2.4% | 3.1% | 1.7% | 4.2% | |
| 10 | Brain | Lip/oral cavity | Kidney | Kidney | |
| | 2.1% | 1.6% | 1.6% | 3.9% | |

*Percent of cancer deaths in specified group in 1998-2008. *All race/ethnic groups combined. ***Malignant neoplasm of lymphoid, hematopoietic and related tissue. Note: percentages based on frequency counts in table 5-17.

5.17 Proportional Mortality^{*} by Mechanism of Unintentional Injury and Gender among American Indians and all Residents of Arizona, 1998-2008

| Rank | Arizona male* * | American Indian male | Arizona female* * | American Indian female | |
|------|---------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|--|
| 1 | Motor vehicle-related 41.5% | Motor vehicle-related 58.2% | Motor vehicle-related 35.7% | Motor vehicle-related 66.8% | |
| 2 | Poisoning by drugs 19.5% | Poisoning by drugs 7.3% | Fall 30.9 | Fall 9.1% | |
| 3 | Fall 15.5 | Fall 6.1% | Poisoning by drugs 14.8% | Poisoning by drugs 7.3% | |
| 4 | Drowning 3.7% | Exposure to cold 5.0% | Drowning 2.4% | Exposure to cold 2.1% | |
| 5 | Exposure to heat 1.7% | Drowning 3.1% | Choked on objects other than food 2.4% | Drowning 2.0% | |
| 6 | Fire, flames, smoke 1.5% | Poisoning by gases 2.9% | Misadventures during medical care 2.4% | Poisoning by gases 1.8% | |
| 7 | Choked on object other than food 1.5% | Fire, flames, smoke 1.9% | Fire, flames, smoke 1.9% | Fire, flames, smoke 1.7% | |
| 8 | Mechanical sufocation 1.3% | Mechanical suffocation 1.8% | Choked on food 1.4% | Misadventures during medical care 1.4% | |
| 9 | Poisoning by gases1.3% | Railway accident 1.5% | Exposure to heat 1.1% | Mechanical suffocation 1.3% | |
| 10 | Firearm discharge 1.1% | Choked on objects other than food 1.3% | Mechanical suffocation 0.8% | Choked on objects other than food 1.3% | |

*Percent of unintentional injury deaths in specified group in 1998-2008. **All race/ethnic groups combined. Note: Percentages based on frequency counts in table 5-18.

COMPARISON OF MORTALITY BY SPECIFIC TYPE OF CANCER BY GENDER AMONG AMERICAN INDIANS AND ALL RESIDENTS' OF ARIZONA, 2000-2008

| | ALL RESIDENTS OF ARIZONA | | | AMERICAN INDIANS OR ALASKA NATIVES | | |
|------------------------------------------------------------------------------------|--------------------------|--------|--------|------------------------------------|------|--------|
| | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| Malignant neoplasms, total | 102,704 | 54,948 | 47,756 | 1,942 | 928 | 1,014 |
| Malignant neoplasm of lip, oral cavity and pharynx | 1,126 | 775 | 351 | 20 | 15 | 5 |
| Malignant neoplasm of esophagus | 2,109 | 1,688 | 421 | 32 | 29 | 3 |
| Malignant neoplasm of stomach | 1,702 | 1,026 | 676 | 118 | 67 | 51 |
| Malignant neoplasm of colon, rectum and anus | 9,883 | 5,284 | 4,599 | 134 | 75 | 59 |
| Malignant neoplasm of liver and intrahepatic bile ducts | 2,536 | 1,665 | 871 | 127 | 76 | 51 |
| Malignant neoplasm of pancreas | 4,912 | 2,600 | 2,312 | 99 | 52 | 47 |
| Malignant neoplasm of larynx | 484 | 384 | 100 | 3 | 2 | 1 |
| Malignant neoplasm of trachea, bronchus and lung | 28,294 | 15,974 | 12,320 | 171 | 90 | 81 |
| Malignant melanoma of skin | 1,638 | 1,129 | 509 | 11 | 8 | 3 |
| Malignant neoplasm of breast | 7,574 | 67 | 7,507 | 135 | 2 | 133 |
| Malignant neoplasm of cervix uteri | 682 | 0 | 682 | 43 | 0 | 43 |
| Malignant neoplasm of corpus uteri and uterus, part unspecified | 824 | 0 | 824 | 22 | 0 | 22 |
| Malignant neoplasm of ovary | 2,354 | 0 | 2,354 | 66 | 0 | 66 |
| Malignant neoplasm of prostate | 5,932 | 5,932 | 0 | 106 | 106 | 0 |
| Malignant neoplasm of kidney and renal pelvis | 2,035 | 1,293 | 742 | 107 | 67 | 40 |
| Malignant neoplasm of bladder | 2,123 | 1,541 | 582 | 18 | 9 | 9 |
| Malignant neoplasm of meninges, brain and other parts of central nervous system | 2,121 | 1,177 | 944 | 29 | 14 | 15 |
| Malignant neoplasm of lymphoid, hematopoietic and related tissue | 8,660 | 4,887 | 3,773 | 194 | 93 | 101 |
| Hodgkin's disease | 182 | 113 | 69 | 2 | 2 | 0 |
| Non-Hodgkin's lymphoma | 3,465 | 1,883 | 1,582 | 66 | 30 | 36 |
| Leukemia | 3,316 | 1,925 | 1,391 | 68 | 32 | 36 |
| Multiple myeloma and immunoproliferative neoplasms | 1,691 | 962 | 729 | 58 | 29 | 29 |
| Other and unspecified malignant neoplasms of lymphoid tissue | 6 | 4 | 2 | 0 | 0 | 0 |
| All other and unspecified malignant neoplasms | 9,641 | 5,199 | 4,442 | 281 | 110 | 171 |

* All race/ethnic groups combined.

UNINTENTIONAL INJURY DEATHS BY MECHANISM AND GENDER AMONG AMERICAN INDIANS AND ALL RESIDENTS' OF ARIZONA, 1998-2008

| | ALL RES | ALL RESIDENTS OF ARIZONA | | | AMERICAN INDIANS OR ALASKA NATIVES | | | |
|--------------------------------------------------------|---------|--------------------------|--------|-------|------------------------------------|--------|--|--|
| | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | | |
| Unintentional injury, total | 28,138 | 18,361 | 9,777 | 2,884 | 2,038 | 846 | | |
| Railway accidents | 114 | 101 | 13 | 36 | 30 | 6 | | |
| Motor vehicle -related | 11,119 | 7,628 | 3,491 | 1,752 | 1,187 | 565 | | |
| Water transport accident | 47 | 35 | 12 | 0 | 0 | C | | |
| Accident involving aircraft | 215 | 190 | 25 | 1 | 1 | C | | |
| Poisoning by drugs/medicaments | 5,029 | 3,580 | 1,449 | 206 | 149 | 57 | | |
| Poisoning by gases and vapors | 312 | 236 | 76 | 74 | 59 | 15 | | |
| Falls | 5,865 | 2,841 | 3,024 | 202 | 125 | 77 | | |
| Fire, flames, smoke | 465 | 283 | 182 | 52 | 38 | 14 | | |
| Excessive natural heat | 427 | 319 | 108 | 31 | 25 | ť | | |
| Excessive natural cold | 204 | 170 | 34 | 120 | 102 | 18 | | |
| Contact with venomous snakes and lizards | 4 | 4 | 0 | 0 | 0 | (| | |
| Contact with venomous spiders | 4 | 1 | 3 | 0 | 0 | (| | |
| Contact with scorpions | 3 | 1 | 2 | 0 | 0 | (| | |
| Contact with hornets, wasps, bees | 0 | 0 | 0 | 0 | 0 | (| | |
| Bitten or struck by dog | 11 | 5 | 6 | 1 | 0 | 1 | | |
| Lightning | 18 | 14 | 4 | 4 | 3 | 1 | | |
| Storms and floods | 11 | 10 | 1 | 4 | 4 | (| | |
| Accidental drowning and submersion | 917 | 684 | 233 | 81 | 64 | 17 | | |
| Choked on food | 332 | 200 | 132 | 28 | 20 | 8 | | |
| Choked on other objects | 505 | 272 | 233 | 38 | 27 | 11 | | |
| Mechanical suffocation | 312 | 237 | 75 | 47 | 36 | 11 | | |
| Accidental discharge of firearms | 246 | 206 | 40 | 22 | 20 | 2 | | |
| Exposure to electric current | 78 | 76 | 2 | 5 | 4 | 1 | | |
| Overexertion | 1 | 1 | 0 | 1 | 1 | (| | |
| Adverse effects of drugs in therapetic use | 52 | 23 | 29 | 0 | 0 | (| | |
| Misadventures to patients during medical/surgical care | 430 | 198 | 232 | 22 | 10 | 12 | | |

* All race/ethnic groups combined.