

**TABLE 6-6
SELECTED SUBSTANCES INVOLVED IN UNDETERMINED DRUG POISONING DEATHS, ARIZONA, 2014**

	Total	Gender		Race/ethnicity					Age group						Marital status				
		M	F	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander	Infants <1 year	Children 1-14 years	Adolescents 15-19 years	Young adults 20-44 years	Middle-age adults 45-64 years	Elderly 65+ years	Never married	Married	Widowed	Divorced	Unknown
Heroin	0†	*	*	*	0	0	0	0	0	0	0	*	0	0	*	0	0	0	0
Other opioids	20†	6	9	15	0	0	0	0	0	0	0	*	*	6	*	*	*	*	*
Methadone	0†	*	*	*	*	0	0	0	0	0	0	*	*	0	*	*	0	*	0
Other synthetic narcotics	10†	*	*	*	*	0	*	0	0	0	0	*	*	*	*	*	*	*	0
Cocaine	0†	*	*	*	0	0	0	0	0	0	0	*	*	0	*	0	0	0	0
Other and unspecified narcotics	0†	*	0	*	0	0	0	0	0	0	0	*	0	0	*	*	0	0	0
Tricyclic and tetracyclic antidepressants	10†	*	*	*	0	*	*	0	0	0	0	*	*	*	*	*	0	0	0
Other/unspecified antidepressants	10†	*	8	8	0	0	*	0	0	0	0	*	*	*	*	*	*	*	0
Psychostimulants	10†	8	*	6	*	*	*	0	0	0	0	*	*	*	*	*	0	*	*
Other/unspecified psychotropic drugs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Barbiturates	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Benzodiazepines	10†	*	*	7	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0
Other antiepileptic and sedative-hypnotic drugs	0†	0	*	*	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0
Other and unspecified drugs	90†	38	47	77	*	*	*	0	0	0	0	37	37	11	22	28	8	20	7

Notes: * Cell suppressed due to non-zero count less than 6; † Sum rounded to nearest tens unit due to non-zero addend less than 6; The specific substances in the above table are identified using ICD-T-codes; The sum of all identified T-codes for substances, or a specific class of substances may be greater than the number of drug poisonings of undetermined intent.