## TABLE 5B-21 DISTRIBUTION OF LOW-BIRTHWEIGHT (LBW) BIRTHS AND LBW RISK BY NUMBER OF PRENATAL VISITS AND COUNTY OF RESIDENCE, ARIZONA, 2013

			Prenatal visits						
			No visits	1-4 visits	5-8 visits	9-12 visits	13+ visits	Unknown	Total
Apache	Births <2,500	Count	*	10	15	18	7	*	50†
	grams (LBW)	Share of LBW births <sup>a</sup>	3.8%	18.9%	28.3%	34.0%	13.2%	1.9%	100.0%
		LBW risk <sup>b</sup>	14.3%	17.9%	6.0%	4.3%	3.4%	ł	5.6%
	Total births	Count	14	56	250	423	206		951
Cochise	Births <2,500	Count	7	10	37	35	33	ł	122
	grams (LBW)	Share of LBW births	5.7%	8.2%	30.3%	28.7%	27.0%		100.0%
		LBW risk <sup>b</sup>	11.7%	12.8%	16.2%	6.3%	4.9%	ł	7.6%
Coconino	Total births Births < 2,500	Count	60	78	228	558	676		1,607
Coconino	grams (LBW)	Count	0.9%	12 10.3%	19 16.2%	46 39.3%	39 33.3%		120† 100.0%
	grams (LDW)	Share of LBW births <sup>a</sup> LBW risk <sup>b</sup>	4.8%	15.6%	9.0%	5.9%	7.2%	t t	7.2%
	Total births	Count	4.6%	77	211	777	538		1,625
Gila	Births <2,500	Count	*	77	13		7		501
	grams (LBW)	Share of LBW births	8.2%	14.3%	26.5%	36.7%	14.3%		100.0%
		LBW risk <sup>b</sup>	21.1%	12.5%	9.8%	7.2%	5.3%		8.3%
	Total births	Count	19	56	132	250	131	ł	590
Graham	Births <2,500	Count	*	10	13	10	11		50†
	grams (LBW)	Share of LBW births <sup>a</sup>	6.4%	21.3%	27.7%	21.3%	23.4%		100.0%
		LBW risk <sup>b</sup>	17.6%	21.3%	9.1%	4.1%	7.4%	0.0%	7.8%
	Total births	Count	17	47	143	243	149	*	600
Greenlee	Births < 2,500	Count	0	0	*	*	*	0	10†
	grams (LBW)	Share of LBW births <sup>a</sup>	0.0%	0.0%	14.3%	57.1%	28.6%		100.0%
		LBW risk <sup>b</sup>	0.0%	0.0%	3.3%	7.4%	5.7%	0.0%	5.6%
	Total births	Count	*	*	30	54	35		130†
La Paz	Births <2,500	Count	0	*	*	7	0		10†
	grams (LBW)	Share of LBW births	0.0%	21.4%	21.4%	50.0%	0.0%	ł	100.0%
	T-4-1 block -	LBW risk <sup>b</sup>	0.0%	20.0%	7.3%	10.4%	0.0%		6.9%
Maricopa	Total births Births < 2,500	Count		15 242	41 720	67 1507	76		200†
магісора	grams (LBW)	Share of LBW births	76 2.1%	6.5%	19.4%	40.7%	1149 31.0%	ł	3707 100.0%
	J (,	LBW risk <sup>b</sup>	15.8%	16.2%	11.8%	5.8%	5.8%		6.9%
	Total births	Count	482	1,490	6,082	25,795	19,905	ł	53,848
Mohave	Births <2,500	Count	*	*	33	38	33		110†
	grams (LBW)	Share of LBW births	1.8%	3.6%	29.7%	34.2%	29.7%		100.0%
		LBW risk <sup>b</sup>	4.2%	6.9%	11.0%	5.7%	4.9%		6.4%
	Total births	Count	48	58	299	666	668	*	1,742
Navajo	Births < 2,500	Count	*	13	38	51	24	0	130†
	grams (LBW)	Share of LBW births <sup>a</sup>	3.8%	9.9%	29.0%	38.9%	18.3%	0.0%	100.0%
		LBW risk <sup>b</sup>	25.0%	12.3%	10.4%	7.5%	6.4%	0.0%	8.4%
	Total births	Count	20	106	364	682	374	8	1,554
Pima	Births <2,500	Count	33	107	265	288	147	*	845
	grams (LBW)	Share of LBW births	3.9%	12.7%	31.4%	34.1%	17.4%		100.0%
	T-4-15: **	LBW risk <sup>b</sup>	14.5%	15.4%	12.4%				7.1%
Dinal	Total births Births < 2,500	Count	228	694	2,137	5,306	3,577		11,965
Pinal	grams (LBW)	Count Share of LBW births <sup>a</sup>	10 3.4%	20 6.7%	44 14.8%		102 34.2%		298 100.0%
		LBW risk <sup>b</sup>	19.2%	14.6%	8.9%		5.9%		6.5%
	Total births	Count	19.2%	14.6%	492	2,140	1,738		4,564
Santa Cruz	Births <2,500	Count	7	*	19	•	1,736		50†
· · · · · · · · · · · · · · · · · · ·	grams (LBW)	Share of LBW births <sup>a</sup>	15.2%	10.9%	41.3%		13.0%		100.0%
		LBW risk <sup>b</sup>	23.3%	6.3%	8.8%	2.8%	8.2%		7.1%
	Total births	Count	30	80	217	250	73		652
Yavapai	Births <2,500	Count	*	12	25		33	t	140†
	grams (LBW)	Share of LBW births <sup>a</sup>	2.2%	8.6%	18.0%	45.3%	23.7%	2.2%	100.0%
		LBW risk <sup>b</sup>	18.8%	19.7%	15.1%	7.3%	4.7%	60.0%	7.6%
	Total births	Count	16	61	166	864	708	*	1,820
Yuma	Births <2,500	Count	16	23	46	51	27	0	163
i	grams (LBW)	Share of LBW births <sup>a</sup>	9.8%	14.1%	28.2%	31.3%	16.6%	0.0%	100.0%
		LBW risk <sup>b</sup>	9.6%	9.9%	6.9%	3.9%	3.6% 747		5.2%

Notes: \* Cell suppressed due to non-zero count less than 6; \*\* Cell supressed due to rate/ratio/percent based on non-zero count less than 6; † Sum rounded to nearest tens unit due to non-zero addend less than 6; a Percent distribution of LBW births by number of prenatal visits; b Number of LBW births per 100 births in specified prenatal care group.