## TABLE 6A (continued) MONITORING PROGRESS TOWARD ARIZONA AND SELECTED HEALTHY PEOPLE 2020 OBJECTIVES: STATEWIDE TRENDS

Focus areas and selected objectives: (in parentheses are Healthy People 2020 objective numbers)	Baseline for the U.S./AZ	ARIZONA RATES, RATIOS OR CASES BY YEAR:										U.S./AZ
		2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2020 TARGET
6A-4. INJURY AND VIOLENCE	-											
Reduce firearm-related deaths (HP-IVP-30)	10.2	14.7	13.8	14.1								9.2
Reduce deaths caused by poisonings (HP-IVP-9.1)	13.1	17.6	16.9	19.1								13.1
Reduce deaths caused by suffocation (HP-IVP-24.1)	1.9	5.3	5.1	5.7								1.7
Reduce deaths caused by unintentional injuries (HP-IVP-11)	40.0	45.5	42.4	46.3								36.0
Reduce deaths caused by motor vehicle crashes (HP-IVP-13.1)	13.8	12.1	11.4	11.4								12.4
Reduce residential fire deaths (HP-IVP-28)	0.95	0.4	0.6	1.0								0.86
Reduce deaths from falls (HP-IVP-23.2)	45.3	11.6	11.2	12.1								45.3
Reduce drownings (HP-IVP-25)	1.2	1.3	1.3	1.1								1.1
Reduce homicides (HP-IVP-29)	6.1	6.1	5.9	5.9								5.5
Reduce the suicide rate (HP-MHMD-1)	11.3	17.2	16.2	17.0								10.2
Reduce the suicide rate among adolescents aged 15 to 19 years (HP-MHMD-2)	1.9	10.8	10.3	6.8								1.7
6A-5. CANCER	•											
Reduce the overall cancer death rate (HP-C-1)	178.4	151.3	149.8	149.6								160.6
Reduce the lung cancer death rate (HP-C-2)	50.6	37.8	37.7	36.4								45.5
Reduce the breast cancer death rate (HP-C-3)	22.9	19.7	19.2	11.3								20.6
Reduce the death rate from cancer of the uterine cervix (HP-C-4)	2.4	2.1	2.0	1.2								2.2
Reduce the colorectal cancer death rate (HP-C-5)	17.0	13.4	13.1	13.6								14.5
Reduce the oropharyngeal cancer death rate (HP-C-6)	2.5	2.1	2.2	2.0								2.3
Reduce the prostate cancer death rate (HP-C-7)	23.5	19.8	18.9	7.7								21.2
Reduce the rate of melanoma cancer deaths (HP-C-8)	2.7	2.7	3.0	3.0								2.4

Note: Firearm-related deaths, deaths caused by poisonings, and deaths caused by suffocation include accidents, homicides, and suicides. Residential fire deaths, deaths from falls, and drowning deaths include only accidents. All mortality rates are per 100,000 persons. All mortality rates that are not age-specific, are age-adjusted to the 2000 U.S. standard.