

1B-23, 1B-24, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32,
1B-33, 1B-34, 5A-4, 5B-9, 5B-10, 5B-14, 5B-19
Alcohol use during pregnancy 1B-26, 1B-28, 1B-32, 1B-
33, 1B-34, 5B-24
Attendant at birth 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8,
1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15
Birth defects (see **Congenital anomalies**)
Birth injury, (see **Abnormal conditions of the newborn**)
Birth rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1, 5B-2
Birth weights 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8,
1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15,
1B-16, 1B-26, 1B-28, 1B-32, 1B-33, 1B-34
Cesarean deliveries 1B-2, 1B-3, 1B-4, B-5, 1B-6, 1B-7,
1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-
15, 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 6A-1-
11, 5B-26, 5B-30, 6B-2-1-11
Complication of labor and/or delivery 1B-2, 1B-3, 1B-4,
1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12,
1B-13, 1B-14, 1B-15, 1B-26, 1B-27, 1B-28, 1B-32,
1B-33, 1B-34, 5B-27, 5B-30
County of occurrence 5B-4, 5B-5
County of residence 5B-2, 5B-3
Education of father 1B-21
Education of mother 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7,
1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-
15, 1B-26, 1B-28, 1B-32, 5B-13, 5B-15
Fertility rates 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-1,
5A-1
Gestational age 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,
1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13
1B-14, 1B-15, 1B-26, 1B-28, 1B-32, 1B-33,
1B-34, 5B-22, 5B-23, 5B-24, 5B-30, 9A
Low-weight births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,
1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13,
1B-14, 1B-15, 1B-16, 1B-25, 1B-26, 1B-27, 1B-28,
1B-32, 1B-33, 1B-34, 5B-16, 5B-17, 5B-18, 5B-19,
5B-20, 5B-21, 5B-22, 5B-23, 5B-24, B-30, 9A
Marital status 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7,
1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14,
1B-15, 1B-23, 1B-25, 1B-26, 1B-27, 1B-28, 1B-
32, 1B-33, 1B-34, 5B-14, 5B-15
Medical risk factors 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,
1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13,
1B-14, 1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32,
1B-33, 1B-34, 5B-25, 5B-30
Method of delivery 1B-26, 1B-28, 1B-32, 1B-33,
1B-34, 5B-26
Multiple births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7,
1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14,
1B-15, 1B-16
Newborn intensive care 1B-26, 1B-27, 1B-28, 1B-32
1B-33, 1B-34, 5B-22, 5B-24, 5B-30
Obstetric procedures 1B-26, 1B-27, 1B-28, 1B-32,
1B-33, 1B-34, 5B-26, 5B-30
Payee for births 1B-26, 1B-27, 1B-28, 1B-29, 1B-32,
1B-33, 1B-34, 5B-20, 5B-22,
Place of delivery 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,
1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13,
1B-14, 1B-15
Prenatal visits 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7,
1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14,
1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-31, 1B-
32, 1B-33, 1B-34, 5B-12, 5B-21, 9A
Preterm births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7,
1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14,
1B-15, 1B-25, 1B-26, 1B-27, 1B-28, 1B-32, 1B-
33, 1B-34, 5B-22, 5B-23, 5B-24, 5B-30
Previous live births 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,
1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13,
1B-14, 1B-15, 1B-24
Race/ethnicity of father 1B-20
Race/ethnicity of mother 1A-1, 1A-2, 1A-3, 1A-4,
1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6,

1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13,
1B-14, 1B-15, 1B-20, 1B-22, 1B-23, 1B-24, 1B-
25, 1B-26, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33,
1B-34, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22
Rural areas 1B-5, 1B-25, 1B-26, 5B-17
Substance use during pregnancy 1B-26, 1B-28,
1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Teenage mothers 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6,
1A-7, 1B-1, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7,
1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14,
1B-15, 1B-19, 1B-23, 1B-24, 1B-25, 1B-26, 1B-27,
1B-28, 1B-29, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34,
5A-2, 5A-3, 5A-4, 5B-9, 5B-10, 5B-19, 9A
Tobacco use during pregnancy 1B-26, 1B-28,
1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Trimester of entry into prenatal care 1B-1, 1B-2,
1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9,
1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15,
1B-25, 1B-26, 1B-27, 1B-28, 1B-30, 1B-32,
1B-33, 1B-34, 5B-11
Unmarried mothers 1B-1, 1B-2, 1B-3, 1B-4, 1B-5,
1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12,
1B-13, 1B-14, 1B-15, 1B-23, 1B-25, 1B-26, 1B-
27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-14, 5B-15, 9A
Urban areas 1B-4, 1B-25, 1B-26
Very low weight births 1B-2, 1B-3, 1B-4, 1B-5,
1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12,
1B-13, 1B-14, 1B-15, 1B-26, B-28, 1B-32
Weight gain during pregnancy 1B-26, 1B-28, 1B-32,
1B-33, 1B-34

Black (African American) residents, 1A-1, 1A-2,
1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5,
1B-10, B-11, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25,
1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34,
1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5,
2A-1, 2B-4, 2B-5, 2C-4, 2C-10, 2C-14, 2C-18,
2C-22, 2C-26, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5,
3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22,
5C-5, 5D-5, 5E-6, 5E-18

Blood and blood forming organs, diseases of,
inpatient discharges with 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Body disposition (see also **Deaths**) 5E-9, 5E-10

Breech malpresentation, (see also **Complications of
labor/delivery**) 1B-26, 1B-28, 1B-32,
1B-33, 1B-34, 5B-27

Bronchiolitis, acute, deaths from 2B-6, 2C-27, 5E-12

Bronchitis, chronic, emergency room visits
for, 4C-1, 7C-1

Bronchitis, chronic, inpatient discharges with, 4A-1,
4A-2, 4A-3, 4A-5, 7A-1

Bronchitis, chronic and unspecified, deaths
from 2B-6, 2C-28, 5E-12

Bronchitis, chronic and unspecified, emergency
room visits for, 4C-2, 7C-2

Bronchitis and bronchiolitis, acute, emergency
room visits for, 4C-1, 7C-1

Bronchitis and bronchiolitis, acute, inpatient
discharges with 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Bronchoscopy with or without biopsy,
(inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1

Brucellosis 3A-1, 3A-2, 5F-1, 5F-2

Burns, emergency room visits for, 4C-1, 7C-1

C

Calculus of kidney and ureter, inpatient discharges
with, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

Campylobacteriosis 3A-1, 5F-1, 5F-2

Cancer (malignant neoplasms), deaths from 2B-1, 2B-2,
2B-3, 2B-4, 2B-5, 2B-6, 2B-8, 2C-27, 2D-3, 2D-4,
6A-5, 5E-11, 5E-12, 5E-13, 5E-14, 6B-5

Bladder 2B-6, 2B-8, 2C-27, 5E-11