

S

Salmonella paratyphi A 3A-1, 5F-1, 5F-2
Salmonella paratyphi B 3A-1, 5F-1, 5F-2
Salmonella paratyphi C 3A-1, 5F-1, 5F-2
Salmonellosis (except *S. typhi* and *S. paratyphi*)
 Reported cases 3A-1, 5F-1, 5F-2
 Deaths from 3A-2
Scarlet fever and erysipelas 2B-6, 2C-27, 5E-12
Schizophrenic disorders, emergency room visits for, 4C-1, 7C-1
Schizophrenic disorders, inpatient discharges with, 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Seizures, (see also **Abnormal conditions of the newborn**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-34, 5B-28
Self-harm, intentional, (see **Suicide**)

Septicemia, deaths from 2B-1, 2B-2, 2B-4, 2B-5, 2B-6, 2B-11, 2C-27, 2C-28, 5E-11, 5E-12, 5E-13, 5E-14, 5E-32, 5E-33,
Septicemia, inpatient discharges with 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Shigellosis, deaths from 2B-6, 2C-27, 2C-28, 3A-2, 5E-12
Shock syndrome, toxic 5A-1, 3A-2, 5F-1, 5F-2
Skin and subcutaneous tissue, diseases of, emergency room visits for, 4C-1, 7C-1
Skin and subcutaneous tissue, diseases of, inpatient discharges with 4A-1, 4A-2, 4A-3, 4A-5, 7A-1
Spina bifida/meningocele, (see also **Congenital anomalies**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 1B-35, 5B-29
Spinal disorders, emergency room visits for, 4C-2, 7C-2
Spinal tap, (inpatient procedure) 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Sprains, emergency room visits for, 4C-1, 4C-2, 7C-1, 7C-2
Stillbirths, (see **fetal deaths**)
Stimulation of labor, (see also **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 5B-26
Streptococcal-Group A 3A-1, 5F-1, 5F-2
Streptococcal-Group B 3A-1, 5F-1, 5F-2
Streptococcal sore throat, scarlatina and erysipelas, deaths from 2B-11
Streptococcus pneumoniae 3A-1, 5F-1, 5F-2
Stroke, (see **Cerebrovascular disease**)
Substance use during pregnancy 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Sudden infant death syndrome (SIDS) 2C-5, 2C-6, 5E-19
Suffocation 6A-4
Suicide (intentional self-harm) as cause of death 2B-1, 2B-2, 2B-3, 2B-4, 2B-5, 2B-6, 2B-11, 2C-8, 2C-9, 2C-11, 2C-12, 2C-15, 2C-16, 2C-19, 2C-20, 2C-27, 2C-28, 2D-3, 2D-4, 6A-4, 5E-11, 5E-12, 5E-13, 5E-14, 5E-25, 5E-27, 5E-29, 5E-31, 5E-31, 5E-33, 6B-4, 9C
Suicide (intentional self-harm), emergency room visits related to, 4D-1, 7D-1
Suicide (intentional self-harm), inpatient discharges related to, 4D-2, 7D-2
Symptoms, signs, abnormal findings (as cause of death) 2B-6, 2C-27, 5E-12
Symptoms, signs, and ill-defined conditions, emergency room visits for, 4C-1, 7C-1
Syphilis
 Congenital 6A-2
 Early 3B-3, 3B-4, 3B-5
 Late 3B-5
 Primary and secondary 3B-1, 6A-2, 6B-2
 Reported cases 3B-1, 3B-3, 3B-4, 3B-5, 5F-1, 5F-2
 Deaths from 2B-6, 2C-27, 2C-28, 3B-2, 5E-12

T

Teenage pregnancies, (see **Pregnancies**)
Tobacco use during pregnancy, (see also **Births**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25, 5B-30
Tocolysis, (see also **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26
Transport accidents, deaths from, 2B-6, 2C-28, 5E-12
Trauma complications and unspecified injuries, emergency room visits for, 4C-1, 7C-1
Tuberculosis 3A-1, 6A-2, 5F-1, 5F-2, 6B-2
 Deaths from 2B-6, 2C-27, 5E-12
 Pulmonary 3A-1, 3A-2, 5F-1, 5F-2
Tularemia
 Deaths from 3A-2
 Reported cases 3A-1, 5F-1
Typhoid fever 3A-1, 3A-2, 5F-1, 5F-2

U

Ulcer, peptic, deaths from 2B-6, 2C-27, 2C-28, 5E-12
Ultrasound, (see also **Obstetric procedures**) 1B-26, 1B-27, 1B-28, 1B-32, 1B-33, 1B-34, 5B-26
Ultrasound, (inpatient procedure), 4B-1, 4B-2, 4B-3, 4B-4, 7B-1
Urban areas 1B-5, 1B-7, 1B-25, 1B-26, 2B-5, 2C-1, 2C-8, 2C-12, 2C-16, 2C-20, 2C-24, 2D-3, 2D-4,
Uterine bleeding, (see also **Medical risk factors for pregnancy**) 1B-26, 1B-28, 1B-32, 1B-33, 1B-34, 5B-25

V

Valley Fever (Coccidioidomycosis), (see also **Diseases, Reportable**) 3A-1, 3A-2, 5F-1, 5F-2
Vancomycin resistant Enterococcus spp. 3A-1,
Varicella (see **Chickenpox**)
Very low-birthweight 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-8, 1B-9, 1B-10, 1B-11, 1B-12, 1B-13, 1B-14, 1B-15, 1B-26, 1B-28, 1B-32
Vibrio spp. 3A-1, 5F-1, 5F-2
Viral hepatitis, deaths from 2B-6, 2C-27, 5E-12
Volume depletion, inpatient discharges with 4A-1, 4A-2, 4A-3, 4A-5, 7A-1

W

White, non-Hispanic residents 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1B-2, 1B-3, 1B-4, 1B-5, 1B-6, 1B-7, 1B-20, 1B-22, 1B-23, 1B-24, 1B-25, 1B-26, 1B-28, 1B-30, 1B-31, 1B-32, 1B-33, 1B-34, 1B-35, 1C-4, 1C-5, 1D-1, 1D-2, 1D-4, 1D-5, 2A-1, 2B-3, 2B-4, 2C-4, 2C-11, 2C-15, 2C-19, 2C-23, 2D-1, 2D-2, 2D-3, 2D-4, 3B-5, 3C-3, 5B-7, 5B-8, 5B-10, 5B-15, 5B-18, 5B-22, 5C-5, 5D-5, 5E-6, 5E-18
Whooping cough (see also **Pertussis**)
 Reported cases 3A-1, 5F-1, 5F-2
 Deaths from 2B-6, 2C-27, 2C-28, 3A-2, 5E-12

Y

Yersiniosis (except *Y. pestis*) 3A-1, 5F-1, 5F-2