

4B.

INPATIENT DISCHARGES FROM SHORT-STAY HOSPITALS BY ALL-LISTED PROCEDURES AND PATIENT CHARACTERISTICS


The data on the number of procedures in this section are for inpatients only. Procedures include surgical and non-surgical operations, diagnostic procedures, and special treatments reported on the medical record. Up to six procedures were included for each discharge. These all-listed procedures include all occurrences of the procedure regardless of the order on the medical record. Procedure groupings and code numbers are based on the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

For comparability with the national data*, the rates of all-listed procedures are presented per 10,000 population. The groupings of ICD-9-CM codes used to identify specific procedure categories can be accessed at http://www.azdhs.gov/plan/hip/cat/icd9procedure.xls.

Beginning in 2008, Arizona hospitals may report up to 12 surgical and non-surgical procedures per record, doubling the previously required number. However, not all hospitals have been able to meet the revised requirements. This is one reason why, in our 2008 - 2014 reports, we continue to analyze the top six procedures. Another reason is comparability with the previously published data for 2000-2007.

*Findings of the National Hospital Discharge Survey, including estimates of the number of specific procedure categories, are available in bound reports of the National Center for Health Statistics and online at http://www.cdc.gov/nchs/nhds.htm. The survey collects the data on up to four surgical and non-surgical procedures.


Figure 4B-1
Ten Leading Categories of All-listed Inpatient Procedures,
Arizona Residents, 2014



During 2014, 1,005,655 procedures were performed among the 637,060 total inpatient discharges to Arizona residents. The rate of procedures was 1508.4 per 10,000 population. For Arizona males, this rate was 1334.5/10,000, and for Arizona females it was 1681.6/10,000.

No specific procedure was recorded for approximately 40.6 percent of all inpatient discharges. Only 5.6 percent of inpatients had six procedures reported. Among the inpatient discharges which had one or more specific procedures recorded, the most frequent were miscellaneous diagnostic and therapeutic procedures (such as arteriography and angiocardiography or respiratory therapy), followed by obstetrical procedures, operations on the cardiovascular system, operations on the digestive system (Figure 4B-1, Table 4B1).

Figure 4B-2
Trends in Types of Inpatient Procedures Performed in Treatment of Morbid
Obesity, Arizona Residents, 2004-2014



number of *gastric bypass* surgeries, once the most common bariatric procedure, declined from a recent high of 672 in 2004 to only 2 gastric bypass surgeries being completed in the past 6 years (**Figure 4B-2**). In 2014, *laparoscopic gastroenterostomy* was the most popular procedure, with

1,017 surgeries performed.

In 2014, **morbid obesity** (ICD-9-CM code 278.01) was the principal

hospitalizations (Table 4A-1). The

diagnosis for

2,440

inpatient

Note: The frequency counts in Figure 4B-2 are based on the principal procedure. The tabulated data use all six listed procedures.

Bariatrics is a branch of medicine that deals with the surgical treatment of obesity. Bariatric surgery has seen a rather dramatic increase in its popularity. A typical candidate for gastrointestinal surgery has a body mass index (BMI) of 40 or more – about 100 pounds overweight for men and 80 pounds for women. Bariatric surgery may also be considered for someone whose BMI is between 35 and 39.9 and who has a serious obesity-related health problem (such as type 2-diabetes, heart disease, or severe sleep apnea).