

**TABLE 2B-7
NUMBER OF DEATHS FROM DISEASES OF THE HEART BY CATEGORY, GENDER AND YEAR,
ARIZONA, 1993-2003**

		1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
ALL FORMS OF HEART DISEASE	TOTAL	9,955	9,851	10,104	9,995	10,002	10,276	10,355	10,430	10,312	10,551	10,649
	Male	5,343	5,248	5,389	5,400	5,276	5,542	5,580	5,594	5,469	5,642	5,649
	Female	4,612	4,603	4,715	4,595	4,726	4,734	4,775	4,836	4,843	4,909	5,000
Acute rheumatic fever and chronic rheumatic heart disease	TOTAL	61	81	64	55	65	52	51	32	37	46	63
	Male	18	26	18	20	25	14	19	13	16	14	25
	Female	43	55	46	35	40	38	32	19	21	32	38
Hypertensive heart and renal disease	TOTAL	8	10	10	3	7	4	3	*30	26	31	33
	Male	3	6	6	3	2	2	1	13	11	14	20
	Female	5	4	4	0	5	2	2	17	15	17	13
Ischemic heart disease	TOTAL	6,455	6,404	6,671	6,373	6,303	6,367	6,383	7,949	7,656	7,962	8,037
	Male	3,622	3,509	3,689	3,543	3,427	3,562	3,537	4,386	4,245	4,449	4,402
	Female	2,833	2,895	2,982	2,830	2,876	2,805	2,846	3,563	3,411	3,513	3,635
Hypertensive heart disease	TOTAL	156	139	142	185	265	233	229	261	355	431	440
	Male	46	46	43	71	116	99	99	136	164	197	215
	Female	110	93	99	114	149	134	130	125	191	234	225
All other forms of heart disease	TOTAL	3,275	3,217	3,217	3,379	3,362	3,620	3,689	2,158	2,238	2,104	2,076
	Male	1,654	1,661	1,633	1,763	1,706	1,865	1,924	1,046	1,033	968	987
	Female	1,621	1,556	1,584	1,616	1,656	1,755	1,765	1,112	1,205	1,136	1,089

Note: Beginning in 2000, the causes of death are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

* The comparability ratio for hypertensive heart and renal disease is 1.5, indicating a 50 percent increase in hypertensive heart and renal disease deaths when classified by ICD-10.