

CAUSE-OF-DEATH CATEGORIES AND COMPARABILITY RATIOS FOR SELECTED 113 CAUSES OF DEATH

| Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>) | Category codes according to the Tenth Revision (ICD-10) | Category codes according to the Ninth Revision (ICD-9) | Number of deaths allocated according to | | Estimated comparability ratio | Standard error | Relative standard error | 95-percent confidence limits | |
|--|--|---|---|----------------|-------------------------------|----------------|-------------------------|------------------------------|--------|
| | | | Tenth Revision | Ninth Revision | | | | Lower | Upper |
| Salmonella infections | A01-A02 | 002-003 | 30 | 37 | 0.8108 | 0.0644 | 7.9 | 0.6846 | 0.9370 |
| Shigellosis and amebiasis | A03,A06 | 004,006 | * | * | * | * | * | * | * |
| Certain other intestinal infections | A04,A07-A09 | 007-009 | * | * | * | * | * | * | * |
| Tuberculosis | A16-A19 | 010-018 | 653 | 764 | 0.8547 | 0.0172 | 2.0 | 0.8209 | 0.8885 |
| Respiratory tuberculosis | A16 | 010-012 | 518 | 572 | 0.9056 | 0.0201 | 2.2 | 0.8662 | 0.9450 |
| Other tuberculosis | A17-A19 | 013-018 | 135 | 192 | 0.7031 | 0.0407 | 5.8 | 0.6233 | 0.7830 |
| Whooping cough | A37 | 033 | * | * | * | * | * | * | * |
| Scarlet fever and erysipelas | A38,A46 | 034.1-035 | * | * | * | * | * | * | * |
| Meningococcal infection | A39 | 036 | 221 | 222 | 0.9955 | 0.0149 | 1.5 | 0.9663 | 1.0247 |
| Septicemia | A40-A41 | 038 | 21,258 | 17,791 | 1.1949 | 0.0042 | 0.3 | 1.1867 | 1.2030 |
| Syphilis | A50-A53 | 090-097 | 21 | 33 | 0.6364 | 0.1184 | 18.6 | 0.4043 | 0.8685 |
| Acute poliomyelitis | A80 | 045 | * | * | * | * | * | * | * |
| Arthropod-borne viral encephalitis | A83-A84,A85.2 | 062-064 | * | * | * | * | * | * | * |
| Measles | B05 | 055 | * | * | * | * | * | * | * |
| Viral hepatitis | B15-B19 | 070 | 1,123 | 1,346 | 0.8343 | 0.0120 | 1.4 | 0.8109 | 0.8578 |
| Human immunodeficiency virus (HIV) disease | B20-B24 | *042-*044 | 12,765 | 11,150 | 1.1448 | 0.0045 | 0.4 | 1.1360 | 1.1536 |
| Malaria | B50-B54 | 084 | * | * | * | * | * | * | * |
| Other and unspecified infectious and parasitic diseases and their sequelae | A00,A05,A20-A36,A42-A44,A48-A49, A54-A79,A81-A82,A85.0-A85.1,A85.8 A86-B04,B06-B09,B25-B49,B55-B99 | 001,005,020-032,037,039-041,046-054, 056-061,065-066,071-083,085-088, 098-134,136-139,771.3 | 2,865 | 2,607 | 1.0990 | 0.0154 | 1.4 | 1.0688 | 1.1291 |
| Malignant neoplasms | C00-C97 | 140-208 | 464,688 | 461,544 | 1.0068 | 0.0002 | 0.0 | 1.0064 | 1.0072 |
| Malignant neoplasms of lip, oral cavity and pharynx | C00-C14 | 140-149 | 5,927 | 6,172 | 0.9603 | 0.0040 | 0.4 | 0.9525 | 0.9681 |
| Malignant neoplasm of esophagus | C15 | 150 | 9,596 | 9,630 | 0.9965 | 0.0020 | 0.2 | 0.9926 | 1.0003 |
| Malignant neoplasm of stomach | C16 | 151 | 11,480 | 11,408 | 1.0063 | 0.0019 | 0.2 | 1.0025 | 1.0101 |
| Malignant neoplasms of colon, rectum and anus | C18-C21 | 153-154 | 48,583 | 48,619 | 0.9993 | 0.0009 | 0.1 | 0.9975 | 1.0010 |
| Malignant neoplasms of liver and intrahepatic bile ducts | C22 | 155 | 9,732 | 10,102 | 0.9634 | 0.0023 | 0.2 | 0.9588 | 0.9679 |
| Malignant neoplasm of pancreas | C25 | 157 | 24,313 | 24,361 | 0.9980 | 0.0009 | 0.1 | 0.9963 | 0.9997 |
| Malignant neoplasm of larynx | C32 | 161 | 3,209 | 3,194 | 1.0047 | 0.0053 | 0.5 | 0.9943 | 1.0150 |
| Malignant neoplasms of trachea, bronchus and lung | C33-C34 | 162 | 131,750 | 133,936 | 0.9837 | 0.0005 | 0.1 | 0.9827 | 0.9846 |
| Malignant melanoma of skin | C43 | 172 | 5,941 | 6,139 | 0.9677 | 0.0032 | 0.3 | 0.9614 | 0.9741 |
| Malignant neoplasm of breast | C50 | 174-175 | 38,102 | 37,891 | 1.0056 | 0.0010 | 0.1 | 1.0036 | 1.0075 |
| Malignant neoplasm of cervix uteri | C53 | 180 | 3,753 | 3,802 | 0.9871 | 0.0034 | 0.3 | 0.9805 | 0.9938 |
| Malignant neoplasms of corpus uteri and uterus, part unspecified | C54-C55 | 179,182 | 5,318 | 5,183 | 1.0260 | 0.0040 | 0.4 | 1.0182 | 1.0339 |
| Malignant neoplasm of ovary | C56 | 183.0 | 11,292 | 11,344 | 0.9954 | 0.0016 | 0.2 | 0.9923 | 0.9985 |
| Malignant neoplasm of prostate | C61 | 185 | 30,672 | 30,267 | 1.0134 | 0.0015 | 0.1 | 1.0105 | 1.0162 |
| Malignant neoplasms of kidney and renal pelvis | C64-C65 | 189.0,189.1 | 9,521 | 9,521 | 1.0000 | 0.0022 | 0.2 | 0.9957 | 1.0043 |
| Malignant neoplasm of bladder | C67 | 188 | 9,563 | 9,594 | 0.9968 | 0.0026 | 0.3 | 0.9916 | 1.0019 |
| Malignant neoplasms of meninges, brain and other parts of central nervous system | C70-C72 | 191-192 | 10,039 | 10,359 | 0.9691 | 0.0025 | 0.3 | 0.9642 | 0.9740 |
| Malignant neoplasms of lymphoid, hematopoietic and related tissue | C81-C96 | 200-208 | 44,715 | 44,530 | 1.0042 | 0.0012 | 0.1 | 1.0019 | 1.0064 |
| Hodgkin's disease | C81 | 201 | 1,021 | 1,036 | 0.9855 | 0.0089 | 0.9 | 0.9680 | 1.0030 |
| Non-Hodgkin's lymphoma | C82-C85 | 200,202 | 17,924 | 18,326 | 0.9781 | 0.0018 | 0.2 | 0.9745 | 0.9817 |
| Leukemia | C91-C95 | 204-208 | 16,600 | 16,405 | 1.0119 | 0.0019 | 0.2 | 1.0083 | 1.0155 |

See footnotes at end of table.

CAUSE-OF-DEATH CATEGORIES AND COMPARABILITY RATIOS FOR SELECTED 113 CAUSES OF DEATH - CON.

| Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>) | Category codes according to the Tenth Revision (ICD-10) | Category codes according to the Ninth Revision (ICD-9) | Number of deaths allocated according to | | Estimated comparability ratio | Standard error | Relative standard error | 95-percent confidence limits | |
|--|---|---|---|----------------|-------------------------------|----------------|-------------------------|------------------------------|--------|
| | | | Tenth Revision | Ninth Revision | | | | Lower | Upper |
| Multiple myeloma and immunoproliferative neoplasms. | C88,C90 | 203 | 9,099 | 8,763 | 1.0383 | 0.0030 | 0.3 | 1.0324 | 1.0443 |
| Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue | C96 | --- | * | * | * | * | * | * | * |
| All other and unspecified malignant neoplasms. | C17,C23-C24,C26-C31,C37-C41, C44-C49,C51-C52,C57-C60, C66,C68-C69,C73-C80,C97 | 152, 156,158-160,163-171,173,181, 183.2-184,186-187,189.2-190,193-199 | 51,182 | 45,492 | 1.1251 | 0.0021 | 0.2 | 1.1210 | 1.1292 |
| In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior | D00-D48 | 210-239 | 9,263 | 5,532 | 1.6744 | 0.0164 | 1.0 | 1.6422 | 1.7067 |
| Anemias | D50-D64 | 280-285 | 3,059 | 3,200 | 0.9559 | 0.0077 | 0.8 | 0.9409 | 0.9710 |
| Diabetes mellitus | E10-E14 | 250 | 48,636 | 48,242 | 1.0082 | 0.0011 | 0.1 | 1.0060 | 1.0103 |
| Nutritional deficiencies | E40-E64 | 260-269 | 3,215 | 2,763 | 1.1636 | 0.0165 | 1.4 | 1.1312 | 1.1960 |
| Malnutrition | E40-E46 | 260-263 | 2,607 | 2,665 | 0.9782 | 0.0151 | 1.5 | 0.9487 | 1.0078 |
| Other nutritional deficiencies | E50-E64 | 264-269 | 608 | 98 | 6.2041 | 0.5961 | 9.6 | 5.0358 | 7.3724 |
| Meningitis | G00,G03 | 320-322 | 592 | 584 | 1.0137 | 0.0136 | 1.3 | 0.9871 | 1.0403 |
| Parkinson's disease | G20-G21 | 332 | 10,404 | 10,392 | 1.0012 | 0.0028 | 0.3 | 0.9956 | 1.0067 |
| Alzheimer's disease | G30 | 331.0 | 29,707 | 19,121 | 1.5536 | 0.0071 | 0.5 | 1.5398 | 1.5675 |
| Major cardiovascular diseases | I00-I78 | 390-434,436-448 | 796,919 | 798,435 | 0.9981 | 0.0002 | 0.0 | 0.9977 | 0.9985 |
| Diseases of heart | I00-I09,I11,I13,I20-I51 | 390-398,402,404,410-429 | 615,564 | 624,405 | 0.9858 | 0.0002 | 0.0 | 0.9854 | 0.9863 |
| Acute rheumatic fever and chronic rheumatic heart diseases | I00-I09 | 390-398 | 2,446 | 2,980 | 0.8208 | 0.0089 | 1.1 | 0.8034 | 0.8382 |
| Hypertensive heart disease | I11 | 402 | 17,322 | 21,577 | 0.8028 | 0.0028 | 0.3 | 0.7973 | 0.8083 |
| Hypertensive heart and renal disease | I13 | 404 | 2,170 | 2,027 | 1.0705 | 0.0160 | 1.5 | 1.0392 | 1.1019 |
| Ischemic heart diseases | I20-I25 | 410-414,429.2 | 466,459 | 466,935 | 0.9990 | 0.0002 | 0.0 | 0.9985 | 0.9994 |
| Acute myocardial infarction | I21-I22 | 410 | 178,125 | 180,169 | 0.9887 | 0.0003 | 0.0 | 0.9880 | 0.9893 |
| Other acute ischemic heart diseases | I24 | 411 | 2,667 | 2,638 | 1.0110 | 0.0117 | 1.2 | 0.9880 | 1.0340 |
| Other forms of chronic ischemic heart disease. | I20,I25 | 412-414,429.2 | 285,667 | 284,128 | 1.0054 | 0.0004 | 0.0 | 1.0046 | 1.0062 |
| Atherosclerotic cardiovascular disease, so described. | I25.0 | 429.2 | 64,354 | 61,362 | 1.0488 | 0.0016 | 0.2 | 1.0456 | 1.0519 |
| All other forms of chronic ischemic heart disease. | I20,I25.1-I25.9 | 412-414 | 221,313 | 222,766 | 0.9935 | 0.0004 | 0.0 | 0.9927 | 0.9942 |
| Other heart diseases | I26-I51 | 415-429.1,429.3-429.9 | 127,167 | 130,886 | 0.9716 | 0.0010 | 0.1 | 0.9696 | 0.9736 |
| Acute and subacute endocarditis. | I33 | 421 | 552 | 554 | 0.9964 | 0.0137 | 1.4 | 0.9695 | 1.0233 |
| Diseases of pericardium and acute myocarditis | I30-I31,I40 | 420,422-423 | 489 | 475 | 1.0295 | 0.0160 | 1.6 | 0.9981 | 1.0608 |
| Heart failure | I50 | 428 | 44,297 | 42,554 | 1.0410 | 0.0013 | 0.1 | 1.0384 | 1.0435 |
| All other forms of heart disease | I26-I28,I34-I38,I42-I49,151 | 415-417,424-427,429.0-429.1,429.3-429.9 | 81,829 | 87,303 | 0.9373 | 0.0014 | 0.2 | 0.9345 | 0.9401 |
| Essential (primary) hypertension and hypertensive renal disease | I10,I12 | 401,403 | 11,958 | 10,684 | 1.1192 | 0.0050 | 0.4 | 1.1094 | 1.1291 |
| Cerebrovascular diseases | I60-I69 | 430-434,436-438 | 137,264 | 129,640 | 1.0588 | 0.0008 | 0.1 | 1.0572 | 1.0604 |
| Atherosclerosis | I70 | 440 | 13,894 | 14,417 | 0.9637 | 0.0025 | 0.3 | 0.9588 | 0.9686 |
| Other diseases of circulatory system | I71-I78 | 441-448 | 18,239 | 19,289 | 0.9456 | 0.0021 | 0.2 | 0.9414 | 0.9498 |
| Aortic aneurysm and dissection. | I71 | 441 | 12,216 | 12,201 | 1.0012 | 0.0010 | 0.1 | 0.9992 | 1.0032 |
| Other diseases of arteries, arterioles and capillaries. | I72-I78 | 442-448 | 6,023 | 7,088 | 0.8497 | 0.0053 | 0.6 | 0.8394 | 0.8601 |
| Other disorders of circulatory system | I80-I99 | 451-459 | 2,984 | 2,899 | 1.0293 | 0.0172 | 1.7 | 0.9956 | 1.0631 |
| Influenza and pneumonia | J10-J18 | 480-487 | 50,526 | 72,371 | 0.6982 | 0.0018 | 0.3 | 0.6947 | 0.7016 |
| Influenza | J10-J11 | 487 | 572 | 567 | 1.0088 | 0.0073 | 0.7 | 0.9945 | 1.0231 |
| Pneumonia | J12-J18 | 480-486 | 49,954 | 71,804 | 0.6957 | 0.0018 | 0.3 | 0.6922 | 0.6992 |
| Other acute lower respiratory infections. | J20-J22 | 466 | 346 | 355 | 0.9746 | 0.0392 | 4.0 | 0.8978 | 1.0515 |
| Acute bronchitis and bronchiolitis | J20-J21 | 466 | 265 | 355 | 0.7465 | 0.0264 | 3.5 | 0.6947 | 0.7983 |

See footnotes at end of table.

CAUSE-OF-DEATH CATEGORIES AND COMPARABILITY RATIOS FOR SELECTED 113 CAUSES OF DEATH - CON.

| Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>) | Category codes according to the Tenth Revision (ICD-10) | Category codes according to the Ninth Revision (ICD-9) | Number of deaths allocated according to | | Estimated comparability ratio | Standard error | Relative standard error | 95-percent confidence limits | |
|---|---|--|---|----------------|-------------------------------|----------------|-------------------------|------------------------------|--------|
| | | | Tenth Revision | Ninth Revision | | | | Lower | Upper |
| Unspecified acute lower respiratory infection | J22 | --- | * | * | * | * | * | * | * |
| Chronic lower respiratory diseases. | J40-J47 | 490-494,496 | 94,326 | 90,022 | 1.0478 | 0.0009 | 0.1 | 1.0460 | 1.0496 |
| Bronchitis, chronic and unspecified | J40-J42 | 490-491 | 913 | 2,320 | 0.3935 | 0.0107 | 2.7 | 0.3726 | 0.4145 |
| Emphysema. | J43 | 492 | 14,369 | 14,774 | 0.9726 | 0.0031 | 0.3 | 0.9666 | 0.9786 |
| Asthma | J45-J46 | 493 | 4,217 | 4,718 | 0.8938 | 0.0061 | 0.7 | 0.8819 | 0.9057 |
| Other chronic lower respiratory diseases. | J44,J47 | 494,496 | 74,827 | 68,210 | 1.0970 | 0.0014 | 0.1 | 1.0943 | 1.0998 |
| Pneumoconioses and chemical effects | J60-J66,J68 | 500-506 | 860 | 845 | 1.0178 | 0.0099 | 1.0 | 0.9983 | 1.0372 |
| Pneumonitis due to solids and liquids. | J69 | 507 | 10,183 | 9,104 | 1.1185 | 0.0048 | 0.4 | 1.1092 | 1.1279 |
| Other diseases of respiratory system | J00-J06,J30-J39,J67,J70-J98 | 034.0,460-465,470-478,495,508-519 | 16,656 | 14,269 | 1.1673 | 0.0052 | 0.4 | 1.1572 | 1.1774 |
| Peptic ulcer | K25-K28 | 531-534 | 3,574 | 3,686 | 0.9696 | 0.0045 | 0.5 | 0.9608 | 0.9784 |
| Diseases of appendix | K35-K38 | 540-543 | 209 | 202 | 1.0347 | 0.0242 | 2.3 | 0.9873 | 1.0820 |
| Hernia | K40-K46 | 550-553 | 658 | 633 | 1.0395 | 0.0154 | 1.5 | 1.0094 | 1.0696 |
| Chronic liver disease and cirrhosis | K70,K73-K74 | 571 | 21,688 | 20,920 | 1.0367 | 0.0027 | 0.3 | 1.0314 | 1.0420 |
| Alcoholic liver disease. | K70 | 571.0-571.3 | 10,147 | 9,965 | 1.0183 | 0.0050 | 0.5 | 1.0085 | 1.0281 |
| Other chronic liver disease and cirrhosis. | K73-K74 | 571.4-571.9 | 11,541 | 10,955 | 1.0535 | 0.0041 | 0.4 | 1.0454 | 1.0615 |
| Cholelithiasis and other disorders of gallbladder. | K80-K82 | 574-575 | 1,725 | 1,803 | 0.9567 | 0.0060 | 0.6 | 0.9450 | 0.9685 |
| Nephritis, nephrotic syndrome and nephrosis | N00-N07,N17-N19,N25-N27 | 580-589 | 24,939 | 20,242 | 1.2320 | 0.0044 | 0.4 | 1.2234 | 1.2407 |
| Acute and rapidly progressive nephritic and nephrotic syndrome | N00-N01,N04 | 580-581 | 161 | 249 | 0.6466 | 0.0342 | 5.3 | 0.5796 | 0.7136 |
| Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified. | N02-N03,N05-N07,N26 | 582-583,587 | 468 | 1,213 | 0.3858 | 0.0144 | 3.7 | 0.3575 | 0.4141 |
| Renal failure | N17-N19 | 584-586 | 24,290 | 18,758 | 1.2949 | 0.0050 | 0.4 | 1.2852 | 1.3047 |
| Other disorders of kidney. | N25,N27 | 588-589 | 20 | 22 | 0.9091 | 0.0867 | 9.5 | 0.7392 | 1.0790 |
| Infections of kidney. | N10-N12,N13.6,N15.1 | 590 | 731 | 726 | 1.0069 | 0.0144 | 1.4 | 0.9786 | 1.0352 |
| Hyperplasia of prostate | N40 | 600 | 326 | 327 | 0.9969 | 0.0159 | 1.6 | 0.9658 | 1.0280 |
| Inflammatory diseases of female pelvic organs | N70-N76 | 614-616 | 63 | 64 | 0.9844 | 0.0410 | 4.2 | 0.9040 | 1.0648 |
| Pregnancy, childbirth and the puerperium. | O00-O99 | 630-676 | * | * | * | * | * | * | * |
| Pregnancy with abortive outcome | O00-O07 | 630-639 | * | * | * | * | * | * | * |
| Other complications of pregnancy, childbirth and the puerperium | O10-O99 | 640-676 | * | * | * | * | * | * | * |
| Certain conditions originating in the perinatal period | P00-P96 | 760-771.2,771.4-779 | 10,184 | 9,555 | 1.0658 | 0.0033 | 0.3 | 1.0593 | 1.0724 |
| Congenital malformations, deformations and chromosomal abnormalities | Q00-Q99 | 740-759 | 5,950 | 7,025 | 0.8470 | 0.0055 | 0.6 | 0.8362 | 0.8577 |
| Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified | R00-R99 | 780-799 | 16,940 | 17,732 | 0.9553 | 0.0034 | 0.4 | 0.9487 | 0.9620 |
| All other diseases (Residual) | Residual | Residual | 109,853 | 122,107 | 0.8996 | 0.0015 | 0.2 | 0.8968 | 0.9025 |
| Accidents (unintentional injuries) | V01-X59,Y85-Y86 | E800-E869,E880-E929 | 31,084 | 30,163 | 1.0305 | 0.0014 | 0.1 | 1.0278 | 1.0333 |
| Transport accidents | V01-V99,Y85 | E800-E848,E929.0,E929.1 | 17,547 | 17,586 | 0.9978 | 0.0006 | 0.1 | 0.9966 | 0.9990 |
| Motor vehicle accidents. | V02-V04,V09.0,V09.2,V12-V14, V19.0-V19.2,V19.4-V19.6,V20-V79, V80.3-V80.5,V81.0-V81.1,V82.0-V82.1, V83-V86,V87.0-V87.8,V88.0-V88.8, V89.0,V89.2 | E810-E825 | 16,632 | 17,051 | 0.9754 | 0.0006 | 0.1 | 0.9742 | 0.9766 |

See footnotes at end of table.

CAUSE-OF-DEATH CATEGORIES AND COMPARABILITY RATIOS FOR SELECTED 113 CAUSES OF DEATH - CON.

| Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i>) | Category codes according to the Tenth Revision (ICD-10) | Category codes according to the Ninth Revision (ICD-9) | Number of deaths allocated according to | | Estimated comparability ratio | Standard error | Relative standard error | 95-percent confidence limits | |
|--|---|--|---|----------------|-------------------------------|----------------|-------------------------|------------------------------|--------|
| | | | Tenth Revision | Ninth Revision | | | | Lower | Upper |
| Other land transport accidents | V01,V05-V06,V09.1,V09.3-V09.9, V10-V11,V15-V18,V19.3,V19.8-V19.9, V80.0-V80.2,V80.6-V80.9,V81.2-V81.9, V82.2-V82.9,V87.8,V88.9,V89.1,V89.3, V89.9 | E800-E807,E826-E829 | * | * | * | * | * | * | * |
| Water, air and space, and other and unspecified transport accidents and their sequelae | V90-V99,Y85 | E830-E848,E929.0,E929.1 | 351 | 347 | 1.0115 | 0.0209 | 2.1 | 0.9706 | 1.0525 |
| Nontransport accidents | W00-X59,Y86 | E850-E869,E880-E928,E929.2-E929.9 | 13,537 | 12,577 | 1.0763 | 0.0035 | 0.3 | 1.0696 | 1.0831 |
| Falls | W00-W19 | E880-E888 | 5,173 | 6,152 | 0.8409 | 0.0049 | 0.6 | 0.8313 | 0.8505 |
| Accidental discharge of firearms | W32-W34 | E922 | 493 | 466 | 1.0579 | 0.0127 | 1.2 | 1.0331 | 1.0828 |
| Accidental drowning and submersion | W65-W74 | E910 | 283 | 284 | 0.9965 | 0.0127 | 1.3 | 0.9716 | 1.0213 |
| Accidental exposure to smoke, fire and flames | X00-X09 | E890-E899 | 493 | 506 | 0.9743 | 0.0089 | 0.9 | 0.9568 | 0.9918 |
| Accidental poisoning and exposure to noxious substance | X40-X49 | E850-E869,E924.1 | * | * | * | * | * | * | * |
| Other and unspecified nontransport accidents and their sequelae | W20-W31,W35-W64,W75-W99, X10-X39,X50-X59,Y86 | E900-E909,E911-E921,E923-E924.0, E924.8-E928,E929.2-E929.9 | 6,698 | 4,721 | 1.4188 | 0.0123 | 0.9 | 1.3947 | 1.4428 |
| Intentional self-harm (suicide) | X60-X84,Y87.0 | E950-E959 | 18,352 | 18,422 | 0.9962 | 0.0005 | 0.0 | 0.9952 | 0.9972 |
| Intentional self-harm (suicide) by discharge of firearms | X72-X74 | E955.0-E955.4 | 14,157 | 14,183 | 0.9982 | 0.0007 | 0.1 | 0.9968 | 0.9996 |
| Intentional self-harm (suicide) by other and unspecified means and their sequelae | X60-X71,X75-X84,Y87.0 | E950-E954,E955.5-E959 | 4,195 | 4,239 | 0.9896 | 0.0023 | 0.2 | 0.9850 | 0.9942 |
| Assault (homicide) | X85-Y09,Y87.1 | E960-E969 | 12,287 | 12,308 | 0.9983 | 0.0006 | 0.1 | 0.9972 | 0.9994 |
| Assault (homicide) by discharge of firearms | X93-X95 | E965.0-E965.4 | 8,718 | 8,745 | 0.9969 | 0.0008 | 0.1 | 0.9953 | 0.9985 |
| Assault (homicide) by other and unspecified means and their sequelae | X85-X92,X96-Y09,Y87.1 | E960-E964,E965.5-E969 | 3,569 | 3,563 | 1.0017 | 0.0024 | 0.2 | 0.9969 | 1.0064 |
| Legal intervention | Y35,Y89.0 | E970-E978 | * | * | * | * | * | * | * |
| Events of undetermined intent | Y10-Y34,Y87.2,Y89.9 | E980-E989 | * | * | * | * | * | * | * |
| Discharge of firearms, undetermined intent | Y22-Y24 | E985.0-E985.4 | * | * | * | * | * | * | * |
| Other and unspecified events of undetermined intent and their sequelae | Y10-Y21,Y25-Y34,Y87.2,Y89.9 | E980-E984,E985.5-E989 | * | * | * | * | * | * | * |
| Operations of war and their sequelae | Y36,Y89.1 | E990-E999 | * | * | * | * | * | * | * |
| Complications of medical and surgical care | Y40-Y84,Y88 | E870-E879,E930-E949 | * | * | * | * | * | * | * |
| Injury by firearms ¹ | W32-W34,X72-X74,X93-X95, Y22-Y24,Y35.0 | E922,E955.0-E955.4,E965.0-E965.4, E970,E985.0-E985.4 | 23,355 | 23,418 | 0.9973 | 0.0006 | 0.1 | 0.9961 | 0.9985 |
| Drug-induced deaths ¹ | F11.0-F11.5,F11.7-F11.9,F12.0-F12.5, F12.7-F12.9,F13.0-F13.5,F13.7-F13.9, F14.0-F14.5,F14.7-F14.9,F15.0-F15.5, F15.7-F15.9,F16.0-F16.5,F16.7-F16.9, F17.0,F17.3-F17.5,F17.7-F17.9, F18.0-F18.5,F18.7-F18.9,F19.0-F19.5, F19.7-F19.9,X40-X44,X60-X64,X85, Y10-Y14 | 292,304,305.2-305.9,E850-E858, E950.0-E950.5,E962.0,E980.0-E980.5 | 1,158 | 969 | 1.1950 | 0.0225 | 1.9 | 1.1509 | 1.2391 |
| Alcohol-induced deaths ¹ | F10,G31.2,G62.1,I42.6,K29.2,K70, R78.0,X45,X65,Y15 | 291,303,305.0,357.5,425.5,535.3, 571.0-571.3,790.3,E860 | 14,783 | 15,269 | 0.9682 | 0.0025 | 0.3 | 0.9633 | 0.9731 |

* Figure does not meet standards of reliability or precision; see Technical notes.

--- Category not applicable.

0.0 Quantity more than zero but less than 0.05.

¹Included in selected categories.