

TABLE 2B-3 (continued)
AGE-ADJUSTED* MORTALITY RATES FOR SELECTED CAUSES OF DEATH BY RACE/ETHNICITY
AND GENDER, ARIZONA, 1980, 1990, 2000-2006

	All groups			White non-Hispanic			Hispanic or Latino			Black or African American			American Indian or Alaska Native			Asian or Pacific Islander		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Intentional self-harm (suicide)																		
1980	17.5	27.9	8.1	18.5	28.7	9.3	11.3	21.1	2.0	10.9	16.8	4.5	18.6	33.1	5.6	8.7	19.6	0.0
1990	19.0	32.6	6.5	20.9	36.1	7.2	9.4	16.6	2.8	12.5	17.2	7.7	20.1	39.1	2.6	7.9	4.6	10.1
2000	14.6	24.7	5.2	16.7	27.6	6.8	7.2	12.7	1.4	6.5	12.2	0.0	16.2	29.7	3.7	5.7	12.3	0.0
2001	14.9	24.6	4.4	12.8	21.0	5.1	5.9	9.9	1.6	9.2	15.2	2.4	15.4	26.4	5.2	9.4	15.4	4.7
2002	15.9	26.4	6.0	18.3	30.0	7.4	8.3	14.2	2.5	6.2	11.4	0.0	17.9	31.7	4.9	4.1	9.1	0.0
2003	14.6	24.0	5.8	16.4	27.1	6.4	8.2	11.8	4.2	11.3	16.6	4.8	15.2	27.4	3.6	6.0	7.0	5.9
2004	14.9	24.1	6.3	16.6	26.4	7.5	9.8	17.5	2.2	12.1	17.3	5.1	17.0	28.5	6.5	4.0	7.0	2.7
2005	15.4	24.9	6.5	16.6	26.7	7.3	10.5	17.8	3.0	3.3	4.7	1.8	17.5	28.7	6.8	11.7	8.9	14.1
2006	15.4	24.7	6.6	17.8	27.9	8.5	8.2	14.2	2.0	8.3	13.9	2.3	13.7	23.4	4.5	8.4	13.2	4.3
Diabetes																		
1980	16.0	14.4	16.9	12.8	13.0	12.6	28.3	16.3	37.4	44.5	6.3	73.7	74.6	58.4	89.1	22.4	16.7	27.9
1990	15.6	16.9	14.2	12.0	13.2	10.8	31.5	32.2	30.0	26.0	20.2	29.0	77.4	86.1	70.2	5.5	7.2	4.4
2000	19.0	21.0	17.2	14.9	17.4	12.6	41.1	41.9	40.6	46.0	40.9	47.4	74.6	74.1	74.2	19.5	10.9	26.1
2001	19.9	22.9	17.5	15.4	19.2	12.2	42.9	43.5	42.3	55.7	42.2	64.1	72.8	71.2	73.9	14.8	3.0	23.3
2002	22.3	25.6	19.7	18.0	21.8	15.1	45.6	49.1	42.6	41.0	46.4	37.2	80.8	69.2	88.6	21.9	15.7	26.3
2003	20.3	23.6	17.5	16.5	20.6	13.1	39.1	35.9	40.9	53.6	55.0	49.8	55.8	48.2	60.3	15.7	22.2	11.6
2004	20.7	23.4	18.4	16.8	19.7	14.4	43.5	44.2	42.0	44.8	47.7	42.6	59.0	58.4	58.8	30.0	29.1	31.6
2005	20.1	24.7	16.7	15.5	20.2	12.1	46.0	49.9	42.4	55.2	56.2	54.0	69.9	73.5	68.2	17.8	17.7	18.0
2006	18.9	22.5	15.9	15.2	18.4	12.5	40.4	46.1	35.3	43.9	49.7	42.3	43.9	49.3	39.5	10.9	9.7	11.4
Chronic liver disease and cirrhosis																		
1980	17.0	21.7	13.0	12.8	16.4	9.7	23.5	31.1	16.6	16.8	13.2	20.7	90.3	113.8	69.3	0.0	0.0	0.0
1990	12.4	17.3	8.3	10.3	14.1	7.1	15.4	23.2	8.4	17.4	25.3	9.0	48.6	60.2	38.1	10.8	16.4	7.1
2000	12.8	17.7	8.3	10.4	14.9	6.4	15.8	20.5	11.0	6.6	7.1	5.9	61.7	80.2	45.3	4.1	6.9	2.2
2001	12.3	17.7	7.5	10.6	15.0	6.6	17.4	27.0	8.7	11.7	24.1	2.0	39.1	51.1	28.4	4.0	3.8	4.2
2002	12.1	15.6	8.9	9.9	11.9	8.0	21.6	31.9	12.3	9.8	14.6	5.5	40.5	55.6	27.5	5.3	2.9	7.0
2003	11.5	16.2	7.1	9.7	13.8	5.8	17.6	25.1	10.6	3.5	6.3	1.0	38.8	49.6	29.8	3.3	0.0	5.8
2004	11.1	15.6	6.9	8.4	11.7	5.4	18.6	26.6	10.6	6.7	7.3	6.5	51.0	68.9	36.1	3.8	7.0	2.4
2005	12.7	17.7	8.1	10.7	15.1	6.6	19.4	28.6	11.4	12.8	14.7	10.7	51.2	60.3	42.8	4.9	10.4	0.0
2006	11.4	14.3	8.5	9.6	11.8	7.6	15.5	19.9	11.1	7.2	11.6	4.2	43.6	54.3	32.7	3.1	3.8	2.5
Assault (homicide)																		
1980	10.4	15.0	5.8	7.3	9.4	5.3	15.9	25.2	6.2	48.3	71.3	21.4	25.3	40.6	11.6	2.8	6.7	0.0
1990	8.1	12.2	4.0	5.7	7.8	3.6	10.4	18.6	2.2	31.3	48.1	12.1	17.7	27.8	8.7	4.8	4.1	6.0
2000	7.6	11.1	3.8	3.9	5.4	2.3	13.0	19.2	6.1	22.7	32.3	11.0	14.9	22.1	7.5	7.6	5.1	9.7
2001	8.7	13.7	3.6	4.3	6.1	2.6	15.5	24.8	5.0	22.2	35.7	6.8	17.2	24.8	10.0	4.9	9.7	1.2
2002	8.6	13.9	3.0	4.4	6.8	2.0	15.1	25.8	3.4	21.3	32.5	7.1	20.3	29.0	11.8	3.3	0.0	5.8
2003	8.3	12.8	3.6	3.7	5.1	2.2	14.7	23.7	4.8	24.9	38.7	9.0	18.8	31.5	6.9	5.4	2.5	5.8
2004	8.2	13.3	2.9	4.8	7.0	2.6	13.6	23.2	3.0	22.3	35.5	7.4	14.7	25.9	4.5	1.4	2.3	0.0
2005	8.2	13.5	2.6	3.5	5.6	1.3	14.6	24.2	3.9	27.4	45.7	7.5	14.0	22.4	5.8	5.1	8.0	2.5
2006	8.5	13.5	3.1	4.6	6.8	2.4	13.0	21.6	3.3	19.6	30.5	7.5	13.2	23.7	3.2	2.4	1.5	3.5

* Adjusted to the 2000 standard U.S. population.

** Chronic obstructive pulmonary diseases in 1980 and 1990.