

TABLE 2B-7 (correction)
NUMBER OF DEATHS FROM DISEASES OF THE HEART BY CATEGORY, GENDER AND YEAR, ARIZONA, 1999-2009

		1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
ALL FORMS OF HEART DISEASE	TOTAL	10,355	10,430	10,312	10,551	10,649	10,402	10,779	10,362	10,147	10,299	10,151
	Male	5,580	5,594	5,469	5,642	5,649	5,543	5,789	5,538	5,455	5,701	5,558
	Female	4,775	4,836	4,843	4,909	5,000	4,859	4,990	4,834	4,692	4,598	4,593
Acute rheumatic fever and chronic rheumatic heart disease	TOTAL	51	32	37	46	63	46	55	57	38	57	51
	Male	19	13	16	14	25	18	16	15	15	24	16
	Female	32	19	21	32	38	28	39	42	23	33	35
Hypertensive heart and renal disease*	TOTAL	3	*30	26	31	33	32	39	24	29	48	35
	Male	1	13	11	14	20	9	18	13	15	22	18
	Female	2	17	15	17	13	23	21	11	14	26	17
Ischemic heart disease	TOTAL	6,383	7,949	7,656	7,962	8,037	7,836	8,060	7,628	7,163	7,487	7,372
	Male	3,537	4,386	4,245	4,449	4,402	4,344	4,509	4,202	4,005	4,337	4,233
	Female	2,846	3,563	3,411	3,513	3,635	3,492	3,551	3,426	3,158	3,150	3,139
Hypertensive heart disease	TOTAL	229	261	355	431	440	463	487	506	646	675	698
	Male	99	136	164	197	215	223	226	256	332	348	340
	Female	130	125	191	234	225	240	261	250	314	327	358
Other heart diseases	TOTAL	3,689	2,158	2,238	2,104	2,076	2,025	2,138	2,147	2,271	2,032	1,995
	Male	1,924	1,046	1,033	968	987	949	1,020	1,052	1,088	970	951
	Female	1,765	1,112	1,205	1,136	1,089	1,076	1,118	1,095	1,183	1,062	1,044

Note: Beginning in 2000, the causes of death are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

* The comparability ratio for hypertensive heart and renal disease is 1.5, indicating a 50 percent increase in hypertensive heart and renal disease deaths when classified by ICD-10.