TABLE 2D-4
PERCENT DEATHS BEFORE EXPECTED^a YEARS OF LIFE REACHED FOR THE LEADING CAUSES OF MORTALITY BY GENDER, RACE/ETHNICITY, AND URBAN/RURAL AREAS^b, ARIZONA, 2015

	ARIZONA			Area/gender						Race/ethnicity				
	Total	Male	Female	Total Urban	Urban Male	Urban Female	Total Rural	Rural Male	Rural Female	White Non- Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
Total, all causes	54.9%	61.6%	47.2%	53.7%	60.6%	46.1%	58.4%	64.2%	51.2%	50.9%	67.4%	74.1%	77.4%	59.9%
Major cardiovascular diseases	43.3%	52.0%	33.2%	41.8%	50.8%	31.9%	47.8%	55.3%	38.4%	39.8%	56.2%	67.6%	67.0%	48.0%
Diseases of heart	43.9%	52.5%	33.0%	42.2%	51.0%	31.5%	48.9%	56.3%	38.4%	40.5%	57.0%	70.9%	67.3%	48.7%
Coronary heart disease	45.6%	54.0%	33.7%	43.5%	52.1%	31.9%	51.8%	58.6%	40.7%	42.4%	58.3%	70.8%	64.2%	48.2%
Malignant neoplasms	66.7%	67.1%	66.2%	66.3%	66.9%	65.6%	68.3%	67.7%	69.1%	64.6%	75.9%	80.4%	72.9%	70.8%
Lung cancer	67.7%	69.2%	66.1%	66.1%	67.2%	64.8%	73.7%	76.1%	70.7%	67.4%	68.4%	81.5%	62.5%	61.5%
Prostate cancer	47.4%	47.4%	0.0%	47.2%	47.2%	0.0%	47.6%	47.6%	0.0%	45.1%	54.8%	66.7%	50.0%	66.7%
Breast cancer	74.1%	60.0%	74.2%	74.0%	100.0%	73.9%	74.8%	33.3%	75.7%	71.5%	90.3%	81.5%	75.0%	73.3%
Colorectal cancer	64.7%	71.3%	56.4%	63.8%	72.2%	53.8%	67.8%	68.5%	66.7%	62.1%	76.4%	65.8%	79.3%	60.0%
Malignant melanoma of skin	59.6%	60.6%	57.7%	59.5%	60.3%	57.9%	60.0%	61.5%	57.1%	58.4%	88.9%	0.0%	50.0%	0.0%
Cerebrovascular diseases	38.7%	47.9%	31.2%	37.9%	47.8%	29.9%	41.3%	47.7%	36.2%	34.6%	53.7%	53.3%	60.0%	47.8%
Chronic lower respiratory diseases	50.5%	55.6%	45.6%	49.8%	55.5%	44.5%	52.6%	55.8%	49.4%	50.3%	50.5%	57.6%	71.0%	33.3%
Accidents (unintentional injuries)	74.8%	80.8%	65.1%	74.2%	79.9%	65.1%	75.5%	82.0%	64.5%	68.6%	85.9%	90.9%	91.8%	71.1%
Motor vehicle accidents	92.6%	93.7%	90.0%	92.7%	94.0%	89.6%	92.4%	92.5%	92.2%	87.7%	97.9%	97.6%	99.4%	88.9%
Falls	32.1%	39.7%	24.2%	32.5%	39.3%	25.4%	29.9%	40.4%	19.4%	30.0%	34.5%	63.6%	54.8%	46.2%
Accidental poisoning	99.0%	99.3%	98.4%	99.5%	99.8%	99.0%	96.8%	97.2%	95.9%	98.9%	100.0%	100.0%	96.7%	100.0%
Accidental drowning	90.1%	92.3%	86.2%	91.8%	95.1%	85.0%	84.2%	80.0%	88.9%	85.2%	100.0%	100.0%	100.0%	100.0%
Influenza and pneumonia	40.6%	43.0%	38.1%	39.8%	41.5%	37.9%	43.8%	48.3%	39.1%	38.0%	47.2%	60.0%	40.5%	54.5%
Alzheimer's disease	13.9%	18.4%	11.4%	13.6%	17.6%	11.4%	15.6%	22.8%	11.8%	13.1%	17.9%	18.5%	20.6%	19.2%
Diabetes	71.4%	74.2%	67.7%	71.4%	74.5%	67.3%	71.3%	72.1%	70.1%	68.0%	73.9%	81.4%	85.4%	58.3%
Intentional self-harm (suicide)	93.4%	92.9%	95.2%	93.7%	93.3%	95.1%	92.2%	91.3%	95.2%	92.0%	99.2%	100.0%	100.0%	100.0%
Chronic liver disease and cirrhosis	93.5%	93.3%	93.8%	92.9%	92.9%	92.9%	94.8%	94.1%	95.8%	91.8%	94.5%	100.0%	98.4%	75.0%
Nephritis, nephrotic syndrome and nephrosis	40.6%	39.5%	41.7%	41.3%	39.0%	43.9%	38.7%	40.0%	37.2%	36.0%	51.9%	47.4%	58.8%	37.5%
Septicemia	59.2%	65.9%	51.5%	57.8%	65.4%	48.7%	62.6%	66.7%	58.8%	55.0%	63.6%	73.7%	81.8%	57.1%
Assault (homicide)	98.9%	98.6%	100.0%	99.0%	98.7%	100.0%	98.4%	97.6%	100.0%	97.3%	100.0%	100.0%	100.0%	100.0%
Parkinson's disease	29.5%	31.7%	25.6%	29.2%	32.2%	23.7%	31.0%	29.2%	33.3%	28.5%	42.9%	23.1%	0.0%	60.0%
Essential (primary) hypertension and hypertensive renal disease	45.0%	53.6%	37.4%	45.0%	53.8%	37.1%	45.1%	52.0%	39.7%	40.6%	54.8%	72.1%	75.9%	33.3%
Human immunodeficiency virus (HIV) disease	99.1%	98.9%	100.0%	98.9%	98.6%	100.0%	100.0%	100.0%	100.0%	98.4%	100.0%	100.0%	100.0%	100.0%
INJURY BY FIREARMS	93.5%	92.8%	96.9%	94.2%	93.7%	96.8%	90.5%	89.0%	97.2%	91.4%	99.3%	100.0%	100.0%	100.0%
DRUG-INDUCED DEATHS	97.1%	97.4%	96.7%	97.2%	97.4%	97.0%	96.3%	97.1%	95.4%	96.2%	100.0%	100.0%	100.0%	100.0%
ALCOHOL-INDUCED DEATHS	95.9%	95.4%	97.1%	95.8%	95.2%	97.0%	96.0%	95.5%	97.2%	95.2%	95.4%	100.0%	97.9%	100.0%

Notes: ^a Expected years of life at birth for all U.S. residents (78.8 years in 2013); ^b Urban = Maricopa, Pima, Pinal, and Yuma counties.