

TABLE 2D-4
PERCENT DEATHS BEFORE EXPECTED^a YEARS OF LIFE REACHED FOR THE LEADING CAUSES OF MORTALITY BY
GENDER, RACE/ETHNICITY, AND URBAN/RURAL AREAS^b, ARIZONA, 2018

	ARIZONA			Area/gender						Race/ethnicity				
	Total	Male	Female	Total Urban	Urban Male	Urban Female	Total Rural	Rural Male	Rural Female	White Non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
Total, all causes	55.1%	62.1%	46.9%	54.3%	61.5%	46.1%	57.7%	63.6%	50.0%	50.8%	65.6%	73.3%	78.8%	57.7%
Major cardiovascular diseases	44.1%	52.4%	34.5%	43.0%	51.5%	33.3%	47.8%	54.6%	38.7%	40.5%	53.3%	66.4%	66.6%	51.4%
Diseases of heart	44.8%	52.6%	34.6%	43.4%	51.5%	33.2%	49.4%	55.6%	40.1%	41.3%	54.2%	67.8%	69.0%	50.6%
Coronary heart disease	46.5%	53.7%	35.5%	44.9%	52.6%	33.9%	51.0%	56.3%	41.2%	43.2%	54.5%	68.9%	65.9%	53.3%
Malignant neoplasms	65.9%	66.2%	65.6%	65.8%	66.1%	65.4%	66.3%	66.6%	66.0%	63.9%	71.4%	76.7%	76.4%	74.6%
Lung cancer	68.0%	70.6%	64.9%	67.5%	70.2%	64.4%	69.8%	72.1%	66.9%	67.6%	66.2%	75.3%	60.0%	75.0%
Colorectal cancer	65.1%	68.5%	60.6%	64.8%	69.3%	59.3%	66.1%	65.8%	66.7%	63.1%	72.4%	75.0%	60.0%	63.0%
Breast cancer	70.3%	90.0%	70.1%	71.0%	90.0%	70.7%	67.1%	0.0%	67.1%	67.5%	78.0%	83.3%	83.3%	79.2%
Prostate cancer	43.5%	43.5%	0.0%	42.9%	42.9%	0.0%	45.0%	45.0%	0.0%	41.8%	45.9%	57.7%	55.0%	44.4%
Malignant melanoma of skin	69.9%	71.3%	66.1%	69.8%	71.1%	66.7%	68.4%	71.4%	60.0%	68.5%	100.0%	100.0%	0.0%	100.0%
Accidents (unintentional injuries)	79.0%	85.7%	66.1%	77.7%	85.2%	64.3%	83.4%	87.0%	74.2%	72.3%	89.5%	94.1%	95.2%	63.6%
Accidental poisoning	99.5%	99.6%	99.5%	99.6%	99.7%	99.5%	99.1%	98.8%	100.0%	99.5%	99.7%	100.0%	99.2%	100.0%
Falls	32.8%	41.8%	24.5%	30.4%	40.0%	22.2%	44.1%	49.0%	38.0%	30.7%	35.7%	40.0%	72.5%	11.1%
Motor vehicle accidents	94.5%	95.1%	93.1%	94.3%	95.2%	92.3%	94.7%	94.6%	95.1%	90.9%	98.4%	98.0%	98.8%	94.1%
Accidental drowning	90.2%	92.5%	84.0%	88.9%	92.5%	78.9%	95.0%	92.9%	100.0%	87.5%	100.0%	100.0%	100.0%	33.3%
Chronic lower respiratory diseases	51.3%	55.8%	47.2%	50.8%	55.4%	46.7%	52.5%	56.1%	48.9%	50.7%	52.3%	67.1%	53.5%	34.4%
Alzheimer's disease	14.8%	18.7%	12.8%	15.0%	19.1%	12.8%	13.8%	16.1%	12.7%	14.6%	14.1%	19.5%	21.1%	17.6%
Cerebrovascular diseases	40.2%	48.8%	33.2%	39.5%	48.1%	32.5%	42.4%	51.2%	35.5%	35.8%	50.4%	64.6%	56.6%	57.1%
Diabetes	69.0%	72.7%	63.5%	68.9%	72.3%	63.7%	69.0%	73.8%	62.1%	65.1%	71.0%	77.7%	83.6%	59.5%
Intentional self-harm (suicide)	93.0%	92.8%	93.7%	93.3%	93.2%	94.0%	92.2%	92.2%	92.5%	91.0%	97.8%	100.0%	100.0%	100.0%
Chronic liver disease and cirrhosis	91.6%	93.0%	89.5%	91.2%	93.0%	88.2%	92.7%	92.8%	92.6%	89.1%	92.4%	95.0%	97.0%	100.0%
Essential (primary) hypertension and hypertensive renal disease	42.5%	52.3%	34.1%	42.0%	53.5%	32.9%	43.9%	46.2%	41.4%	38.1%	47.6%	63.5%	67.7%	40.9%
Influenza and pneumonia	49.4%	52.6%	45.8%	47.6%	51.0%	43.6%	55.1%	57.4%	52.5%	46.1%	56.7%	73.3%	65.2%	33.3%
Parkinson's disease	32.3%	31.6%	33.6%	33.0%	32.8%	33.3%	28.9%	26.3%	35.0%	31.7%	36.3%	36.4%	23.5%	43.8%
Nephritis, nephrotic syndrome and nephrosis	54.6%	58.1%	50.5%	56.1%	57.7%	54.2%	49.4%	59.5%	39.0%	48.0%	64.9%	63.0%	73.6%	57.1%
Septicemia	62.0%	63.3%	60.7%	62.9%	62.2%	63.8%	59.3%	67.4%	51.2%	53.5%	78.7%	85.7%	79.4%	66.7%
Assault (homicide)	98.6%	99.1%	96.3%	98.9%	99.3%	96.7%	96.8%	97.7%	94.4%	97.0%	99.3%	100.0%	98.1%	100.0%
Human immunodeficiency virus (HIV) disease	98.7%	98.5%	100.0%	98.6%	98.4%	100.0%	100.0%	100.0%	100.0%	97.7%	100.0%	100.0%	100.0%	100.0%
Injury by firearms	93.1%	92.8%	94.6%	94.4%	94.0%	97.1%	88.6%	88.6%	88.6%	90.3%	98.7%	100.0%	100.0%	100.0%
Drug-induced deaths	98.4%	99.0%	97.2%	98.2%	98.8%	96.9%	99.6%	100.0%	98.8%	97.6%	100.0%	100.0%	98.9%	100.0%
Opioid-induced deaths	99.1%	99.1%	99.1%	99.0%	99.0%	99.0%	100.0%	100.0%	100.0%	98.6%	100.0%	100.0%	100.0%	100.0%
Alcohol-induced deaths	96.8%	96.2%	98.1%	96.6%	96.2%	97.6%	97.2%	96.3%	99.2%	96.4%	95.1%	95.7%	98.6%	100.0%

Notes: ^a Expected years of life at birth for all U.S. residents (78.8 years in 2018); ^b Urban = Maricopa, Pima, Pinal, and Yuma counties.