

**TABLE 3B-3  
FREQUENCY OF REPORTED CASES OF GONORRHEA, CHLAMYDIA, AND EARLY SYPHILIS  
BY AGE AND GENDER, ARIZONA, 2018**

Age group	GONORRHEA				CHLAMYDIA				EARLY SYPHILIS			
	Males	Females	Unknown or Transgender	Total	Males	Females	Unknown or Transgender	Total	Males	Females	Unknown or Transgender	Total
0-4	*	*	0	10†	*	*	0	10†	0	0	0	0
5-9	0	*	0	0†	*	*	0	10†	0	0	0	0
10-14	*	32	0	40†	46	164	0	210	*	0	0	0†
15-19	724	937	*	1,664	2,312	7,050	30	9,392	57	39	0	96
20-24	1,838	1,509	6	3,353	4,661	10,185	34	14,880	223	91	0	314
25-29	1,724	1,121	*	2,849	3,038	4,928	27	7,993	294	89	0	383
30-34	1,170	782	6	1,958	1,628	2,183	12	3,823	244	72	0	316
35-39	742	474	*	1,220	1,008	1,113	6	2,127	213	52	0	265
40-44	446	233	*	681	538	593	*	1,135	139	28	0	167
45-49	359	138	*	498	339	258	*	598	126	21	0	147
50-54	248	69	*	318	208	125	0	333	113	8	0	121
55-59	152	25	*	179	131	76	*	209	71	7	0	78
60-64	55	12	0	67	46	35	*	82	37	*	0	40†
65-over	62	7	0	69	44	24	0	68	21	*	0	20†
<b>Total</b>	7,530†	5,340†	30†	12,900†	14,000†	26,740†	120†	40,860†	1,540†	410†	0	1,950†

Notes: \* Cell suppressed due to non-zero count less than 6; † Sum rounded to nearest tens unit due to non-zero addend less than 6; since 2005, the table includes all positive laboratory results for chlamydia and gonorrhea with or without communicable disease report; In 2018, 3 gonorrhea and 4 chlamydia cases were excluded due to missing age.

**Source: Arizona Department of Health Services, Bureau of Epidemiology and Disease Control Services, Office of HIV / STD.**