

**TABLE 3B-4
RATES^a OF REPORTED CASES OF GONORRHEA, CHLAMYDIA, AND EARLY SYPHILIS
BY AGE AND GENDER, ARIZONA, 2020**

Age group	GONORRHEA			CHLAMYDIA			EARLY SYPHILIS		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
0-4	**	2.9	2.1	**	3.4	2.1	0.0	0.0	0.0
5-9	**	**	**	0.0	**	**	0.0	0.0	0.0
10-14	4.6	18.2	11.3	10.9	67.6	38.7	0.0	0.0	0.0
15-19	367.0	521.8	443.2	818.5	2678.6	1728.9	24.9	19.1	22.1
20-24	838.0	781.6	811.6	1700.4	3931.3	2778.0	114.2	56.3	86.3
25-29	785.3	529.3	663.0	1033.5	1759.8	1383.2	144.3	51.8	99.9
30-34	644.1	415.5	534.5	657.9	904.4	777.2	148.6	52.5	102.3
35-39	439.7	299.3	370.9	403.5	460.7	432.2	121.4	35.9	79.5
40-44	281.9	159.7	221.3	227.8	209.1	218.7	89.4	17.6	53.7
45-49	198.1	88.5	143.0	155.7	101.0	128.2	67.8	12.1	39.8
50-54	138.8	48.3	93.2	107.9	56.4	82.1	69.1	10.5	39.5
55-59	96.5	22.9	58.5	65.6	33.0	48.8	55.3	3.5	28.6
60-64	49.1	6.2	26.4	34.7	11.9	22.6	29.3	**	14.5
65-over	10.1	1.4	5.4	8.6	2.6	5.3	6.1	0.0	2.8
Total	264.2	186.8	225.5	363.2	664.7	515.3	58.2	16.7	37.3

Notes: ** Cell suppressed due to rate/ratio/percent based on non-zero count less than 6; ^a Number of cases per 100,000 population; table includes all positive laboratory results for chlamydia and gonorrhea with or without communicable disease report in 2020; denominators for unknown or transgender category are not available; rates per 100,000 population.

Source: Arizona Department of Health Services, Bureau of Epidemiology and Disease Control Services, Office of HIV / STD.