

**TABLE 3B-5
FREQUENCY OF REPORTED CASES, PERCENT DISTRIBUTION AND RATES OF EARLY AND LATE SYPHILIS,
GONORRHEA, AND CHLAMYDIA BY RACE/ETHNICITY, ARIZONA, 2021**

Race/ethnicity	SYPHILIS						GONORRHEA						CHLAMYDIA		
	Early			Late			Resistant			Total			Cases	%	Rate
	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate			
White Non-Hispanic	942	27.3	23.5	576	21.4	14.4	0	0.0	0.0	3,792	20.6	94.7	6,607	15.9	165.0
Black or African American	463	13.4	123.1	311	11.6	82.7	0	0.0	0.0	2,899	15.7	771.0	3,775	9.1	1004.0
Hispanic or Latino	1,337	38.7	57.6	1,098	40.8	47.3	0	0.0	0.0	5,111	27.7	220.0	11,392	27.4	490.4
Asian or Pacific Islander	52	1.5	17.8	20	0.7	6.8	0	0.0	0.0	142	0.8	48.6	421	1.0	144.1
American Indian or Alaska Native	498	14.4	171.6	460	17.1	158.5	0	0.0	0.0	1,197	6.5	412.4	2,298	5.5	791.8
Multi-racial	85	2.5	N/A	69	2.6	N/A	0	0.0	0.0	467	2.5	N/A	554	1.3	N/A
Not Specified	79	2.3	N/A	157	5.8	N/A	0	0.0	N/A	4,838	26.2	N/A	16,470	39.7	N/A
Total	3,456	100.0	47.4	2,691	100.0	36.9	0	N/A	N/A	18,446	100.0	253.2	41,517	100.0	569.9

Notes: ^a Number of cases per 100,000 population; table includes all positive laboratory results for chlamydia and gonorrhea with or without communicable disease report in 2021; rates per 100,000 population.

Source: Arizona Department of Health Services, Bureau of Infectious Disease and Services, Office of STI Control.