

**TABLE 3B-3
FREQUENCY OF REPORTED CASES OF GONORRHEA, CHLAMYDIA, AND EARLY SYPHILIS
BY AGE AND GENDER, ARIZONA, 2022**

Age group	GONORRHEA				CHLAMYDIA				EARLY SYPHILIS			
	Males	Females	Unknown or Transgender	Total	Males	Females	Unknown or Transgender	Total	Males	Females	Unknown or Transgender	Total
0-4	*	7	0	10†	6	6	0	12	0	0	0	0
5-9	0	0	0	0	*	0	0	0†	0	0	0	0
10-14	6	33	0	39	27	138	0	165	0	*	0	0†
15-19	854	1,114	7	1,975	2,054	5,802	21	7,877	66	60	0	126
20-24	2,128	1,823	6	3,957	4,420	9,699	35	14,154	302	172	0	474
25-29	2,009	1,194	*	3,207	3,244	4,879	13	8,136	447	222	0	669
30-34	1,788	993	*	2,782	2,244	2,573	7	4,824	517	203	0	720
35-39	1,176	544	*	1,723	1,194	1,223	*	2,422	374	169	0	543
40-44	778	390	*	1,170	716	691	*	1,411	301	131	0	432
45-49	450	208	0	658	429	339	*	769	177	61	0	238
50-54	333	118	0	451	311	185	*	497	166	40	0	206
55-59	234	57	*	293	208	95	0	303	166	21	0	187
60-64	125	34	0	159	116	38	0	154	78	7	0	85
65-over	67	18	0	85	65	26	0	91	48	*	0	50†
Total	9,950†	6,533	30†	16,508	15,040†	25,694	90†	40,820†	2,642	1,090†	0	3,730†

Notes: * Cell suppressed due to non-zero count less than 6; † Sum rounded to nearest tens unit due to non-zero addend less than 6; since 2005, the table includes all positive laboratory results for chlamydia and gonorrhea with or without communicable disease report.

Source: Arizona Department of Health Services, Bureau of Infectious Disease and Services, Office of STI Control.