

**TABLE 3B-5
FREQUENCY OF REPORTED CASES, PERCENT DISTRIBUTION AND RATES OF EARLY AND LATE SYPHILIS,
GONORRHEA, AND CHLAMYDIA BY RACE/ETHNICITY, ARIZONA, 2022**

Race/ethnicity	SYPHILIS						GONORRHEA						CHLAMYDIA		
	Early			Late			Resistant			Total			Cases	%	Rate
	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate	Cases	%	Rate			
White Non-Hispanic	917	24.6	22.5	705	19.9	17.3	0	0.0	0.0	3,220	19.5	79.1	6,573	16.1	161.4
Black or African American	470	12.6	122.8	391	11.0	102.2	0	0.0	0.0	2,446	14.8	639.2	3,706	9.1	968.5
Hispanic or Latino	1,477	39.6	62.5	1,440	40.6	61.0	0	0.0	0.0	4,844	29.3	205.1	11,683	28.6	494.6
Asian or Pacific Islander	49	1.3	16.5	35	1.0	11.8	0	0.0	0.0	168	1.0	56.5	411	1.0	138.3
American Indian or Alaska Native	624	16.7	212.1	624	17.6	212.1	0	0.0	0.0	1,131	6.9	384.5	2,341	5.7	795.8
Multi-racial	98	2.6	N/A	86	2.4	N/A	0	0.0	0.0	365	2.2	N/A	564	1.4	N/A
Not Specified	99	2.7	N/A	264	7.4	N/A	0	0.0	N/A	4,334	26.3	N/A	15,538	38.1	N/A
Total	3,734	100.0	50.4	3,545	100.0	47.8	0	N/A	N/A	16,508	100.0	222.8	40,816	100.0	550.9

Notes: ^a Number of cases per 100,000 population; table includes all positive laboratory results for chlamydia and gonorrhea with or without communicable disease report in 2022; rates per 100,000 population.

Source: Arizona Department of Health Services, Bureau of Infectious Disease and Services, Office of STI Control.