

**TABLE 6B**  
**MONITORING PROGRESS TOWARD ARIZONA AND SELECTED HEALTHY PEOPLE OBJECTIVES: 2023 COUNTY PROFILES**

Focus areas and selected objectives: (in paraentheses are <i>Healthy People (HP)</i> <i>2030</i> objective numbers)	AZ TARGET / (U.S. for HP 2030)	RATES, RATIOS OR CASES IN 2023															
		Arizona	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
6B-1. MATERNAL, INFANT AND CHILD HEALTH																	
Reduce the rate of fetal deaths at 20 or more weeks of gestation (HP-MICH-01)	5.7	6.2	**	**	**	15.4	13.0	**	**	6.0	6.5	7.3	7.1	7.2	0.0	5.6	5.0
Reduce fetal and infant deaths during perinatal period	5.9	6.3	**	4.9	9.3	**	17.3	**	**	6.1	5.3	8.9	5.9	6.7	0.0	8.5	6.1
Reduce the rate of infant deaths (HP-MICH-02)	5.0	5.5	**	**	7.8	**	**	0.0	**	5.6	5.3	9.0	3.8	6.9	0.0	6.8	6.1
Reduce neonatal deaths	4.1	3.8	**	**	7.8	**	**	0.0	**	3.9	**	4.9	2.5	4.3	0.0	5.7	4.6
Reduce postneonatal deaths	2.0	1.7	0.0	**	0.0	0.0	**	0.0	0.0	1.7	3.6	**	1.2	2.6	0.0	**	**
Increase the proportion of pregnant women who receive prenatal care in the first trimester	77.9%	71.4%	60.5%	52.6%	72.6%	60.9%	65.4%	69.1%	55.1%	73.1%	74.7%	66.8%	68.1%	75.0%	50.0%	79.2%	59.9%
Reduce low birth weight (LBW)	7.8%	8.1%	9.8%	8.1%	7.9%	9.2%	5.7%	**	10.1%	8.2%	7.2%	7.5%	8.6%	7.2%	5.3%	7.8%	7.4%
Reduce very low birth weight (VLBW)	1.4%	1.3%	1.5%	1.2%	1.5%	1.6%	**	**	**	1.3%	1.0%	0.9%	1.3%	1.1%	**	1.2%	1.1%
Reduce preterm births (HP-MICH-07)	9.4%	9.9%	13.9%	10.1%	8.9%	10.5%	9.0%	6.2%	13.3%	10.0%	9.6%	7.5%	10.0.%	9.4%	6.9%	9.3%	8.8%
Increase abstinence from cigarette smoking among pregnant women (HP-MICH-10)	95.7%	97.1%	81.0%	95.6%	95.7%	92.6%	92.8%	88.7%	91.1%	98.3%	79.8%	94.5%	96.2%	97.3%	99.3%	94.4%	98.7%
6B-2. SEXUALLY TRANSMITTED DISEASES <sup>c</sup>																	
Reduce pregnancies among adolescent females aged 15 to 17 years <sup>a</sup>	36.2	7.8	11.2	8.2	5.2	14.7	9.1	**	**	7.4	5.1	14.7	7.1	8.6	10.2	7.1	10.9
Reduce gonorrhea rates among females aged 15-44 years <sup>b</sup>	N/A	335.8	662.1	140.6	193.5	536.5	248.0	**	**	365.0	117.6	874.3	316.1	279.1	163.0	77.7	143.6
Reduce the sustained transmission of primary and secondary syphilis among males <sup>b</sup>	N/A	23.8	119.5	4.7	21.9	29.7	40.3	0.0	**	25.8	15.6	35.5	25.8	8.8	**	3.2	13.5

Notes: N/A indicates no target identified by the Arizona Department of Health Services, Bureau of Infectious Disease and Services, Office of Sexually Transmitted Infections Control.

Fetal and perinatal death rates were revised in order to include only spontaneous fetal losses and exclude induced terminations of pregnancy. The fetal death rate is per 1,000 live births plus spontaneous fetal losses of 20 or more weeks of gestation. The perinatal death rate is per 1,000 live births plus spontaneous fetal losses of 28 or more weeks of gestation ( Perinatal period = 28 weeks of gestation to 7 days after birth). Infant, neonatal, and postneonatal deaths are per 1,000 live births. Source: **Arizona Department of Health Services, Vital Statistics Program.**

All other proportions and ratios are per 100 live births. Preterm births = births prior to 37 completed weeks of gestation; <sup>a</sup> The pregnancy rates are per 1,000 females 15-17 years old; <sup>b</sup> The incidence rates of gonorrhea and primary and secondary syphilis are per 100,000 population.

The rates based on fewer than 10 cases are not statistically reliable. See Tables 5A-1, 5B-16, 5C-1, 5C-3, 5E-16, 5E-21, 5E-23, 5F-1 for the numerators.

\*\* Cell suppressed due to rate/ratio/percent based on non-zero count less than 6.

**TABLE 6B (continued)**  
**MONITORING PROGRESS TOWARD ARIZONA AND SELECTED HEALTHY PEOPLE OBJECTIVES: 2023 COUNTY PROFILES**

Focus areas and selected objectives: (in parentheses are <i>Healthy People (HP)</i> 2030 objective numbers)	AZ TARGET / (U.S. for HP 2030)	RATES, RATIOS OR CASES IN 2023															
		Arizona	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
6B-3. VACCINE PREVENTABLE DISEASES																	
Reduce the rate of hepatitis A (HP-IID-10)	0.4	0.8	**	0.0	**	**	0.0	0.0	0.0	0.9	**	**	0.6	**	0.0	**	**
Reduce the rate of meningococcal disease	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	**	0.0	0.0	**	**	0.0	0.0	0.0
Reduce tuberculosis cases (HP-IID-17)	1.4	2.7	0.0	0.0	**	0.0	**	0.0	0.0	2.4	**	0.0	2.2	7.5	**	0.0	11.7
6B-4. INJURY AND VIOLENCE																	
Reduce firearm-related deaths (HP-IVP-13)	10.7	18.3	23.5	23.7	19.1	46.6	17.8	**	39.4	16.7	27.6	29.1	17.6	18.2	14.2	26.0	16.9
Reduce unintentional injury deaths (HP-IVP-03)	43.2	74.6	233.8	68.1	87.8	104.5	89.5	81.1	127.7	69.4	89.2	155.7	83.3	63.1	47.5	68.7	51.9
Reduce deaths caused by motor vehicle crashes (HP-IVP-06)	10.1	16.7	97.1	13.1	31.3	25.2	31.2	**	38.0	13.9	25.1	43.8	16.6	20.6	**	17.0	11.5
Reduce fall-related deaths among older adults (HP-IVP-08)	63.4	81.2	72.6	79.3	57.5	43.2	**	**	**	90.0	41.8	60.6	95.4	53.5	146.4	72.7	27.9
Reduce homicides (HP-IVP-09)	5.5	7.4	16.9	**	7.9	26.9	**	0.0	**	7.3	6.7	12.6	7.4	6.8	**	**	8.6
Reduce the suicide rate (HP-MHMD-01)	12.8	18.9	43.4	31.3	27.5	41.1	28.5	**	34.2	16.3	34.6	47.6	17.9	16.7	11.6	29.9	16.2
6B-5. CANCER																	
Reduce the overall cancer death rate (HP-C-01)	122.7	128.4	150.5	151.3	119.2	147.1	135.7	123.9	185.6	124.4	159.8	132.3	133.7	116.1	97.4	145.8	110.0
Reduce the lung cancer death rate (HP-C-02)	25.1	23.1	22.0	24.5	11.3	28.4	32.5	**	38.2	22.4	39.9	18.6	23.1	21.2	13.4	25.3	19.9
Reduce the female breast cancer death rate (HP-C-04)	15.3	17.5	19.4	16.8	13.5	16.7	32.0	0.0	**	17.1	16.0	26.8	18.3	13.6	17.1	25.2	15.3
Reduce the colorectal cancer death rate (HP-C-06)	8.9	12.8	19.4	17.7	9.5	7.7	**	0.0	20.1	13.3	14.5	15.2	11.2	9.3	9.7	15.8	10.1
Reduce the prostate cancer death rate (HP-C-08)	16.9	17.2	22.9	26.8	22.5	25.8	**	**	21.1	14.9	25.8	23.7	19.4	12.5	**	22.1	13.1

Notes: The rates of hepatitis A, meningococcal disease, and tuberculosis are per 100,000 persons. Source: **Arizona Department of Health Services, Bureau of Infectious Disease and Services, Office of Infectious Disease Surveillance Epidemiology and Office of Infectious Disease Control.** All mortality rates are adjusted to the 2000 standard population and expressed per 100,000 population. The age-adjusted rates for breast and cervical cancer are female specific; the age-adjusted rates for prostate cancer are male specific. **Please note:** for the fall-related deaths among older adults indicator, the methods have been adjusted and are not comparable to the 2021-2022 published reports. Annual rates have been adjusted to reflect 65+ ages only, while 2021-2022 Table 6B used all ages.

**TABLE 6B (continued)**  
**MONITORING PROGRESS TOWARD ARIZONA AND SELECTED HEALTHY PEOPLE OBJECTIVES: 2023 COUNTY PROFILES**

Focus areas and selected objectives: (in parentheses are <i>Healthy People (HP)</i> 2030 objective numbers)	AZ TARGET / (U.S. for HP 2030)	RATES, RATIOS OR CASES IN 2023															
		Arizona	Apache	Cochise	Coconino	Gila	Graham	Greenlee	La Paz	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
6B-6. DIABETES																	
Reduce the diabetes-related death rate	65.8	73.3	136.3	77.8	76.6	104.0	104.0	179.3	139.1	71.6	66.4	103.5	72.9	64.9	53.4	71.2	84.6
6B-7. HEART DISEASE AND STROKE																	
Reduce coronary heart disease deaths (HP-HDS-02)	71.1	101.3	109.5	104.6	61.8	136.2	101.6	132.0	141.4	104.6	151.3	116.6	81.8	102.1	81.3	91.3	87.5
Reduce stroke deaths (HP-HDS-03)	33.4	32.5	33.6	34.9	21.2	35.2	33.5	**	24.8	32.0	32.1	52.7	36.1	28.9	38.9	29.5	30.2
6B-8. RESPIRATORY DISEASES																	
Reduce deaths from chronic obstructive pulmonary disease (COPD) among adults aged 45 years and older (HP-RD-05)	107.2	108.7	118.6	167.7	72.3	197.5	71.9	**	305.2	92.5	237.2	143.2	107.7	105.5	75.7	168.5	90.1
6B-9. HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE																	
Reduce the number of new AIDS cases per 100,000 population	13.0	12.9	17.9	6.3	7.3	**	**	0.0	0.0	13.6	8.5	5.5	13.2	13.9	16.0	8.0	15.9
Reduce deaths from HIV disease	3.3	0.9	**	0.0	0.0	0.0	0.0	0.0	0.0	1.0	**	0.0	1.0	**	**	**	**
6B-10. SUBSTANCE ABUSE																	
Reduce cirrhosis deaths (HP-SU-02)	10.9	16.4	78.2	20.5	35.1	47.5	16.5	**	47.6	12.9	23.2	60.8	15.1	19.2	**	18.7	18.0
Reduce drug-induced deaths	11.3	36.8	77.9	39.5	28.2	66.2	23.2	**	49.2	34.8	37.2	62.9	44.9	26.3	**	37.0	25.9

Notes: All mortality rates are age-adjusted to the 2000 U.S. standard and expressed per 100,000 population. The incidence rates of reported new HIV/ AIDS cases are based on numerators provided by the **Bureau of Infectious Disease and Services, Office of HIV and HCV Care & Surveillance** (see Table 5F-3).

The rates for new HIV/AIDS cases were calculated using the population table 10a1.