

**LEADING CAUSES OF DEATH AMONG MIDDLE-AGED ADULTS 45-64 YEARS BY COUNTY OF RESIDENCE, ARIZONA, 2000**

	TOTAL STATE	Apache	Cochise	Coconino	Gila	Graham	Greenlee	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma	La Paz	Unknown
<b>Malignant neoplasms</b>	2105	13	61	41	34	12	5	1179	90	34	369	98	7	99	51	12	0
<b>Colon, rectum, and anus</b>	171	2	2	5	3	3	0	104	6	3	26	6	0	2	6	3	0
<b>Trachea, bronchus and lung</b>	588	2	19	8	11	3	0	339	29	6	91	32	1	32	11	4	0
<b>Breast</b>	245	2	7	6	4	1	2	133	11	5	46	12	0	10	6	0	0
<b>Diseases of heart</b>	1486	13	46	31	23	7	3	763	94	26	264	74	9	75	43	14	1
<b>Total accidents</b>	457	12	14	9	10	1	0	219	16	16	109	15	2	14	11	7	2
<b>Transport accidents</b>	239	9	6	3	6	1	0	132	10	9	33	10	2	8	6	2	2
<b>Motor vehicle accidents</b>	196	9	5	3	5	1	0	106	8	9	26	9	1	5	6	1	2
<b>Other land transport accidents</b>	28	0	1	0	1	0	0	16	1	0	4	1	0	3	0	1	0
<b>Nontransport accidents</b>	218	3	8	6	4	0	0	87	6	7	76	5	0	6	5	5	0
<b>Falls</b>	46	2	3	0	1	0	0	24	0	4	6	1	0	2	1	2	0
<b>Accidental poisoning</b>	84	0	1	3	1	0	0	22	5	0	50	0	0	1	1	0	0
<b>Chronic liver disease and cirrhosis</b>	311	12	6	3	7	0	0	155	10	10	61	17	1	15	11	3	0
<b>Chronic lower respiratory diseases</b>	259	3	8	1	4	2	1	155	7	6	39	16	1	7	7	2	0
<b>Cerebrovascular diseases</b>	237	5	5	4	3	1	2	129	13	7	43	8	0	10	6	1	0
<b>Diabetes</b>	225	5	9	3	1	2	0	104	14	3	50	12	3	7	8	4	0
<b>Intentional self-harm (suicide)</b>	194	3	7	5	3	0	0	94	18	8	41	5	0	9	1	0	0
<b>By discharge of firearms</b>	127	1	5	4	3	0	0	61	14	6	23	3	0	6	1	0	0
<b>By other means</b>	67	2	2	1	0	0	0	33	4	2	18	2	0	3	0	0	0
<b>Influenza and pneumonia</b>	108	3	4	3	0	1	0	63	3	3	16	7	1	3	0	1	0
<b>Assault (homicide)</b>	65	0	4	1	0	0	0	37	3	2	15	2	0	1	0	0	0
<b>By discharge of firearms</b>	38	0	2	0	0	0	0	19	3	1	11	1	0	1	0	0	0
<b>By other means</b>	24	0	1	1	0	0	0	16	0	1	4	1	0	0	0	0	0
<b>Total, all causes</b>	6785	88	209	120	108	35	14	3629	340	157	1246	301	28	283	169	54	4

NOTES: Causes of death in this table are based on the Tenth Revision of the International Classification of Disease (ICD-10). Leading causes are those with the greatest number of deaths statewide in 2000. Causes with less than 65 deaths are not listed separately, but they are included in the total for all causes. Maricopa, Pima, Pinal and Yuma counties comprise Arizona's urban areas. The remaining counties comprise Arizona's rural areas.