



# **ADVANCE VITAL STATISTICS BY COUNTY OF RESIDENCE**

## **Arizona, 2012**



**Public Health Services**  
**Bureau of Public Health Statistics**  
**Population Health and Vital Statistics Section**

**~ Leadership for a Healthy Arizona ~**



**Janice K. Brewer, Governor  
State of Arizona**

**Will Humble, Director  
Arizona Department of Health Services**

**POPULATION HEALTH AND VITAL STATISTICS SECTION  
BUREAU OF PUBLIC HEALTH STATISTICS  
ARIZONA DEPARTMENT OF HEALTH SERVICES**

150 North 18th Avenue, Suite 550  
Phoenix, Arizona 85007  
Phone: 602/542-7333; FAX: 602/542-2940  
[www.azdhs.gov/plan](http://www.azdhs.gov/plan)

**This publication can be made available in alternative format.  
Please contact the Bureau of Public Health Statistics  
at 602/542-7333 (voice) or call 1-800-367-8939 (TDD).**

**The Arizona Department of Health Services is  
an Equal Employment Opportunity Agency.**

**Permission to quote from or reproduce materials from this  
publication is granted when due acknowledgment is made.**

# **ADVANCE VITAL STATISTICS BY COUNTY OF RESIDENCE ARIZONA, 2012**

---

by

**Nicholas J. Bishop, Ph.D., Arizona Vital Statistician  
Clare Torres, Senior Health Data Analyst  
Sanhita Gupta, Vital Statistics Health Management Analyst**

**June 2013**



## PREFACE

This report provides readers with the statewide and county-level vital statistics information for 2012. It is provided in advance of the publication of "*Arizona Health Status and Vital Statistics, 2012*". The complete yearly report will be available fall 2013.

The source documents for the data presented in this report are 2012 vital records: certificates of live births, certificates of deaths, and fetal death certificates filed with the Arizona Department of Health Services on or before May 3rd, 2013. Information on abortions is compiled from reports sent by providers within the state. The counts of marriages and dissolutions of marriage are reported monthly by the Clerk of the Superior Court of each county where the marriage or dissolution of marriage occurred.

The 2012 Advance Vital Statistics report is the first report in this series to include cell suppression. To protect the anonymity of the individuals included in this report, cells in tables with five or fewer observations are denoted by an asterisk (\*), cells containing rates based on counts of five or fewer are denoted by a double-asterisk(\*\*), and cells containing sums based on addends of five or fewer are rounded to the nearest tens-unit and denoted by a dagger (†).

The first part of this report presents a summary of pregnancies by pregnancy outcome, births and deaths, spontaneous and induced terminations of pregnancy, and marriages and marriage dissolutions for the state and by county in 2012.

The second part focuses on selected demographic and prenatal care characteristics of the women giving birth (age group, marital status, trimester of entry into prenatal care, party paying for the delivery, number of prenatal visits) and the incidence of low-birthweight.

The third part addresses cause-specific and age-specific mortality by county, urban/rural region, and race/ethnic group in 2012.

The fourth part of the report provides population denominators for 2012 by age group, gender, and county of residence. The 2012 Arizona Department of Health Services population denominators were estimated using the 2012 population projections obtained from the Office of Employment and Population Statistics within the Arizona Department of Administration.

It is hoped that this advance vital statistics report will be a valuable resource for public health and other professionals until the full annual report is available. The online editions of "*Advance Vital Statistics by County of Residence in Arizona*" for 2001–2012 are available at:

<http://www.azdhs.gov/plan/report/avs/index.htm>

---

	Page
Section 1 .....	1
Section 2 .....	29
Section 3 .....	47
Section 4 .....	61



T1. NUMBER AND RATE OF <b>BIRTHS</b> AND <b>DEATHS</b> BY COUNTY OF RESIDENCE, ARIZONA, 2012	3
T2. <b>LOW-BIRTHWEIGHT BIRTHS AND INFANT MORTALITY</b> BY COUNTY OF RESIDENCE, ARIZONA, 2012	4
T3. BIRTHS TO <b>UNMARRIED MOTHERS, TEEN PREGNANCIES, TEEN BIRTHS,</b> <b>AND RATES</b> BY COUNTY OF RESIDENCE, ARIZONA, 2012	5
T4. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH BY <b>MOTHER'S RACE/ETHNICITY</b> , ARIZONA, 2012	6
T5. <b>BIRTHS</b> BY MOTHER'S AGE GROUP, RACE/ETHNICITY, AND COUNTY OF RESIDENCE, ARIZONA, 2012	7
T6. <b>PREGNANCIES BY PREGNANCY OUTCOME</b> , AGE GROUP, AND COUNTY OF RESIDENCE, ARIZONA, 2012	10
T7. <b>REPORTABLE SPONTANEOUS FETAL LOSSES</b> BY MOTHER'S AGE GROUP AND COUNTY OF RESIDENCE, ARIZONA, 2012	12
T8. <b>ABORTIONS</b> BY COUNTY OF RESIDENCE AND AGE GROUP, ARIZONA, 2012	13
T9. <b>MARRIAGES</b> BY COUNTY OF OCCURRENCE AND MONTH, ARIZONA, 2012	14
T10. <b>DISSOLUTIONS OF MARRIAGE</b> BY COUNTY OF OCCURRENCE AND MONTH, ARIZONA, 2012	15
T11. <b>DEATHS</b> BY COUNTY OF RESIDENCE AND GENDER FOR <b>SELECTED</b> <b>100+ CAUSES</b> , ARIZONA, 2012	16



**T1. NUMBER AND RATE OF BIRTHS AND DEATHS BY COUNTY OF RESIDENCE, ARIZONA, 2012**

	<b>Population<sup>2</sup></b>	<b>Number of births</b>	<b>Rate of births per 1,000 population</b>	<b>Number of deaths</b>	<b>Rate of deaths per 100,000 population</b>
<b>Apache</b>	72,310	930	<b>12.9</b>	471	<b>651.4</b>
<b>Cochise</b>	130,753	1,704	<b>13.0</b>	1,204	<b>920.8</b>
<b>Coconino</b>	134,313	1,689	<b>12.6</b>	707	<b>526.4</b>
<b>Gila</b>	53,627	609	<b>11.4</b>	655	<b>1221.4</b>
<b>Graham</b>	37,313	525	<b>14.1</b>	300	<b>804.0</b>
<b>Greenlee</b>	8,599	114	<b>13.3</b>	64	<b>744.3</b>
<b>La Paz</b>	20,902	204	<b>9.8</b>	225	<b>1076.5</b>
<b>Maricopa</b>	3,884,706	54,475	<b>14.0</b>	25,786	<b>663.8</b>
<b>Mohave</b>	203,072	1,736	<b>8.5</b>	2,482	<b>1222.2</b>
<b>Navajo</b>	107,922	1,633	<b>15.1</b>	897	<b>831.2</b>
<b>Pima</b>	990,380	11,876	<b>12.0</b>	8,713	<b>879.8</b>
<b>Pinal</b>	389,192	4,656		2,440	<b>626.9</b>
<b>Santa Cruz</b>	48,725	671	<b>13.8</b>	303	<b>621.9</b>
<b>Yavapai</b>	211,582	1,782	<b>8.4</b>	2,616	<b>1236.4</b>
<b>Yuma</b>	205,174	3,121	<b>15.2</b>	1,386	<b>675.5</b>
<b>Total State<sup>1</sup></b>	6,498,570	85,725	<b>13.2</b>	48,460	<b>745.7</b>

Notes: <sup>1</sup> may include birth and/or death records with unknown county of residence; <sup>2</sup> detailed information about the 2012 population estimates is available at:  
<http://www.azdhs.gov/plan//menu/info/pd.htm>

**T2. LOW-BIRTHWEIGHT BIRTHS AND INFANT MORTALITY BY COUNTY OF RESIDENCE, ARIZONA, 2012**

	Low-birthweight (LBW) births	LBW births per 100 births	Infant deaths	Infant mortality rate per 1,000 live births
<b>Apache</b>	60	<b>6.5</b>	*	**
<b>Cochise</b>	123	<b>7.2</b>	9	<b>5.3</b>
<b>Coconino</b>	140	<b>8.3</b>	9	<b>5.3</b>
<b>Gila</b>	35	<b>5.7</b>	*	**
<b>Graham</b>	40	<b>7.6</b>	*	**
<b>Greenlee</b>	6	<b>5.3</b>	*	**
<b>La Paz</b>	13	<b>6.4</b>	*	**
<b>Maricopa</b>	3,731	<b>6.8</b>	323	<b>5.9</b>
<b>Mohave</b>	104	<b>6.0</b>	*	**
<b>Navajo</b>	136	<b>8.3</b>	14	<b>8.6</b>
<b>Pima</b>	842	<b>7.1</b>	59	<b>5.0</b>
<b>Pinal</b>	333	<b>7.2</b>	26	<b>5.6</b>
<b>Santa Cruz</b>	51	<b>7.6</b>	6	<b>8.9</b>
<b>Yavapai</b>	142	<b>8.0</b>	10	<b>5.6</b>
<b>Yuma</b>	190	<b>6.1</b>	18	<b>5.8</b>
<b>Total State</b>	5,946	<b>6.9</b>	500†	<b>5.8</b>

Notes: \* cell suppressed due to count less than 6; \*\* cell suppressed due to rate based on count less than 6; † sum rounded to nearest tens unit due to addend less than 6; low-birthweight is any neonate whose weight at birth is less than 2,500 grams (less than 5 pounds 8 ounces); infant mortality is any death at any time from birth up to, but not including, the first year of age (364 days, 23 hours, 59 minutes, from the moment of birth).

**T3. BIRTHS TO UNMARRIED MOTHERS, TEEN PREGNANCIES, TEEN BIRTHS, AND RATES BY COUNTY OF RESIDENCE,  
ARIZONA, 2012**

	Unmarried mothers			Pregnancies <sup>1</sup> to females 19 or younger			Births to females 19 or younger		
	Number	Ratio <sup>2</sup>	Number	Rate <sup>3</sup>	Number	Rate <sup>3</sup>	Number	Rate <sup>3</sup>	Number
<b>Apache</b>	655	<b>70.4</b>	135	<b>21.6</b>			134	<b>21.4</b>	
<b>Cochise</b>	651	<b>38.2</b>	195	<b>24.0</b>			171	<b>21.1</b>	
<b>Coconino</b>	879	<b>52.0</b>	196	<b>18.0</b>			175	<b>16.1</b>	
<b>Gila</b>	377	<b>61.9</b>	92	<b>29.9</b>			85	<b>27.7</b>	
<b>Graham</b>	243	<b>46.3</b>	81	<b>29.2</b>			73	<b>26.3</b>	
<b>Greenlee</b>	42	<b>36.8</b>	12	<b>18.9</b>			9	<b>14.2</b>	
<b>La Paz</b>	136	<b>66.7</b>	25	<b>25.3</b>			24	<b>24.3</b>	
<b>Maricopa</b>	23,784	<b>43.7</b>	5,676	<b>20.7</b>			4,698	<b>17.1</b>	
<b>Mohave</b>	967	<b>55.7</b>	223	<b>19.2</b>			215	<b>18.5</b>	
<b>Navajo</b>	988	<b>60.5</b>	256	<b>29.8</b>			245	<b>28.5</b>	
<b>Pima</b>	5,383	<b>45.3</b>	1,402	<b>21.4</b>			1,103	<b>16.9</b>	
<b>Pinal</b>	2,069	<b>44.4</b>	533	<b>20.6</b>			455	<b>17.6</b>	
<b>Santa Cruz</b>	351	<b>52.3</b>	116	<b>29.0</b>			111	<b>27.7</b>	
<b>Yavapai</b>	787	<b>44.2</b>	212	<b>18.7</b>			178	<b>15.7</b>	
<b>Yuma</b>	1,458	<b>46.7</b>	459	<b>29.0</b>			441	<b>27.8</b>	
<b>Total State<sup>4</sup></b>	38,770	<b>45.2</b>	9,710	<b>21.6</b>			8,117	<b>18.0</b>	

Notes: <sup>1</sup> the sum of live births, fetal deaths, and abortions; <sup>2</sup> per 100 births; <sup>3</sup> per 1,000 females 19 or younger; <sup>4</sup> the totals for the State may include records with unknown county of residence.

**T4. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH BY MOTHER'S RACE/ETHNICITY,  
ARIZONA, 2012**

		Mother's race/ethnicity						
		TOTAL	White non-Hispanic	Hispanic or Latino	African American	Alaskan Native	Pacific Islander	Unspecified or unknown race
<b>TOTAL</b>		85,725	38,400†	33,760†	4,410†	5,400†	3,490†	280†
<b>Payee for births</b>	<b>AHCCCS</b>	45,511	13,380	24,601	3,003	3,351	1,003	173
	<b>IHS</b>	1,490†	63	78	*	1,336	*	*
<b>Private insurance</b>		35,599	23,262	7,962	1,299	653	2,352	71
<b>Self</b>		2,953	1,613	1,073	84	41	117	25
<b>Unknown</b>		180†	77	50	16	18	9	*
<b>Marital status</b>	<b>Married</b>	46,081	26,318	14,033	1,514	1,092	2,899	225
	<b>Unmarried</b>	38,770	11,713	19,346	2,847	4,244	571	49
	<b>Unknown</b>	870†	364	385	45	63	16	*
<b>Prenatal care</b>	<b>No care</b>	1,065	210	642	49	110	24	30
	<b>1st trimester</b>	70,817	34,024	26,429	3,515	3,656	3,033	160
	<b>2nd trimester</b>	10,889	3,402	5,174	677	1,228	359	49
	<b>3rd trimester</b>	2,758	677	1,450	153	383	66	29
	<b>Unknown</b>	200†	82	69	12	22	*	7
<b>Prenatal visits</b>	<b>No visits</b>	1,065	210	642	49	110	24	30
	<b>1-4 visits</b>	3,052	733	1,516	201	498	81	23
	<b>5-8 visits</b>	11,693	3,741	5,516	684	1,333	371	48
	<b>9-12 visits</b>	40,039	17,742	16,169	2,005	2,327	1,701	95
	<b>13+ visits</b>	29,642	15,873	9,838	1,453	1,105	1,305	68
	<b>Unknown</b>	230†	96	83	14	26	*	11
<b>Weight at birth</b>	<b>&lt;2,500 g</b>	5,946	2,473	2,291	532	364	254	32
	<b>2,500 g+</b>	79,773	35,922	31,471	3,874	5,033	3,232	241
	<b>Unknown</b>	10†	*	*	*	*	*	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T5. BIRTHS BY MOTHER'S AGE GROUP, RACE/ETHNICITY, AND COUNTY OF RESIDENCE, ARIZONA, 2012**

		Mother's age group										
		<b>TOTAL</b>	<b>&lt;15</b>	<b>15-17</b>	<b>18-19</b>	<b>20-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45+</b>	<b>Un-known</b>
<b>ARIZONA</b>	<b>Total</b>	85,725	70†	2,430†	5,620†	21,598	24,525	19,991	9,210	2,151	126	10†
	<b>White non-Hispanic</b>	38,400†	8	473	1,491	8,039	12,006	10,615	4,653	1,054	56	*
	<b>Hispanic or Latino</b>	33,760†	47	1,558	3,120	10,001	8,875	6,352	3,085	698	28	*
	<b>Black or African American</b>	4,410†	*	143	346	1,354	1,198	854	397	101	8	*
	<b>American Indian or Alaska Native</b>	5,400†	6	240	610	1,776	1,390	855	422	93	7	*
	<b>Asian or Pacific Islander</b>	3,490†	*	14	50	406	1,004	1,235	612	156	8	*
	<b>Unspecified other and unknown race</b>	280†	*	*	22	52	80	41	49	19	7	*
<b>Apache</b>	<b>Total</b>	930	0†	40†	100†	250†	260†	160†	100†	20†	0†	0†
	<b>White non-Hispanic</b>	140†	*	*	11	27	42	36	23	*	*	*
	<b>Hispanic or Latino</b>	40†	*	*	*	11	13	*	*	*	*	*
	<b>Black or African American</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	740†	*	32	80	212	205	120	75	16	*	*
	<b>Asian or Pacific Islander</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>Unspecified other and unknown race</b>	0†	*	*	*	*	*	*	*	*	*	*
<b>Cochise</b>	<b>Total</b>	1,704	0†	50†	120†	530†	500†	340†	130†	40†	0†	0†
	<b>White non-Hispanic</b>	830†	*	14	34	237	280	178	64	20	*	*
	<b>Hispanic or Latino</b>	730†	*	32	81	255	163	134	50	15	*	*
	<b>Black or African American</b>	70†	*	*	*	22	28	7	7	*	*	*
	<b>American Indian or Alaska Native</b>	10†	*	*	*	*	*	*	*	*	*	*
	<b>Asian or Pacific Islander</b>	50†	*	*	*	7	19	12	11	*	*	*
	<b>Unspecified other and unknown race</b>	20†	*	*	*	*	*	*	*	*	*	*
<b>Coconino</b>	<b>Total</b>	1,689	0†	50†	130†	430†	500†	350†	210†	30†	0†	0†
	<b>White non-Hispanic</b>	870†	*	9	42	198	247	225	131	20	*	*
	<b>Hispanic or Latino</b>	160†	*	9	12	40	47	28	22	*	*	*
	<b>Black or African American</b>	10†	*	*	*	*	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	610†	*	27	72	177	189	80	49	13	*	*
	<b>Asian or Pacific Islander</b>	30†	*	*	*	8	9	11	*	*	*	*
	<b>Unspecified other and unknown race</b>	10†	*	*	*	*	*	*	*	*	*	*
<b>Gila</b>	<b>Total</b>	609	0†	20†	60†	220†	170†	80†	40†	10†	0†	0†
	<b>White non-Hispanic</b>	260†	*	6	18	97	81	34	22	*	*	*
	<b>Hispanic or Latino</b>	150†	*	6	17	52	41	18	6	*	*	*
	<b>Black or African American</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	190†	*	11	25	73	41	29	11	*	*	*
	<b>Asian or Pacific Islander</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>Unspecified other and unknown race</b>	0†	*	*	*	*	*	*	*	*	*	*
<b>Graham</b>	<b>Total</b>	525	0†	30†	50†	180†	150†	80†	30†	10†	0†	0†
	<b>White non-Hispanic</b>	250†	*	*	13	73	95	44	16	*	*	*
	<b>Hispanic or Latino</b>	150†	*	13	21	61	32	21	*	*	*	*
	<b>Black or African American</b>	10†	*	*	*	*	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	110†	*	8	14	41	26	13	9	*	*	*
	<b>Asian or Pacific Islander</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>Unspecified other and unknown race</b>	0†	*	*	*	*	*	*	*	*	*	*

**T5. BIRTHS BY MOTHER'S AGE GROUP, RACE/ETHNICITY, AND COUNTY OF RESIDENCE, ARIZONA, 2012 (continued)**

		Mother's age group										
		TOTAL	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Un-known
<b>Greenlee</b>	<b>Total</b>	114	0†	0†	10†	40†	40†	20†	10†	0†	0†	0†
	<b>White non-Hispanic</b>	60†	*	*	*	23	24	10	*	*	*	*
	<b>Hispanic or Latino</b>	40†	*	*	*	15	6	9	*	*	*	*
	<b>Black or African American</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>Asian or Pacific Islander</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>Unspecified other and unknown race</b>	0†	*	*	*	*	*	*	*	*	*	*
<b>La Paz</b>	<b>Total</b>	204	0†	10†	20†	60†	40†	10†	0†	0†	0†	0†
	<b>White non-Hispanic</b>	80†	*	*	*	26	23	13	6	*	*	*
	<b>Hispanic or Latino</b>	60†	*	*	9	21	14	12	*	*	*	*
	<b>Black or African American</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	60†	*	*	*	17	22	13	*	*	*	*
	<b>Asian or Pacific Islander</b>	0†	*	*	*	*	*	*	*	*	*	*
	<b>Unspecified other and unknown race</b>	0†	*	*	*	*	*	*	*	*	*	*
<b>Maricopa</b>	<b>Total</b>	54,475	40†	1,450†	3,220†	12,753	15,653	13,406	6,385	1,486	90†	0†
	<b>White non-Hispanic</b>	24,750†	*	241	767	4,625	7,767	7,275	3,289	739	43	*
	<b>Hispanic or Latino</b>	21,690†	27	1,003	1,949	6,220	5,727	4,124	2,147	476	18	*
	<b>Black or African American</b>	3,500†	*	120	275	1,052	955	686	320	84	7	*
	<b>American Indian or Alaska Native</b>	1,620†	*	67	185	547	387	278	127	27	*	*
	<b>Asian or Pacific Islander</b>	2,740†	*	12	37	301	790	988	476	124	6	*
	<b>Unspecified other and unknown race</b>	1,70†	*	*	*	8	27	55	26	36	14	*
<b>Mohave</b>	<b>Total</b>	1,736	0†	60†	160†	580†	490†	320†	100†	40†	0†	0†
	<b>White non-Hispanic</b>	1,260†	*	37	117	409	362	234	69	25	*	*
	<b>Hispanic or Latino</b>	350†	*	14	37	120	101	54	15	7	*	*
	<b>Black or African American</b>	20†	*	*	*	6	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	70†	*	*	*	35	13	13	*	*	*	*
	<b>Asian or Pacific Islander</b>	30†	*	*	*	*	8	8	*	*	*	*
	<b>Unspecified other and unknown race</b>	10†	*	*	*	*	*	*	*	*	*	*
<b>Navajo</b>	<b>Total</b>	1,633	0†	70†	180†	540†	400†	290†	120†	40†	0†	0†
	<b>White non-Hispanic</b>	550†	*	19	46	170	159	107	28	17	*	*
	<b>Hispanic or Latino</b>	120†	*	8	17	43	29	15	8	*	*	*
	<b>Black or African American</b>	10†	*	*	*	*	*	*	*	*	*	*
	<b>American Indian or Alaska Native</b>	940†	*	40	112	317	211	162	78	21	*	*
	<b>Asian or Pacific Islander</b>	10†	*	*	*	*	*	*	*	*	*	*
	<b>Unspecified other and unknown race</b>	10†	*	*	*	*	*	*	*	*	*	*
<b>Pima</b>	<b>Total</b>	11,876	10†	310†	780†	3,140†	3,413	2,751	1,181	278	10†	0†
	<b>White non-Hispanic</b>	4,980†	*	63	193	1,062	1,568	1,383	567	140	*	*
	<b>Hispanic or Latino</b>	5,350†	7	208	480	1,658	1,409	1,032	448	99	6	*
	<b>Black or African American</b>	500†	*	17	36	175	134	91	38	7	*	*
	<b>American Indian or Alaska Native</b>	570†	*	23	68	187	169	81	36	8	*	*
	<b>Asian or Pacific Islander</b>	450†	*	7	51	127	156	86	17	*	*	*
	<b>Unspecified other and unknown race</b>	30†	*	*	*	6	8	6	7	*	*	*

**T5. BIRTHS BY MOTHER'S AGE GROUP, RACE/ETHNICITY, AND COUNTY OF RESIDENCE, ARIZONA, 2012 (continued)**

		Mother's age group										
		TOTAL	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Un-known
Pinal	Total	4,656	10†	120†	330†	1,190†	1,390†	1,110†	430†	90†	10†	0†
	White non-Hispanic	2,420†	*	37	126	544	781	650	240	39	*	*
	Hispanic or Latino	1,530†	*	63	144	427	416	321	128	30	*	*
	Black or African American	220†	*	*	20	65	51	46	22	8	*	*
	American Indian or Alaska Native	370†	*	18	37	130	103	52	24	6	*	*
	Asian or Pacific Islander	100†	*	*	17	31	32	16	*	*	*	*
	Unspecified other and unknown race	10†	*	*	*	*	*	*	*	*	*	*
Santa Cruz	Total	671	0†	50†	60†	190†	170†	130†	60†	20†	0†	0†
	White non-Hispanic	40†	*	*	*	*	12	16	6	*	*	*
	Hispanic or Latino	630†	*	44	64	181	158	116	50	11	*	*
	Black or African American	0†	*	*	*	*	*	*	*	*	*	*
	American Indian or Alaska Native	0†	*	*	*	*	*	*	*	*	*	*
	Asian or Pacific Islander	0†	*	*	*	*	*	*	*	*	*	*
	Unspecified other and unknown race	0†	*	*	*	*	*	*	*	*	*	*
Yavapai	Total	1,782	0†	50†	130†	530†	510†	350†	180†	40†	0†	0†
	White non-Hispanic	1,250†	*	24	85	354	364	257	131	28	*	*
	Hispanic or Latino	430†	*	25	33	137	117	73	35	9	*	*
	Black or African American	20†	*	*	*	6	*	6	*	*	*	*
	American Indian or Alaska Native	50†	*	*	6	24	10	6	*	*	*	*
	Asian or Pacific Islander	30†	*	*	*	6	8	9	*	*	*	*
	Unspecified other and unknown race	10†	*	*	*	*	*	*	*	*	*	*
Yuma	Total	3,121	10†	150†	290†	990†	830†	570†	230†	50†	0†	0†
	White non-Hispanic	660†	*	13	33	190	201	153	57	9	*	*
	Hispanic or Latino	2,340†	6	126	246	760	602	392	162	41	*	*
	Black or African American	50†	*	*	*	16	10	9	*	*	*	*
	American Indian or Alaska Native	50†	*	6	6	14	10	7	*	*	*	*
	Asian or Pacific Islander	40†	*	*	*	8	8	11	6	*	*	*
	Unspecified other and unknown race	0†	*	*	*	*	*	*	*	*	*	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**16. PREGNANCIES BY PREGNANCY OUTCOME, AGE GROUP, AND COUNTY OF RESIDENCE, ARIZONA, 2012**

		TOTAL	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Un-known
<b>ARIZONA<sup>1</sup></b>	Total pregnancies	99,323	120†	2,860	6,734	26,049	27,906	22,270	10,518	2,695	170†	10†
Births	85,725	67	2,430	5,620	21,598	24,525	19,991	9,210	2,151	126	7	
Abortions	13,130†	48	414	1,077	4,321	3,281	2,181	1,250	517	39	*	
Fetal deaths	470†	*	16	37	130	100	98	58	27	*	*	
<b>Apache</b>	Total pregnancies	949	0†	40†	100†	260†	270†	160†	110†	20†	0†	0†
Births	930†	*	37	96	252	260	160	104	18	*	*	*
Abortions	20†	*	*	*	*	*	*	*	*	*	*	*
Fetal deaths	0†	*	*	*	*	*	*	*	*	*	*	*
<b>Cochise</b>	Total pregnancies	1,853	0†	60†	140†	570†	530†	360†	150†	40†	0†	0†
Births	1,700†	*	48	121	528	496	335	133	38	*	*	*
Abortions	140†	*	8	14	36	32	27	16	6	*	*	*
Fetal deaths	10†	*	*	*	*	*	*	*	*	*	*	*
<b>Coconino</b>	Total pregnancies	1,865	0†	50†	140†	510†	530†	370†	220†	40†	0†	0†
Births	1,690†	*	45	128	426	496	348	208	34	*	*	*
Abortions	170†	*	7	13	81	31	22	8	*	*	*	*
Fetal deaths	10†	*	*	*	*	*	*	*	*	*	*	*
<b>Gila</b>	Total pregnancies	649	0†	30†	60†	230†	180†	90†	40†	10†	0†	0†
Births	610†	*	24	60	224	167	83	39	11	*	*	
Abortions	30†	*	*	*	6	14	*	*	*	*	*	*
Fetal deaths	10†	*	*	*	*	*	*	*	*	*	*	*
<b>Graham</b>	Total pregnancies	559	0†	30†	50†	190†	160†	90†	40†	10†	0†	0†
Births	530†	*	25	48	177	154	82	30	8	*	*	
Abortions	30†	*	*	6	9	7	*	*	*	*	*	
Fetal deaths	0†	*	*	*	*	*	*	*	*	*	*	
<b>Greenlee</b>	Total pregnancies	161	0†	0†	10†	60†	40†	30†	10†	10†	0†	0†
Births	110†	*	*	6	38	37	20	6	*	*	*	
Abortions	50†	*	*	*	21	7	7	8	*	*	*	
Fetal deaths	0†	*	*	*	*	*	*	*	*	*	*	
<b>La Paz</b>	Total pregnancies	213	0†	10†	20†	70†	60†	40†	10†	0†	0†	0†
Births	200†	*	6	18	65	60	38	14	*	*	*	
Abortions	10†	*	*	*	*	*	*	*	*	*	*	
Fetal deaths	0†	*	*	*	*	*	*	*	*	*	*	
<b>Maricopa</b>	Total pregnancies	63,569	70†	1,707	3,900	15,685	17,986	14,953	7,260	1,883	120†	10†
Births	54,480†	38	1,445	3,215	12,753	15,653	13,406	6,385	1,486	90	*	
Abortions	8,810†	30	254	665	2,857	2,268	1,484	841	380	30	*	
Fetal deaths	290†	*	8	20	75	65	63	34	17	*	*	
<b>Mohave</b>	Total pregnancies	1,789	0†	60†	170†	590†	510†	320†	100†	40†	0†	0†
Births	1,740†	*	55	159	576	491	317	98	35	*	*	
Abortions	40†	*	*	*	*	*	*	*	*	*	*	
Fetal deaths	10†	*	*	*	*	*	*	*	*	*	*	

**T6. PREGNANCIES BY PREGNANCY OUTCOME, AGE GROUP, AND COUNTY OF RESIDENCE, ARIZONA, 2012 (continued)**

		TOTAL	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	Un-known
<b>Navajo</b>	<b>Total pregnancies</b>	1,717	0†	70†	180†	570†	430†	300†	120†	50†	0†	0†
<b>Births</b>	1,630†	*	67	176	538	404	289	117	40	*	*	*
<b>Abortions</b>	70†	*	*	*	24	22	10	*	6	*	*	*
<b>Fetal deaths</b>	10†	*	*	*	*	*	*	*	*	*	*	*
<b>Pima</b>	<b>Total pregnancies</b>	14,135	10†	390†	1,006	3,942	3,933	3,097	1,399	340†	20†	0†
<b>Births</b>	11,880†	7	312	784	3,135	3,413	2,751	1,181	278	12	*	*
<b>Abortions</b>	2,200†	*	72	216	790	508	335	206	59	*	*	*
<b>Fetal deaths</b>	60†	*	*	6	17	12	11	12	*	*	*	*
<b>Pinaleño</b>	<b>Total pregnancies</b>	5,106	10†	140†	380†	1,312	1,480†	1,195	480†	110†	10†	0†
<b>Births</b>	4,660†	*	121	329	1,185	1,385	1,105	431	89	6	*	*
<b>Abortions</b>	420†	*	20	50	117	88	82	40	15	*	*	*
<b>Fetal deaths</b>	30†	*	*	*	10	*	8	*	*	*	*	*
<b>Santa Cruz</b>	<b>Total pregnancies</b>	706	0†	50†	70†	190†	180†	140†	60†	20†	0†	0†
<b>Births</b>	670†	*	45	64	186	170	132	57	15	*	*	*
<b>Abortions</b>	30†	*	*	*	*	12	7	*	*	*	*	*
<b>Fetal deaths</b>	0†	*	*	*	*	*	*	*	*	*	*	*
<b>Yavapai</b>	<b>Total pregnancies</b>	1,962	0†	60†	150†	590†	540†	380†	190†	40†	0†	0†
<b>Births</b>	1,780†	*	52	126	527	507	351	176	39	*	*	*
<b>Abortions</b>	180†	*	12	17	62	30	32	18	*	*	*	*
<b>Fetal deaths</b>	0†	*	*	*	*	*	*	*	*	*	*	*
<b>Yuma</b>	<b>Total pregnancies</b>	3,226	10†	150†	300†	1,025	855	596	230†	60†	0†	0†
<b>Births</b>	3,120†	6	145	290	988	832	574	231	53	*	*	*
<b>Abortions</b>	80†	*	*	9	28	17	14	*	*	*	*	*
<b>Fetal deaths</b>	30†	*	*	*	9	6	8	*	*	*	*	*
<b>Unknown</b>	<b>Total pregnancies</b>	864	0†	30†	70†	270†	230†	140†	90†	40†	0†	0†
<b>Births</b>	0†	*	*	*	*	*	*	*	*	*	*	*
<b>Abortions</b>	860†	*	25	71	269	225	143	91	37	*	*	*
<b>Fetal deaths</b>	0†	*	*	*	*	*	*	*	*	*	*	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6; <sup>1</sup> includes records with unknown county of residence.

**T7. REPORTABLE SPONTANEOUS FETAL LOSSES<sup>1</sup> BY MOTHER'S AGE GROUP AND COUNTY OF RESIDENCE,  
ARIZONA, 2012**

	Total	Mother's age group							Unknown
		<15	15-17	18-19	20-24	25-29	30-34	35-39	
<b>ARIZONA</b>	470†	0†	20†	40†	130†	100†	60†	30†	0†
<b>Apache</b>	0†	*	*	*	*	*	*	*	*
<b>Cochise</b>	10†	*	*	*	*	*	*	*	*
<b>Coconino</b>	10†	*	*	*	*	*	*	*	*
<b>Gila</b>	10†	*	*	*	*	*	*	*	*
<b>Graham</b>	0†	*	*	*	*	*	*	*	*
<b>Greenlee</b>	0†	*	*	*	*	*	*	*	*
<b>La Paz</b>	0†	*	*	*	*	*	*	*	*
<b>Maricopa</b>	290†	*	8	20	75	65	63	34	17
<b>Mohave</b>	10†	*	*	*	*	*	*	*	*
<b>Navajo</b>	10†	*	*	*	*	*	*	*	*
<b>Pima</b>	60†	*	*	6	17	12	11	12	*
<b>Pinal</b>	30†	*	*	*	10	*	8	*	*
<b>Santa Cruz</b>	0†	*	*	*	*	*	*	*	*
<b>Yavapai</b>	0†	*	*	*	*	*	*	*	*
<b>Yuma</b>	30†	*	*	*	9	6	8	*	*
<b>Unknown</b>	0†	*	*	*	*	*	*	*	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> includes records with unknown county of residence, spontaneous terminations of pregnancy at 20 or more weeks of gestation (or if gestational age is unknown, the deaths of fetuses of at least 350 grams in weight), excludes induced terminations of pregnancy.

**T8. ABORTIONS BY COUNTY OF RESIDENCE AND AGE GROUP, ARIZONA, 2012**

	Total	<19 years	20-29 years	>30 years
<b>ARIZONA</b>	13,707	1,540†	7,600†	3,990†
<b>Apache</b>	20†	*	9	6
<b>Cochise</b>	140	23	68	49
<b>Coconino</b>	166	20	112	34
<b>Gila</b>	34	6	20	8
<b>Graham</b>	33	8	16	9
<b>Greenlee</b>	40†	*	28	16
<b>La Paz</b>	0†	*	*	*
<b>Maricopa</b>	8,809	949	5,125	2,735
<b>Mohave</b>	40†	*	25	11
<b>Navajo</b>	72	8	46	18
<b>Pima</b>	2,195	292	1,298	605
<b>Pinal</b>	417	74	205	138
<b>Santa Cruz</b>	30†	*	15	12
<b>Yavapai</b>	176	32	92	52
<b>Yuma</b>	79	15	45	19
<b>Unknown</b>	864	97	494	273

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T9. MARRIAGES BY COUNTY OF OCCURRENCE<sup>1</sup> AND MONTH, ARIZONA, 2012**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<b>ARIZONA</b>	2,480†	2,690†	3,280†	3,580†	3,380†	3,370†	2,640†	2,580†	2,160†	4,026	3,570†	3,300†	37,064
<b>Apache</b>	9	17	20	9	18	24	22	14	15	18	14	23	203
<b>Cochise</b>	42	44	79	39	*	67	68	99	63	70	62	76	710†
<b>Coconino</b>	67	50	62	60	80	120	109	87	98	103	54	93	983
<b>Gila</b>	18	25	29	28	25	22	13	12	25	38	27	26	288
<b>Graham</b>	21	14	18	40	20	22	18	23	42	45	21	20	304
<b>Greenlee</b>	*	*	*	*	8	*	*	6	*	8	*	*	50†
<b>La Paz</b>	11	11	14	12	12	8	7	*	9	12	13	6	120†
<b>Maricopa</b>	1,576	1,656	2,137	2,471	2,109	2,214	1,615	1,463	1,320	2,482	2,457	2,052	23,552
<b>Mohave</b>	89	107	111	122	139	123	108	81	81	134	104	110	1,309
<b>Navajo</b>	44	40	24	36	23	70	23	61	40	38	55	38	492
<b>Pima</b>	390	405	457	403	600	402	371	463	217	663	430	490	5,291
<b>Pinal</b>	78	93	111	130	117	85	82	83	81	113	118	125	1,216
<b>Santa Cruz</b>	15	17	8	13	7	22	13	19	15	7	12	13	161
<b>Yavapai</b>	76	71	97	75	118	141	131	101	125	161	89	99	1,284
<b>Yuma</b>	38	132	112	139	106	48	55	66	33	134	113	125	1,101

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6; <sup>1</sup> marriages recorded unless otherwise indicated.

**T10. DISSOLUTIONS<sup>1</sup> OF MARRIAGE BY COUNTY OF OCCURRENCE AND MONTH, ARIZONA, 2012**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<b>ARIZONA</b>	2,470†	2,150†	2,350†	2,360†	2,430†	2,310†	2,340†	2,640†	2,190†	2,650†	2,150†	2,030†	28,072
<b>Apache</b>	7	*	*	*	*	*	*	*	7	6	7	9	*
<b>Cochise</b>	67	46	47	49	56	47	48	54	36	54	46	30	580
<b>Coconino</b>	31	20	37	43	39	24	41	39	25	53	36	31	419
<b>Gila</b>	14	17	22	21	16	11	15	18	11	13	7	7	172
<b>Graham</b>	15	20	13	10	9	13	21	12	14	19	18	21	185
<b>Greenlee</b>	*	*	*	6	*	*	*	*	*	*	7	*	40†
<b>La Paz</b>	*	*	7	*	*	*	*	*	*	*	*	*	30†
<b>Maricopa</b>	1,653	1,459	1,583	1,558	1,650	1,507	1,587	1,786	1,536	1,869	1,461	1,398	19,047
<b>Mohave</b>	53	62	49	75	52	62	39	57	41	48	47	31	616
<b>Navajo</b>	26	16	22	24	22	20	15	21	17	20	20	22	245
<b>Pima</b>	342	293	317	315	329	345	304	405	297	371	312	287	3,917
<b>Pinal</b>	92	85	87	82	96	96	100	42	41	40	52	35	848
<b>Santa Cruz</b>	*	13	11	*	*	12	11	10	*	6	*	8	80†
<b>Yavapai</b>	86	55	75	89	97	106	79	101	80	97	78	84	1,027
<b>Yuma</b>	76	60	79	83	49	59	74	82	71	42	57	69	801

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6; <sup>1</sup> divorces and annulments granted.

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012**

Cause of death (Tenth Revision, International Statistical Classification of Diseases)	Arizona											TOTAL DEATHS, BOTH GENDERS						Unknown
	Apache	Apache	Cochise	Cocoonino	Gila	Graham	Greenlee	La Paz	Marcopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma		
<b>Total, all causes</b>	48,460	471	1,204	707	655	300	64	225	25,786	2,482	897	8,713	2,440	303	2,616	1,386	211	
Salmonella infections	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Shigellosis and amebiasis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Certain other intestinal infections	260†	*	6	*	6	*	*	114	7	*	68	11	*	15	15	*	*	
Enterocolitis due to Clostridium difficile	200†	*	6	*	6	*	*	86	*	*	52	8	*	13	14	*	*	
Tuberculosis	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Respiratory tuberculosis	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Other tuberculosis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Whooping cough	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Scarlet fever and erysipelas	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Meningococcal infection	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Septicemia	320†	7	20	7	7	*	*	107	23	8	74	14	*	16	22	*	*	
Syphilis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Acute poliomyelitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Arthropod-borne encephalitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Measles	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Viral hepatitis	290†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Human immunodeficiency virus (HIV) disease	100†	*	*	*	*	*	*	*	*	67	*	*	*	*	*	*	*	
Malaria	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Other and unspecified infectious and parasitic diseases	160†	*	8	*	*	*	*	*	*	84	*	*	*	*	*	*	*	
Malignant neoplasms	10,815	77	276	127	143	54	16	51	5,873	588	154	1,945	559	74	590	267	21	
Malignant neoplasm of lip, oral cavity and pharynx	140†	*	*	*	*	*	*	*	*	69	15	*	26	*	8	*	*	
Malignant neoplasm of esophagus	320†	6	9	6	7	*	*	*	160	23	9	54	19	*	16	8	*	
Malignant neoplasm of stomach	200†	8	7	*	*	*	*	*	108	9	10	27	*	*	10	6	*	
Malignant neoplasm of colon, rectum and anus	940†	7	28	12	18	*	*	*	532	65	15	146	37	10	50	16	*	
Malignant neoplasm of liver and intrahepatic bile ducts	450†	*	12	*	*	*	*	*	234	20	*	92	29	*	24	13	*	
Malignant neoplasm of pancreas	810†	7	18	10	14	*	*	*	461	36	10	138	48	*	42	14	*	
Malignant neoplasm of larynx	40†	*	*	*	*	*	*	*	22	*	*	7	*	*	*	*	*	
Malignant neoplasm of trachea, bronchus and lung	2,760†	6	64	24	34	8	*	19	1,481	184	32	488	150	10	164	82	7	
Malignant melanoma of skin	220†	*	*	*	*	*	*	*	118	11	*	39	15	*	12	*	*	
Malignant neoplasm of breast	740†	*	22	11	8	*	*	*	432	30	9	125	37	*	37	13	*	
Malignant neoplasm of cervix uteri	70†	*	*	*	*	*	*	*	40	*	*	7	6	*	*	*	*	
Malignant neoplasm of corpus uteri and uterus, part unspecified	130†	*	*	*	*	*	*	*	74	*	*	29	8	*	*	*	*	
Malignant neoplasm of ovary	300†	*	6	*	*	*	*	*	174	14	*	58	6	*	15	8	*	
Malignant neoplasm of prostate	580†	*	21	9	6	*	*	*	289	22	10	109	34	*	37	21	*	
Malignant neoplasm of kidney and renal pelvis	250†	*	9	*	*	*	*	*	131	18	*	41	10	*	11	10	*	
Malignant neoplasm of bladder	310†	*	7	*	7	*	*	*	161	30	*	57	14	*	18	7	*	

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

Cause of death (Tenth Revision, International Statistical Classification of Diseases)	Arizona	Apache	Cochise	Cochise Coconino	Gila	Graham	Grennlee	La Paz	Mahave	Micopa	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown		
<b>TOTAL DEATHS, BOTH GENDERS</b>																		
Malignant neoplasm of meninges, brain and other parts of CNS	340†	*	6	*	6	*	*	*	*	217	8	*	47	16	*	18	*	
Malignant neoplasm of lymphoid, hematopoietic and related tissue	1,090†	6	27	14	8	7	*	*	605	41	14	214	58	8	58	23	*	
Hodgkin's disease	20†	*	*	*	*	*	*	*	12	*	*	*	*	*	*	*	*	
Non-Hodgkin's lymphoma	370†	*	10	*	*	*	*	*	211	14	*	74	13	*	22	7	*	
Leukemia	480†	*	10	7	*	*	*	*	266	20	7	102	28	*	24	10	*	
Multiple myeloma and immunoproliferative neoplasms	220†	*	7	*	*	*	*	*	115	7	*	38	15	*	11	*	*	
Other and unspecified malignant neoplasms of lymphoid tissue	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All other and unspecified malignant neoplasm	1,130†	12	26	14	15	7	*	9	565	56	17	241	61	11	61	26	*	
In situ neoplasms	280†	*	6	*	*	*	*	*	146	16	*	53	12	*	18	9	*	
Anemias	60†	*	*	*	*	*	*	*	23	*	*	11	*	*	*	*	*	
Diabetes	1,693	25	34	19	22	18	7	8	939	60	40	290	87	12	50	74	8	
Nutritional deficiencies	50†	*	*	*	*	*	*	*	17	*	*	13	*	*	7	*	*	
Malnutrition	50†	*	*	*	*	*	*	*	16	*	*	13	*	*	7	*	*	
Other nutritional deficiencies	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Obesity	190†	*	*	*	*	*	*	*	115	9	*	29	*	*	10	*	*	
Meningitis	10†	*	*	*	*	*	*	*	10	*	*	*	*	*	*	*	*	
Parkinson's disease	580†	*	9	9	*	*	*	*	310	16	10	120	29	*	39	21	*	
Alzheimer's disease	2,150†	*	27	11	27	8	*	*	1,518	49	16	288	70	13	97	9	*	
Major cardiovascular diseases	13,616	78	378	167	179	76	18	76	7,080	820	217	2,531	739	83	738	392	44	
Diseases of heart	10,298	58	300	127	128	58	16	64	5,236	713	155	1,906	573	58	568	306	32	
Acute rheumatic fever and chronic rheumatic heart disease	50†	*	*	*	*	*	*	*	31	*	*	14	*	*	*	*	*	
Hypertensive heart disease	750†	*	13	7	*	9	*	*	378	67	*	162	58	*	26	11	*	
Hypertensive heart and renal disease	50†	*	*	*	*	*	*	*	33	*	*	13	*	*	*	*	*	
Ischemic heart disease	7,259	40	195	86	73	35	11	51	3,940	497	108	1,153	389	39	389	228	25	
Acute myocardial infarction	1,570†	13	46	16	17	12	*	*	833	76	46	287	83	10	67	45	7	
Other acute ischemic heart disease	30†	*	*	*	*	*	*	*	8	*	*	8	*	*	*	*	*	
Other forms of chronic ischemic heart disease	5,661	27	147	70	56	22	7	46	3,099	416	61	858	305	29	319	181	18	
Atherosclerotic cardiovascular disease	1,790†	8	75	31	16	*	*	*	935	237	9	221	94	11	130	*	9	
All other forms of chronic ischemic heart disease	3,871	19	72	39	40	18	6	41	2,164	179	52	637	211	18	189	177	9	
Other heart diseases	2,190†	15	92	34	50	14	*	11	854	148	42	564	125	14	149	65	*	
Acute and subacute endocarditis	30†	*	*	*	*	*	*	*	9	*	*	9	*	*	*	*	*	
Diseases of pericardium and acute myocarditis	10†	*	*	*	*	*	*	*	9	*	*	9	*	*	*	*	*	
Heart failure	600†	*	33	6	27	6	*	*	164	44	11	206	40	*	42	15	*	
All other forms of heart disease	1,540†	9	58	28	23	8	*	*	9	672	102	30	348	81	12	106	48	*
Essential (primary) hypertension and hypertensive renal disease	730†	*	18	*	14	*	*	*	481	28	11	83	36	*	27	15	*	
Cerebrovascular diseases	2,090†	15	41	28	34	9	*	9	1,090	65	41	426	112	23	123	64	6	

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

Cause of death (Tenth Revision, International Statistical Classification of Diseases)		ARIZONA									TOTAL DEATHS, BOTH GENDERS									
		Apache	Cochise	Cochise County	Gila	Gila County	Graham	Graham County	La Paz	La Paz County	Mohave	Mohave County	Pima	Pima County	Santa Cruz	Santa Cruz County	Yavapai	Yavapai County	Unknown	
Atherosclerosis	180†	*	*	*	*	*	*	*	*	97	*	*	60	*	*	*	*	*	*	
Other diseases of circulatory system	320†	*	14	9	*	*	*	*	176	12	8	56	13	*	19	6	*	*	*	
Aortic aneurysm and dissection	140†	*	10	*	*	*	*	*	71	*	*	29	*	11	*	*	*	*	*	
Other disease of arteries, arterioles and capillaries	180†	*	*	*	*	*	*	*	105	8	*	27	8	*	8	*	*	*	*	
Other disorders of circulatory system	80†	*	*	*	*	*	*	*	39	*	*	25	*	*	*	*	*	*	*	
Influenza and pneumonia	630†	13	21	13	6	*	*	*	218	39	19	163	25	*	47	56	*	*	*	
Influenza	20†	*	*	*	*	*	*	*	7	*	*	*	*	*	*	*	*	*	*	
Pneumonia	610†	12	20	12	*	*	*	*	211	37	18	159	25	*	47	56	*	*	*	
Other acute lower respiratory infections	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Acute bronchiolitis	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Unspecified acute lower respiratory infection	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Chronic lower respiratory diseases	3,160†	13	77	42	47	15	*	21	1,647	212	43	531	172	18	197	109	14	*	*	
Bronchitis, chronic and unspecified	20†	*	*	*	*	*	*	*	*	7	*	*	*	*	*	*	*	*	*	
Emphysema	130†	*	*	*	*	*	*	*	58	6	*	38	*	*	*	*	*	*	*	
Asthma	70†	*	*	*	*	*	*	*	38	*	*	15	*	*	8	*	*	*	*	
Other chronic lower respiratory diseases	2,940†	11	74	37	43	14	*	20	1,544	203	38	474	165	16	185	104	9	*	*	
Pneumoconioses and chemical effects	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Pneumonitis due to solids and liquids	230†	*	*	*	*	*	*	*	118	6	6	64	7	*	16	*	*	*	*	
Other disease of respiratory system	490†	*	10	12	12	*	*	*	229	21	11	96	28	*	34	23	*	*	*	
Peptic ulcer	60†	*	*	*	*	*	*	*	26	6	*	15	*	*	*	*	*	*	*	
Diseases of appendix	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hernia	40†	*	*	*	*	*	*	*	25	*	*	*	*	*	*	*	*	*	*	
Chronic liver disease and cirrhosis	960†	24	30	21	17	8	*	7	459	53	37	156	50	9	42	35	13	*	*	
Alcoholic liver disease	670†	19	21	15	10	6	*	6	345	28	30	103	33	*	20	17	10	*	*	
Other chronic liver disease and cirrhosis	300†	*	9	6	7	*	*	*	114	25	7	53	17	*	22	18	*	*	*	
Cholelithiasis and other disorders of gallbladder	70†	*	*	*	*	*	*	*	44	*	*	11	*	*	*	*	*	*	*	
Nephritis, nephrotic syndrome and nephrosis	440†	*	22	*	18	*	*	*	131	47	17	100	30	*	28	23	*	*	*	
Acute and rapidly progressive nephritic and nephrotic syndrome	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Chronic glomerulonephritis	100†	*	*	*	*	*	*	*	51	7	*	20	8	*	*	*	*	*	*	
Renal failure	330†	*	19	*	16	*	*	*	77	40	14	79	22	*	26	18	*	*	*	
Others disorders of kidney	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Infections of kidney	20†	*	*	*	*	*	*	*	*	*	*	*	7	*	*	*	*	*	*	
Hyperplasia of prostate	20†	*	*	*	*	*	*	*	8	*	*	6	*	*	*	*	*	*	*	
Inflammatory diseases of female pelvic organs	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Pregnancy, childbirth and the puerperium	20†	*	*	*	*	*	*	*	6	*	*	*	*	*	*	*	*	*	*	
Pregnancy with abortive outcome	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

<b>Cause of death</b> (Tenth Revision, International Statistical Classification of Diseases)		ARIZONA										TOTAL DEATHS, BOTH GENDERS										
		Apache	Cochise	Cocoonino	Gila	Graham	Greenlee	La Paz	Marcopha	Maricopa	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown				
Other complications of pregnancy, childbirth and the puerperium	20†	*	*	*	*	*	*	*	*	*	6	*	*	*	*	*	*	*	*	*	*	
Perinatal conditions	240†	*	6	*	*	*	*	*	*	*	158	*	*	*	27	11	*	6	8	*	*	
Congenital anomalies, deformations and chromosomal abnormalities	230†	*	7	*	*	*	*	*	*	*	146	10	*	21	15	*	*	10	*	10	*	
Symptoms, signs, abnormal findings	1,600†	30	13	21	19	6	*	*	1,187	40	27	103	53	*	65	11	20					
Total accidents	2,780†	63	56	72	39	18	*	*	12	1,434	94	96	450	173	22	143	76	25				
Transport accidents	790†	37	16	36	13	*	*	*	10	369	23	34	119	54	10	30	24	9				
Motor vehicle accidents	740†	35	16	34	13	*	*	*	10	340	21	31	109	51	10	27	23	8				
Other land transport accidents	20†	*	*	*	*	*	*	*	*	9	*	*	*	*	*	*	*	*	*			
Water, air, space	40†	*	*	*	*	*	*	*	*	20	*	*	7	*	*	*	*	*	*			
Nontransport accidents	1,990†	26	40	36	26	15	*	*	1,065	71	62	331	119	12	113	52	16					
Falls	780†	*	13	17	10	*	*	*	461	17	14	120	43	7	57	8	*	*	*	*	*	*
Accidental discharge of firearms	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Accidental drowning and submersion	80†	*	*	*	*	*	*	*	*	51	*	*	7	*	*	*	*	*	*	*	*	*
Accidental exposure to smoke, fire and flames	40†	*	*	*	*	*	*	*	*	12	*	*	6	6	*	*	*	*	*	*	*	*
Accidental poisoning	820†	10	16	12	9	7	*	*	413	38	32	158	41	*	40	28	10					
Other and unspecified nontransport accidents	270†	10	8	6	*	*	*	*	127	7	12	38	23	*	10	11	*					
Intentional self-harm (suicide)	1,070†	18	28	23	15	*	*	*	553	62	33	176	50	*	68	18	9					
By discharge of firearms	640†	9	16	13	11	*	*	*	333	40	19	95	27	*	45	15	*					
By other means	430†	9	12	10	*	*	*	*	220	22	14	81	23	*	23	*						
Assault (homicide)	370†	8	6	14	*	*	*	*	204	11	13	53	24	*	10	6	7					
By discharge of firearms	240†	*	*	*	*	*	*	*	145	6	*	37	20	*	6	*						
By other means	130†	6	*	9	*	*	*	*	59	*	11	16	*	*	*	*	*					
Legal intervention	20†	*	*	*	*	*	*	*	6	*	*	*	*	*	*	*	*					
Events of undetermined intent	170†	*	6	7	*	*	*	*	97	*	*	19	7	*	13	*						
Discharge of firearms	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*					
Other and unspecified events of undetermined intent	160†	*	*	7	*	*	*	*	92	*	*	19	*	*	*	*	*					
Operations of war	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*					
Complications of medical and surgical care	50†	*	*	*	*	*	*	*	27	*	*	8	*	*	*	*	*					
INJURY BY FIREARMS	910†	11	21	18	13	*	*	*	489	47	23	137	50	*	52	21	8					
DRUG-INDUCED DEATHS	1,040†	*	24	11	10	7	*	*	574	48	18	191	42	*	65	29	11					
ALCOHOL-INDUCED DEATHS	990†	36	27	24	17	7	*	7	484	39	66	153	57	6	36	21	12					

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

Cause of death (Tenth Revision, International Statistical Classification of Diseases)		Arizona										Male Deaths										
		Apache	Cochise	Cocconino	Gila	Graham	Greenlee	La Paz	Mahave	Maricopa	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown					
<b>Total, all causes</b>		25,577	290	650	371	358	155	34	156	13,167	1,433	534	4,493	1,372	168	1,416	804	166				
Salmonella infections	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Shigellosis and amebiasis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Certain other intestinal infections	110†	*	6	*	*	*	*	*	47	*	*	29	*	*	6	6	*					
Enterocolitis due to Clostridium difficile	90†	*	6	*	*	*	*	*	33	*	*	25	*	*	*	*	6	6	*			
Tuberculosis	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Respiratory tuberculosis	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other tuberculosis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Whooping cough	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Scarlet fever and erysipelas	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Meningococcal infection	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	160†	*	11	*	*	*	*	*	54	8	*	40	6	*	12	14	*					
Syphilis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Acute poliomyelitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Arthropod-borne encephalitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Measles	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Viral hepatitis	200†	*	*	*	*	*	*	*	118	11	*	36	11	*	*	*	*	*	*	*	*	*
Human immunodeficiency virus (HIV) disease	90†	*	*	*	*	*	*	*	56	*	*	15	*	*	*	*	*	*	*	*	*	*
Malaria	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other and unspecified infectious and parasitic diseases	90†	*	7	*	*	*	*	*	44	*	*	17	8	*	*	*	*	*	*	*	*	*
Malignant neoplasms	5,901	44	154	72	87	25	6	38	3,059	365	82	1,086	327	54	333	153	16					
Malignant neoplasm of lip, oral cavity and pharynx	110†	*	*	*	*	*	*	*	50	13	*	16	*	*	6	*						
Malignant neoplasm of esophagus	260†	*	7	*	6	*	*	*	127	20	*	44	18	*	14	*						
Malignant neoplasm of stomach	120†	*	*	*	*	*	*	*	62	6	7	17	*	*	*	*						
Malignant neoplasm of colon, rectum and anus	520†	*	12	6	12	*	*	*	271	42	7	95	22	6	30	9	*					
Malignant neoplasm of liver and intrahepatic bile ducts	300†	*	9	*	*	*	*	*	149	16	*	63	25	*	14	10	*					
Malignant neoplasm of pancreas	450†	7	8	8	7	*	*	*	255	22	*	74	27	*	22	6	*					
Malignant neoplasm of larynx	40†	*	*	*	*	*	*	*	19	*	*	*	*	*	*	*	*	*	*	*	*	
Malignant neoplasm of trachea, bronchus and lung	1,500†	*	42	13	19	*	*	13	762	111	18	269	8	94	52	6						
Malignant melanoma of skin	150†	*	*	*	*	*	*	*	82	8	*	29	12	*	*	*	*	*	*	*	*	
Malignant neoplasm of breast	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Malignant neoplasm of prostate	580†	*	21	9	6	*	*	*	7	289	22	10	109	34	*	37	21	*				
Malignant neoplasm of kidney and renal pelvis	170†	*	7	*	*	*	*	*	85	13	*	26	9	*	9	8	*					
Malignant neoplasm of bladder	240†	*	6	*	6	*	*	*	128	23	*	42	10	*	15	*	*	*				

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

<b>Cause of death</b> (Tenth Revision, International Statistical Classification of Diseases)		ARIZONA							MALE DEATHS									
		Apache	Cochise	Cocconino	Gila	Graham	Greenlee	La Paz	Mahave	Maricopa	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown	
Malignant neoplasm of meninges, brain and other parts of CNS	200†	*	*	*	*	*	*	*	121	6	*	31	7	*	12	*	*	
Malignant neoplasm of lymphoid, hematopoietic and related tissue	640†	*	15	8	*	*	*	*	350	27	8	124	36	7	35	12	*	
Hodgkin's disease	10†	*	*	*	*	*	*	*	*	125	11	*	36	7	*	11	*	*
Non-Hodgkin's lymphoma	210†	*	6	*	*	*	*	*	150	13	*	68	18	*	16	*	*	
Leukemia	290†	*	7	*	*	*	*	*	70	*	*	20	9	*	8	*	*	
Multiple myeloma and immunoproliferative neoplasms	130†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Other and unspecified malignant neoplasms of lymphoid tissue	0†	*	*	*	*	*	*	*	6	307	34	11	142	33	9	33	15	*
All other and unspecified malignant neoplasm	640†	9	16	8	9	*	*	*	*	91	*	*	21	6	*	10	*	*
In situ neoplasms	150†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Anemias	30†	*	*	*	*	*	*	*	*	9	*	*	6	*	*	*	*	*
Diabetes	960†	15	23	11	12	9	*	6	519	38	26	151	53	6	37	47	8	
Nutritional deficiencies	20†	*	*	*	*	*	*	*	6	*	*	*	*	*	*	*	*	*
Mainnutrition	20†	*	*	*	*	*	*	*	6	*	*	*	*	*	*	*	*	*
Other nutritional deficiencies	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Obesity	90†	*	*	*	*	*	*	*	49	*	*	15	*	*	6	*	*	*
Meningitis	10†	*	*	*	*	*	*	*	196	11	8	76	15	*	24	16	*	*
Parkinson's disease	370†	*	*	*	*	*	*	*	523	15	6	96	31	*	37	*	*	*
Alzheimer's disease	740†	*	8	*	9	*	*	*	57	3,668	484	129	1,265	414	38	394	212	32
Major cardiovascular diseases	7,180	46	206	90	93	39	13	57	2,859	429	95	992	332	28	316	170	25	
Diseases of heart	5,688	36	175	73	65	32	12	49	1,819	256	38	478	192	15	202	107	15	
Acute rheumatic fever and chronic rheumatic heart disease	20†	*	*	*	*	*	*	*	13	*	*	*	*	*	*	*	*	*
Hypertensive heart disease	370†	*	9	6	*	*	*	*	169	45	*	83	30	*	7	*	*	*
Ischemic heart disease	30†	*	*	*	*	*	*	*	19	*	*	7	*	*	*	*	*	*
Acute myocardial infarction	880†	8	29	11	*	10	*	*	448	42	34	161	48	*	40	26	*	*
Other acute ischemic heart disease	20†	*	*	*	*	*	*	*	564	151	8	137	62	7	85	*	9	*
Other forms of chronic ischemic heart disease	3,365	20	90	46	35	11	7	34	2,270	301	73	641	241	20	245	134	20	
Atherosclerotic cardiovascular disease	4,258	28	120	57	40	22	8	38	1,255	105	30	341	130	8	117	104	6	
All other forms of chronic heart disease	2,242	16	35	23	26	10	6	30	1,388	82	20	256	60	7	63	33	*	
Other heart diseases	1,020†	6	46	10	23	7	*	9	309	57	14	163	37	6	43	24	*	*
Acute and subacute endocarditis	20†	*	*	*	*	*	*	*	6	*	*	8	*	*	*	*	*	*
Diseases of pericardium and acute myocarditis	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Heart failure	270†	*	16	*	14	*	*	*	68	24	6	85	20	*	20	8	*	*
All other forms of heart disease	720†	*	29	10	9	*	*	*	8	307	14	163	37	6	43	24	*	*
Essential (primary) hypertension and hypertensive renal disease	330†	*	6	*	7	*	*	*	207	9	6	41	22	*	13	7	*	*
Cerebrovascular diseases	910†	8	15	9	19	*	*	*	6	457	37	23	182	48	10	57	31	*

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

<b>Cause of death</b> (Tenth Revision, International Statistical Classification of Diseases)		<b>ARIZONA</b>		<b>MALE DEATHS</b>															
		Apache	Cochise	Gila	Cochise	Gila	Cochise	Gila	Graham	Greenlee	La Paz	Mohave	Navajo	Pima	Pinaleo	Santa Cruz	Yavapai	Yuma	Unknown
Atherosclerosis	80†	*	*	*	*	*	*	*	*	*	48	*	*	25	*	*	*	*	*
Other diseases of circulatory system	170†	*	10	*	*	*	*	*	*	97	7	*	25	9	*	8	*	*	*
Aortic aneurysm and dissection	90†	*	8	*	*	*	*	*	*	46	*	*	13	*	*	*	*	*	*
Other disease of arteries, arterioles and capillaries	90†	*	*	*	*	*	*	*	*	51	*	*	12	*	*	*	*	*	*
Other disorders of circulatory system	30†	*	*	*	*	*	*	*	*	16	*	*	8	*	*	*	*	*	*
Influenza and pneumonia	310†	7	11	*	*	*	*	*	*	90	28	9	81	16	*	23	35	*	*
Influenza	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia	300†	6	11	*	*	*	*	*	*	85	27	8	78	16	*	23	35	*	*
Other acute lower respiratory infections	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Acute bronchiolitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Unspecified acute lower respiratory infection	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Chronic lower respiratory diseases	1,580†	9	38	19	27	7	*	16	791	116	23	257	103	8	94	61	10	*	
Bronchitis, chronic and unspecified	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Emphysema	80†	*	*	*	*	*	*	*	*	35	6	*	18	*	*	*	*	*	*
Asthma	20†	*	*	*	*	*	*	*	*	13	*	*	*	*	*	*	*	*	*
Other chronic lower respiratory diseases	1,470†	7	37	17	25	7	*	16	740	109	19	234	99	6	88	58	7	*	
Pneumoconioses and chemical effects	10†	*	*	*	*	*	*	*	*	64	*	*	34	*	*	13	*	*	*
Pneumonitis due to solids and liquids	130†	*	*	*	*	*	*	*	*	128	6	6	53	12	*	20	16	*	*
Other disease of respiratory system	270†	*	6	*	9	*	*	*	*	14	*	*	*	*	*	*	*	*	*
Peptic ulcer	30†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Diseases of appendix	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hernia	10†	*	*	*	*	*	*	*	*	10	*	*	*	*	*	*	*	*	*
Chronic liver disease and cirrhosis	640†	12	18	16	11	6	*	*	*	308	31	20	101	35	7	34	25	9	
Alcoholic liver disease	470†	8	14	15	*	*	*	*	*	249	17	18	72	25	*	14	12	6	
Other chronic liver disease and cirrhosis	170†	*	*	*	6	*	*	*	*	59	14	*	29	10	20	13	*	*	
Cholelithiasis and other disorders of gallbladder	40†	*	*	*	*	*	*	*	*	22	*	*	6	*	*	*	*	*	*
Nephritis, nephrotic syndrome and nephrosis	220†	*	8	*	12	*	*	*	*	56	23	11	49	14	*	18	16	*	*
Acute and rapidly progressive nephritic and nephrotic syndrome	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Chronic glomerulonephritis	50†	*	*	*	*	*	*	*	*	17	*	*	9	*	*	*	*	*	*
Renal failure	170†	*	8	*	11	*	*	*	*	39	19	9	39	9	*	16	11	*	*
Others disorders of kidney	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Infections of kidney	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hyperplasia of prostate	20†	*	*	*	*	*	*	*	*	8	*	*	6	*	*	*	*	*	*

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

Cause of death (Tenth Revision, International Statistical Classification of Diseases)		Arizona										Male Deaths							
		Apache	Cochise	Cochise Coconino	Gila	Graham	Greenlee	La Paz	Mahave	Maricopa	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown		
<b>Perinatal conditions</b>																			
Congenital anomalies, deformations and chromosomal abnormalities	130†	*	*	*	*	*	*	*	*	88	*	*	16	*	*	6	*		
Symptoms, signs, abnormal findings	110†	*	*	*	*	*	*	*	*	65	6	*	11	6	*	7	*		
Total accidents	720†	21	6	14	6	*	*	*	*	493	17	15	59	31	*	29	11	14	
Transport accidents	1,690†	46	31	48	19	9	*	7	860	53	70	280	102	14	76	48	22		
Motor vehicle accidents	580†	28	12	27	*	*	*	6	266	16	23	93	40	*	22	21	8		
Other land transport accidents	540†	26	12	25	*	*	*	6	246	15	22	86	37	*	20	20	7		
Water, air, space	20†	*	*	*	*	*	*	*	*	7	*	*	*	*	*	*	*		
Nontransport accidents	1,110†	18	19	21	14	7	*	*	594	37	47	187	62	10	54	27	14		
Falls	360†	*	9	9	6	*	*	*	211	6	11	62	17	*	18	*	*		
Accidental discharge of firearms	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
Accidental drowning and submersion	60†	*	*	*	*	*	*	*	*	38	*	*	*	*	*	*	*		
Accidental exposure to smoke, fire and flames	30†	*	*	*	*	*	*	*	*	9	*	*	*	*	*	*	*		
Accidental poisoning	510†	9	6	7	*	*	*	*	258	18	23	101	22	*	27	16	9		
Other and unspecified nontransport accidents	150†	6	*	*	*	*	*	*	77	7	9	16	14	*	*	*	*		
Intentional self-harm (suicide)	840†	17	21	15	11	*	*	*	432	53	29	133	35	*	54	14	9		
By discharge of firearms	550†	9	14	10	10	*	*	*	286	36	18	83	21	*	40	12	*		
By other means	280†	8	7	*	*	*	*	*	146	17	11	50	14	*	14	*	*		
Assault (homicide)	270†	8	*	8	*	*	*	*	153	*	7	39	17	*	*	*	6		
By discharge of firearms	190†	*	*	*	*	*	*	*	117	*	*	29	15	*	*	*	*		
By other means	80†	6	*	6	*	*	*	*	36	*	6	10	*	*	*	*	*		
Legal intervention	20†	*	*	*	*	*	*	*	6	*	*	*	*	*	*	*	*		
Events of undetermined intent	100†	*	*	6	*	*	*	*	54	*	*	8	*	*	6	*	*		
Discharge of firearms	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
Other and unspecified events of undetermined intent	90†	*	*	6	*	*	*	*	51	*	*	8	*	*	6	*	*		
Operations of war	0†	*	*	*	*	*	*	*	*	10	*	*	*	*	*	*	*		
Complications of medical and surgical care	20†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
INJURY BY FIREARMS	760†	11	19	12	11	*	*	*	412	40	21	117	38	*	44	17	7		
DRUG-INDUCED DEATHS	610†	*	11	7	*	*	*	*	347	26	12	112	19	*	43	17	10		
ALCOHOL-INDUCED DEATHS	720†	25	18	22	11	6	*	*	353	26	46	112	42	*	29	16	8		

**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

Cause of death (Tenth Revision, International Statistical Classification of Diseases)	Arizona	Apache	Cochise	Cochise Coconino	Gila	Graham	Greenlee	La Paz	Mohave	Maricopa	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown
<b>Total, all causes</b>																
Salmonella infections	22,875	180	544	336	297	145	30	69	12,618	1,049	362	4,220	1,068	135	1,200	582
Shigellosis and amebiasis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Certain other intestinal infections	140†	*	*	*	*	*	*	*	*	67	*	*	*	*	*	*
Enterocolitis due to Clostridium difficile	110†	*	*	*	*	*	*	*	53	*	*	27	*	9	9	*
Tuberculosis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Respiratory tuberculosis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other tuberculosis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Whooping cough	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Scarlet fever and erysipelas	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Meningococcal infection	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Septicemia	150†	*	9	6	*	*	*	*	53	15	*	34	8	*	8	*
Syphilis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Acute poliomyelitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Arthropod-borne encephalitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Measles	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Viral hepatitis	90†	*	*	*	*	*	*	*	47	*	*	13	6	*	9	*
Human immunodeficiency virus (HIV) disease	10†	*	*	*	*	*	*	*	11	*	*	*	*	*	*	*
Malaria	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Other and unspecified infectious and parasitic diseases	70†	*	*	*	*	*	*	*	40	*	*	19	*	*	*	*
Malignant neoplasms	4,910†	33	122	55	56	29	10	13	2,814	223	72	859	232	20	257	114
Malignant neoplasm of lip, oral cavity and pharynx	40†	*	*	*	*	*	*	*	19	*	*	10	*	*	*	*
Malignant neoplasm of esophagus	70†	*	*	*	*	*	*	*	33	*	*	10	*	*	*	*
Malignant neoplasm of stomach	80†	*	*	*	*	*	*	*	46	*	*	10	*	*	6	*
Malignant neoplasm of colon, rectum and anus	420†	*	16	6	*	*	*	*	261	23	8	51	15	*	20	7
Malignant neoplasm of liver and intrahepatic bile ducts	140†	*	*	*	*	*	*	*	85	*	*	29	*	*	10	*
Malignant neoplasm of pancreas	360†	*	10	*	7	*	*	*	206	14	*	64	21	*	20	8
Malignant neoplasm of larynx	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Malignant neoplasm of trachea, bronchus and lung	1,260†	*	22	11	15	*	*	*	6	719	73	14	219	64	*	70
Malignant melanoma of skin	70†	*	*	*	*	*	*	*	36	*	*	10	*	7	*	*
Malignant neoplasm of breast	740†	*	22	11	8	*	*	*	430	30	9	125	37	*	37	13
Malignant neoplasm of cervix uteri	70†	*	*	*	*	*	*	*	40	*	*	7	6	*	*	*
Malignant neoplasm of corpus uteri and uterus, part unspecified	130†	*	*	*	*	*	*	*	74	*	*	29	8	*	*	*
300†	*	6	*	*	*	*	*	*	174	14	*	58	6	*	15	8
80†	*	*	*	*	*	*	*	*	46	*	*	15	*	*	*	*
70†	*	*	*	*	*	*	*	*	33	7	*	15	*	*	*	*



**T11. DEATHS BY COUNTY OF RESIDENCE AND GENDER FOR SELECTED 100+ CAUSES, ARIZONA, 2012 (continued)**

<b>Cause of death</b> (Tenth Revision, International Statistical Classification of Diseases)		ARIZONA								FEMALE DEATHS							
		Apache	Cochise	Cocconino	Gila	Graham	Greenlee	La Paz	Mohave	Maricopa	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown	
Atherosclerosis	100†	*	*	*	*	*	*	*	*	49	*	*	35	*	*	*	*
Other diseases of circulatory system	150†	*	*	*	*	*	*	*	79	*	*	31	*	*	11	*	*
Aortic aneurysm and dissection	60†	*	*	*	*	*	*	*	25	*	*	16	*	*	7	*	*
Other disease of arteries, arterioles and capillaries	90†	*	*	*	*	*	*	*	54	*	*	15	*	*	11	*	*
Other disorders of circulatory system	50†	*	*	*	*	*	*	*	23	*	*	17	*	*	7	*	*
Influenza and pneumonia	320†	6	10	10	*	*	*	*	128	11	10	82	9	*	24	21	*
Influenza	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonia	310†	6	9	10	*	*	*	*	126	10	10	81	9	*	24	21	*
Other acute lower respiratory infections	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Acute bronchiolitis	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Unspecified acute lower respiratory infection	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Chronic lower respiratory diseases	1,580†	*	39	23	20	8	*	*	856	96	20	274	69	10	103	48	*
Bronchitis, chronic and unspecified	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Emphysema	60†	*	*	*	*	*	*	*	23	*	*	20	*	*	*	*	*
Asthma	50†	*	*	*	*	*	*	*	25	*	*	12	*	*	*	*	*
Other chronic lower respiratory diseases	1,470†	*	37	20	18	7	*	*	804	94	19	240	66	10	97	46	*
Pneumoconioses and chemical effects	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Pneumonitis due to solids and liquids	100†	*	*	*	*	*	*	*	54	*	*	30	*	*	*	*	*
Other disease of respiratory system	230†	*	*	8	*	*	*	*	101	15	*	43	16	*	14	7	*
Peptic ulcer	30†	*	*	*	*	*	*	*	12	*	*	11	*	*	*	*	*
Diseases of appendix	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hernia	30†	*	*	*	*	*	*	*	15	*	*	*	*	*	*	*	*
Chronic liver disease and cirrhosis	330†	12	12	*	6	*	*	*	151	22	17	55	15	*	8	10	*
Alcoholic liver disease	200†	11	7	*	*	*	*	*	96	11	12	31	8	*	6	*	*
Other chronic liver disease and cirrhosis	120†	*	*	*	*	*	*	*	55	11	*	24	7	*	*	*	*
Choledochitis and other disorders of gallbladder	40†	*	*	*	*	*	*	*	22	*	*	*	*	*	*	*	*
Nephritis, nephrotic syndrome and nephrosis	220†	*	14	*	6	*	*	*	75	24	6	51	16	*	10	7	*
Acute and rapidly progressive nephritic and nephrotic syndrome	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Chronic glomerulonephritis	60†	*	*	*	*	*	*	*	34	*	*	11	*	*	*	*	*
Renal failure	160†	*	11	*	*	*	*	*	38	21	*	40	13	*	10	7	*
Others disorders of kidney	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Infections of kidney	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Inflammatory diseases of female pelvic organs	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Pregnancy, childbirth and the puerperium	20†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Pregnancy with abortive outcome	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*





**PAYEE FOR BIRTHS, MOTHER'S MARITAL STATUS, TRIMESTER OF ENTRY INTO  
PRENATAL CARE, NUMBER OF PRENATAL VISITS, AND LOW-BIRTHWEIGHT (LBW)  
BIRTHS BY MOTHER'S AGE GROUP AND COUNTY OF RESIDENCE IN 2012**

T12. APACHE COUNTY	31
T13. COCHISE COUNTY	32
T14. COCONINO COUNTY	33
T15. GILA COUNTY	34
T16. GRAHAM COUNTY	35
T17. GREENLEE COUNTY	36
T18. LA PAZ COUNTY	37
T19. MARICOPA COUNTY	38
T20. MOHAVE COUNTY	39
T21. NAVAJO COUNTY	40
T22. PIMA COUNTY	41
T23. PINAL COUNTY	42
T24. SANTA CRUZ COUNTY	43
T25. YAVAPAI COUNTY	44
T26. YUMA COUNTY	45
<b>T27. ARIZONA, TOTAL</b>	<b>46</b>



**T12. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, APACHE COUNTY, ARIZONA, 2012**

		Mother's age group									
		Total	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>TOTAL</b>		930	0†	40†	100†	250†	260†	160†	100†	20†	0†
<b>Payee for births</b>	<b>AHCCCS</b>	510†	*	24	61	149	132	79	53	12	*
	<b>IHS</b>	320†	*	11	27	90	96	51	36	*	*
	<b>Private insurance</b>	90†	*	*	11	28	28	14	*	*	*
	<b>Self</b>	10†	*	*	*	*	*	*	*	*	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*	*
<b>Marital status</b>	<b>Married</b>	260†	*	*	6	46	83	72	45	6	*
	<b>Unmarried</b>	660†	*	37	90	205	173	83	54	10	*
	<b>Unknown</b>	20†	*	*	*	*	*	*	*	*	*
<b>Prenatal care</b>	<b>No care</b>	10†	*	*	*	6	*	*	*	*	*
	<b>1st trimester</b>	650†	*	13	58	166	192	123	79	12	*
	<b>2nd trimester</b>	210†	*	16	27	67	51	30	16	*	*
	<b>3rd trimester</b>	60†	*	7	9	13	*	*	6	*	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*	*
<b>Prenatal visits</b>	<b>No visits</b>	10†	*	*	*	6	*	*	*	*	*
	<b>1-4 visits</b>	60†	*	*	7	13	15	8	6	*	*
	<b>5-8 visits</b>	220†	*	12	24	75	56	26	24	6	*
	<b>9-12 visits</b>	430†	*	16	47	108	139	71	45	*	*
	<b>13+ visits</b>	200†	*	*	16	50	46	53	26	6	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	60†	*	*	6	13	21	*	9	*	*
	<b>2,500+ grams</b>	870†	*	34	90	239	239	154	95	15	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T13. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, COCHISE COUNTY, ARIZONA, 2012**

		Mother's age group									
		Total	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>TOTAL</b>		1,704	0†	50†	120†	530†	500†	151	104	340†	130†
<b>Payee for birth</b>	<b>AHCCCS</b>	750†	*	36	98	307				37	11
<b>IHS</b>		0†	*	*	*	*	*	*	*	*	*
<b>Private insurance</b>		890†	*	8	22	202	330	216	87	25	*
<b>Self</b>		60†	*	*	*	17	13	14	7	*	*
<b>Unknown</b>		10†	*	*	*	*	*	*	*	*	*
<b>Marital status</b>	<b>Married</b>	1,030†	*	*	22	256	355	254	103	31	*
	<b>Unmarried</b>	650†	*	44	99	266	130	77	28	*	*
	<b>Unknown</b>	30†	*	*	*	6	11	*	*	*	*
<b>Prenatal care</b>	<b>No care</b>	50†	*	9	11	15	6	*	*	*	*
	<b>1st trimester</b>	1,360†	*	26	86	415	423	273	109	28	*
	<b>2nd trimester</b>	220†	*	12	16	72	46	51	15	9	*
	<b>3rd trimester</b>	60†	*	*	8	23	18	6	*	*	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*	*
<b>Prenatal visits</b>	<b>No visits</b>	50†	*	9	11	15	6	*	*	*	*
	<b>1-4 visits</b>	90†	*	*	9	42	15	11	6	*	*
	<b>5-8 visits</b>	230†	*	10	17	76	59	41	16	6	*
	<b>9-12 visits</b>	760†	*	15	53	229	229	152	65	16	*
	<b>13+ visits</b>	570†	*	11	31	163	183	126	42	14	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	120†	*	6	9	45	25	22	12	*	*
	<b>2,500+ grams</b>	1,580†	*	42	112	483	471	313	121	34	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T14. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, COCONINO COUNTY, ARIZONA, 2012**

		Mother's age group									
		Total	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>TOTAL</b>		1,689	0†	50†	130†	430†	500†	350†	210†	30†	0†
<b>Payee for births</b>	<b>AHCCCS</b>	790†	*	24	93	266	212	121	60	8	*
<b>IHS</b>		290†	*	19	30	84	90	37	26	7	*
<b>Private insurance</b>		570†	*	*	73	181	179	116	17	*	*
<b>Self</b>		30†	*	*	*	10	11	6	*	*	*
<b>Unknown</b>		0†	*	*	*	*	*	*	*	*	*
<b>Marital status</b>	<b>Married</b>	800†	*	*	9	134	249	238	142	23	*
	<b>Unmarried</b>	880†	*	44	119	290	244	106	63	11	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*	*
<b>Prenatal care</b>	<b>No care</b>	20†	*	*	*	8	*	*	*	*	*
	<b>1st trimester</b>	1,440†	*	29	92	350	432	314	187	31	*
	<b>2nd trimester</b>	180†	*	11	28	51	49	21	17	*	*
	<b>3rd trimester</b>	50†	*	*	*	17	13	9	*	*	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*	*
<b>Prenatal visits</b>	<b>No visits</b>	20†	*	*	*	8	*	*	*	*	*
	<b>1-4 visits</b>	70†	*	*	7	23	18	12	6	*	*
	<b>5-8 visits</b>	230†	*	17	23	67	63	34	20	*	*
	<b>9-12 visits</b>	820†	*	18	66	194	245	177	108	12	*
	<b>13+ visits</b>	550†	*	8	29	134	168	118	73	16	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	140†	*	6	13	36	25	25	29	*	*
	<b>2,500+ grams</b>	1,550†	*	39	115	389	471	323	179	29	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T15. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, GILA COUNTY, ARIZONA, 2012**

		Mother's age group								
		Total	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44
<b>TOTAL</b>		609	0†	20†	60†	220†	170†	80†	40†	10†
<b>Payee for birth</b>	<b>AHCCCS</b>	370†	*	16	34	154	97	48	16	*
<b>IHS</b>		110†	*	6	20	42	23	10	6	*
<b>Private insurance</b>		120†	*	*	26	46	21	15	9	
<b>Self</b>		10†	*	*	*	*	*	*	*	*
<b>Marital status</b>	<b>Married</b>	230†	*	7	70	76	41	22	9	
	<b>Unmarried</b>	380†	*	23	53	153	86	42	17	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*
<b>Prenatal care</b>	<b>No care</b>	20†	*	*	*	*	*	*	*	*
	<b>1st trimester</b>	430†	*	13	43	159	121	57	28	9
	<b>2nd trimester</b>	140†	*	8	15	49	37	16	8	*
	<b>3rd trimester</b>	30†	*	*	*	8	*	7	*	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*
<b>Prenatal visits</b>	<b>No visits</b>	20†	*	*	*	*	*	*	*	*
	<b>1-4 visits</b>	50†	*	*	9	13	13	8	*	*
	<b>5-8 visits</b>	140†	*	6	15	50	37	18	10	*
	<b>9-12 visits</b>	250†	*	10	21	92	66	42	12	*
	<b>13+ visits</b>	150†	*	*	15	61	46	12	11	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	40†	*	*	7	13	*	*	*	*
	<b>2,500+ grams</b>	570†	*	21	53	211	164	78	36	10

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T16. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, GRAHAM COUNTY, ARIZONA, 2012**

	Total	Mother's age group							
		15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>TOTAL</b>	525	30†	50†	180†	150†	80†	30†	10†	0†
<b>Payee for births</b>									
<b>AHCCCS</b>	250†	15	35	107	55	25	8	*	*
<b>IHS</b>	70†	*	9	29	12	10	7	*	*
<b>Private insurance</b>	190†	*	*	36	80	44	15	*	*
<b>Self</b>	10†	*	*	*	*	*	*	*	*
<b>Unknown</b>	0†	*	*	*	*	*	*	*	*
<b>Marital status</b>									
<b>Married</b>	270†	*	*	71	109	62	23	*	*
<b>Unmarried</b>	240†	24	43	102	43	19	7	*	*
<b>Unknown</b>	10†	*	*	*	*	*	*	*	*
<b>Prenatal care</b>									
<b>No care</b>	10†	*	*	*	*	*	*	*	*
<b>1st trimester</b>	380†	10	29	120	122	70	20	7	*
<b>2nd trimester</b>	110†	10	13	45	21	11	9	*	*
<b>3rd trimester</b>	30†	*	*	8	7	*	*	*	*
<b>Unknown</b>	0†	*	*	*	*	*	*	*	*
<b>Prenatal visits</b>									
<b>No visits</b>	10†	*	*	*	*	*	*	*	*
<b>1-4 visits</b>	60†	7	10	25	13	*	*	*	*
<b>5-8 visits</b>	160†	8	16	65	43	23	6	*	*
<b>9-12 visits</b>	220†	6	18	65	72	44	14	*	*
<b>13+ visits</b>	70†	*	*	18	22	11	7	*	*
<b>Unknown</b>	0†	*	*	*	*	*	*	*	*
<b>Weight at birth</b>									
<b>&lt;2,500 grams</b>	40†	*	*	11	13	6	*	*	*
<b>2,500+ grams</b>	490†	22	44	166	141	76	28	7	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T17. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, GREENLEE COUNTY, ARIZONA, 2012**

		Total	Mother's age group						
			15-17	18-19	20-24	25-29	30-34	35-39	40-44
<b>TOTAL</b>		114	0†	10†	40†	40†	20†	10†	0†
<b>Payee for birth</b>	<b>AHCCCS</b>	40†	*	*	18	11	*	*	*
	<b>IHS</b>	0†	*	*	*	*	*	*	*
	<b>Private insurance</b>	70†	*	*	19	26	15	*	*
	<b>Self</b>	0†	*	*	*	*	*	*	*
<b>Marital status</b>	<b>Married</b>	70†	*	*	14	30	16	*	*
	<b>Unmarried</b>	40†	*	6	23	7	*	*	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*
<b>Prenatal care</b>	<b>No care</b>	0†	*	*	*	*	*	*	*
	<b>1st trimester</b>	90†	*	6	28	32	14	*	*
	<b>2nd trimester</b>	20†	*	*	9	*	6	*	*
	<b>3rd trimester</b>	0†	*	*	*	*	*	*	*
<b>Prenatal visits</b>	<b>No visits</b>	0†	*	*	*	*	*	*	*
	<b>1-4 visits</b>	10†	*	*	*	*	*	*	*
	<b>5-8 visits</b>	30†	*	*	8	*	7	*	*
	<b>9-12 visits</b>	60†	*	*	21	26	7	*	*
	<b>13+ visits</b>	20†	*	*	*	6	*	*	*
<b>Weight at birth</b>	<2,500 grams	10†	*	*	*	*	*	*	*
	<b>2,500+ grams</b>	110†	*	*	34	37	19	6	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T18. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, LA PAZ COUNTY, ARIZONA, 2012**

		Total	Mother's age group						
Payee for births			15-17	18-19	20-24	25-29	30-34	35-39	40-44
<b>TOTAL</b>		204	10†	20†	70†	60†	40†	10†	0†
<b>AHCCCS</b>		120†	*	14	44	31	21	6	*
<b>IHS</b>		50†	*	*	16	12	8	*	*
<b>Private insurance</b>		30†	*	*	*	15	7	*	*
<b>Self</b>		0†	*	*	*	*	*	*	*
<b>Unknown</b>		0†	*	*	*	*	*	*	*
<b>Marital status</b>		60†	*	*	17	18	19	*	*
<b>Unmarried</b>		140†	*	15	46	41	18	9	*
<b>Unknown</b>		10†	*	*	*	*	*	*	*
<b>Prenatal care</b>		10†	*	*	*	*	*	*	*
<b>No care</b>		150†	*	15	49	44	30	10	*
<b>1st trimester</b>		30†	*	*	11	6	7	*	*
<b>2nd trimester</b>		10†	*	*	*	*	*	*	*
<b>3rd trimester</b>		10†	*	*	*	*	*	*	*
<b>Unknown</b>		10†	*	*	*	*	*	*	*
<b>Prenatal visits</b>		10†	*	*	*	*	*	*	*
<b>No visits</b>		10†	*	*	*	*	*	*	*
<b>1-4 visits</b>		10†	*	*	*	*	*	*	*
<b>5-8 visits</b>		40†	*	7	14	10	10	*	*
<b>9-12 visits</b>		60†	*	6	21	20	6	*	*
<b>13+ visits</b>		80†	*	*	24	21	17	6	*
<b>Unknown</b>		10†	*	*	*	*	*	*	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	10†	*	*	*	*	*	*	*
	<b>2,500+ grams</b>	190†	*	17	62	56	36	13	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T19. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, MARICOPA COUNTY, ARIZONA, 2012**

		Mother's age group							<b>Un-known</b>			
		<b>Total</b>	<b>&lt;15</b>	<b>15-17</b>	<b>18-19</b>	<b>20-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45+</b>	
<b>TOTAL</b>		54,475	40†	1,450†	3,220†	12,750†	15,650†	13,410†	6,390†	1,490†	90†	0†
<b>Payee for birth</b>	<b>AHCCCS</b>	28,390†	32	1,266	2,740	9,324	7,476	4,687	2,241	581	39	*
<b>IHS</b>		240†	*	10	24	75	72	40	21	*	*	*
<b>Private insurance</b>		23,860†	6	140	379	3,026	7,493	8,095	3,829	842	50	*
<b>Self</b>		1,870†	*	27	65	295	580	564	281	60	*	*
<b>Unknown</b>		110†	*	*	7	33	32	20	13	*	*	*
<b>Marital status</b>	<b>Married</b>	30,160†	*	47	410	4,283	9,672	9,906	4,714	1,058	63	*
<b>Unmarried</b>		23,780†	38	1,398	2,799	8,361	5,813	3,359	1,590	400	25	*
<b>Unknown</b>		540†	*	*	6	109	168	141	81	28	*	*
<b>Prenatal care</b>	<b>No care</b>	520†	*	21	47	155	134	88	50	22	*	*
<b>1st trimester</b>		46,960†	20	1,029	2,486	10,584	13,773	12,018	5,688	1,286	76	*
<b>2nd trimester</b>		5,670†	14	313	540	1,626	1,415	1,073	528	147	9	*
<b>3rd trimester</b>		1,200†	*	81	134	342	295	209	106	26	*	*
<b>Unknown</b>		130†	*	*	8	46	36	18	13	*	*	*
<b>Prenatal visits</b>	<b>No visits</b>	520†	*	21	47	155	134	88	50	22	*	*
<b>1-4 visits</b>		1,420†	6	69	137	433	358	251	132	24	7	*
<b>5-8 visits</b>		6,100†	9	283	529	1,738	1,562	1,225	581	158	11	*
<b>9-12 visits</b>		26,030†	15	719	1,592	6,125	7,358	6,479	3,058	649	36	*
<b>13+ visits</b>		20,260†	8	351	902	4,246	6,202	5,339	2,550	628	36	*
<b>Unknown</b>		150†	*	*	8	56	39	24	14	*	*	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	3,730†	*	124	237	863	937	902	504	145	15	*
<b>2,500+ grams</b>		50,740†	34	1,321	2,978	11,890	14,716	12,503	5,881	1,341	75	*
<b>Unknown</b>		0†	*	*	*	*	*	*	*	*	*	*

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.









**T24. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, SANTA CRUZ COUNTY,  
ARIZONA, 2012**

		Mother's age group								
		Total	<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44
<b>TOTAL</b>		671	0†	50†	60†	190†	170†	130†	60†	20†
<b>Payee for birth</b>	<b>AHCCCS</b>	460†	*	37	53	154	105	72	29	8
	<b>IHS</b>	0†	*	*	*	*	*	*	*	*
	<b>Private insurance</b>	140†	*	*	*	17	52	44	17	*
	<b>Self</b>	60†	*	*	*	14	13	15	8	*
	<b>Unknown</b>	10†	*	*	*	*	*	*	*	*
<b>Marital status</b>	<b>Married</b>	320†	*	*	6	59	109	89	41	11
	<b>Unmarried</b>	350†	*	42	58	126	61	43	15	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*
<b>Prenatal care</b>	<b>No care</b>	10†	*	*	*	*	*	*	*	*
	<b>1st trimester</b>	470†	*	21	38	127	130	102	42	13
	<b>2nd trimester</b>	120†	*	11	15	35	23	21	10	*
	<b>3rd trimester</b>	70†	*	10	6	20	17	8	*	*
<b>Prenatal visits</b>	<b>No visits</b>	10†	*	*	*	*	*	*	*	*
	<b>1-4 visits</b>	100†	*	12	7	38	24	12	6	*
	<b>5-8 visits</b>	220†	*	15	31	55	57	34	19	9
	<b>9-12 visits</b>	250†	*	14	16	68	68	55	25	*
	<b>13+ visits</b>	90†	*	*	*	21	21	30	7	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	50†	*	7	7	13	14	6	*	*
	<b>2,500+ grams</b>	620†	*	38	57	173	156	126	55	13

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.



**T26. SELECTED CHARACTERISTICS OF NEWBORNS AND WOMEN GIVING BIRTH, YUMA COUNTY, ARIZONA, 2012**

	Total	Mother's age group								
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>TOTAL</b>	3,121	10†	150†	290†	990†	830†	570†	230†	50†	0†
<b>Payee for birth</b>	<b>AHCCCS</b>	1,930†	6	125	245	680	459	256	117	39
<b>IHS</b>	0†	*	*	*	*	*	*	*	*	*
<b>Private insurance</b>	1,010†	*	8	20	245	337	293	98	12	*
<b>Self</b>	170†	*	12	23	61	34	23	16	*	*
<b>Unknown</b>	10†	*	*	*	*	*	*	*	*	*
<b>Marital status</b>	<b>Married</b>	1,640†	*	7	58	439	509	423	167	31
	<b>Unmarried</b>	1,460†	6	138	232	537	316	146	61	21
	<b>Unknown</b>	30†	*	*	12	7	*	*	*	*
<b>Prenatal care</b>	<b>No care</b>	150†	*	15	26	58	30	16	7	*
	<b>1st trimester</b>	2,050†	*	81	159	617	575	431	151	34
	<b>2nd trimester</b>	620†	*	31	69	213	161	83	52	12
	<b>3rd trimester</b>	290†	*	18	36	100	66	44	20	*
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*
<b>Prenatal visits</b>	<b>No visits</b>	150†	*	15	26	58	30	16	7	*
	<b>1-4 visits</b>	210†	*	14	26	64	52	35	16	*
	<b>5-8 visits</b>	680†	*	32	80	238	165	99	52	11
	<b>9-12 visits</b>	1,370†	*	64	120	420	377	270	95	20
	<b>13+ visits</b>	710†	*	20	38	208	208	154	60	16
	<b>Unknown</b>	0†	*	*	*	*	*	*	*	*
<b>Weight at birth</b>	<b>&lt;2,500 grams</b>	190†	*	10	23	49	50	41	13	*
	<b>2,500+ grams</b>	2,930†	6	135	267	939	782	533	218	49

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.



T28. LEADING CAUSES OF <b>INFANT DEATH</b> BY AGE GROUP, GENDER, RACE/ETHNICITY, AND AREA, ARIZONA, 2012	49
T29. LEADING CAUSES OF <b>INFANT DEATH</b> BY COUNTY OF RESIDENCE, ARIZONA, 2012	50
T30. LEADING CAUSES OF DEATH AMONG <b>CHILDREN</b> (1-14 YEARS) BY GENDER, AREA, AND RACE/ETHNICITY, ARIZONA, 2012	51
T31. LEADING CAUSES OF DEATH AMONG <b>CHILDREN</b> (1-14 YEARS) BY COUNTY OF RESIDENCE, ARIZONA, 2012	52
T32. LEADING CAUSES OF DEATH AMONG <b>ADOLESCENTS</b> (15-19 YEARS) BY GENDER, AREA, AND RACE/ETHNICITY, ARIZONA, 2012	53
T33. LEADING CAUSES OF DEATH AMONG <b>ADOLESCENTS</b> (15-19 YEARS) BY COUNTY OF RESIDENCE, ARIZONA, 2012	54
T34. LEADING CAUSES OF DEATH AMONG <b>YOUNG ADULTS</b> (20-44 YEARS) BY GENDER, AREA, AND RACE/ETHNICITY, ARIZONA, 2012	55
T35. LEADING CAUSES OF DEATH AMONG <b>YOUNG ADULTS</b> (20-44 YEARS) BY COUNTY OF RESIDENCE, ARIZONA, 2012	56
T36. LEADING CAUSES OF DEATH AMONG <b>MIDDLE-AGED ADULTS</b> (45-64 YEARS) BY GENDER, AREA, AND RACE/ETHNICITY, ARIZONA, 2012	57
T37. LEADING CAUSES OF DEATH <b>AMONG MIDDLE-AGED ADULTS</b> (45-64 YEARS) BY COUNTY OF RESIDENCE, ARIZONA, 2012	58
T38. LEADING CAUSES OF DEATH AMONG <b>ELDERLY</b> (65 YEARS AND OLDER) BY GENDER, AREA, AND RACE/ETHNICITY, ARIZONA, 2012	59
T39. LEADING CAUSES OF DEATH AMONG <b>ELDERLY</b> (65 YEARS AND OLDER) BY COUNTY OF RESIDENCE, ARIZONA, 2012	60



**T28. LEADING CAUSES OF INFANT DEATH BY AGE GROUP, GENDER, RACE/ETHNICITY, AND AREA, ARIZONA, 2012**

Cause of death	Infant's age	Gender	Race/ethnicity	Area <sup>2</sup>	
				Rural	Urban
<b>Total</b>					Unknown
<b>Neonatal</b>					
		Male	Female		
				Unspecified other or unknown race	
				Two or more races	
				Asian or Pacific Islander	
				American Indian or Alaska Native	
				Black or African American	
				Hispanic or Latino	
<b>Certain conditions originating in the perinatal period</b>	240†	226	9	132	103
<b>Maternal complications</b>	50†	44	*	22	23
<b>Complications of placenta, cord and membrane</b>	40†	39	*	26	13
<b>Short gestation and low birth weight</b>	60†	56	*	34	27
<b>Intrauterine hypoxia or birth asphyxia</b>	0†	*	*	*	*
<b>Respiratory distress syndrome</b>	0†	*	*	*	*
<b>Other respiratory condition</b>	10†	6	*	6	*
<b>Bacterial sepsis of newborn</b>	10†	11	*	7	*
<b>Atelectasis</b>	0†	*	*	*	*
<b>Congenital malformations</b>	120†	83	35	63	31
<b>of heart</b>	20†	9	13	10	12
<b>of brain, spinal cord or nervous system</b>	20†	15	*	10	9
<b>of respiratory system</b>	10†	*	*	*	*
<b>Other ill-defined and unspecified causes of mortality</b>	50†	*	43	29	18
<b>Sudden infant death syndrome</b>	10†	*	9	8	*
<b>Accident (unintentional injury)</b>	20†	*	14	*	12
<b>Mechanical suffocation</b>	10†	*	6	*	*
<b>Motor vehicle accident</b>	0†	*	*	*	*
<b>Chocked on food</b>	0†	*	*	*	*
<b>Diseases of the circulatory system</b>	0†	*	*	*	*
<b>Certain infectious and parasitic diseases</b>	10†	*	10	11	*
<b>Diseases of the nervous system</b>	10†	*	7	*	*
<b>Assault (homicide)</b>	10†	*	*	*	*
<b>Influenza and pneumonia</b>	0†	*	*	*	*
<b>Events of undetermined intent</b>	10†	*	6	*	*
<b>Diseases of the digestive system</b>	10†	*	*	*	*
<b>Total, all causes<sup>1</sup></b>	495	330†	160†	270†	220†
				140†	240†
				50†	40†
				10†	20†
				0†	0†
				430†	70†
				0†	0†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> includes causes of death not shown above;<sup>2</sup> urban = Maricopa, Pima, Pinal and Yuma counties; the remaining counties comprise Arizona's rural areas.

T29. LEADING CAUSES OF INFANT DEATH BY COUNTY OF RESIDENCE, ARIZONA, 2012

Cause of death	County of residence														
	Arizona	Apache	Cochise	Cocconiño	Gila	Graham	Greenlee	La Paz	Maricopa	Navajo	Pima	Santa Cruz	Yavapai	Yuma	Unknown
<b>Certain conditions originating in the perinatal period</b>	240†	*	6	*	*	*	*	*	156	*	27	11	*	6	8
<b>Maternal complications</b>	50†	*	*	*	*	*	*	*	33	*	*	*	*	*	*
<b>Complications of placenta, cord and membrane</b>	40†	*	*	*	*	*	*	*	28	*	6	*	*	*	*
<b>Short gestation and low birth weight</b>	60†	*	*	*	*	*	*	*	40	*	8	*	*	*	*
<b>Intrauterine hypoxia or birth asphyxia</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Respiratory distress syndrome</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Other respiratory condition</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Bacterial sepsis of newborn</b>	10†	*	*	*	*	*	*	*	9	*	*	*	*	*	*
<b>Atelectasis</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Congenital malformations of heart</b>	120†	*	*	*	*	*	*	*	79	*	10	8	*	6	*
<b>of brain, spinal cord or nervous system</b>	20†	*	*	*	*	*	*	*	15	*	*	*	*	*	*
<b>of respiratory system</b>	20†	*	*	*	*	*	*	*	14	*	*	*	*	*	*
<b>Other ill-defined and unspecified causes of mortality</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Sudden infant death syndrome</b>	50†	*	*	*	*	*	*	*	30	*	10	*	*	*	*
<b>Accident (unintentional injury)</b>	20†	*	*	*	*	*	*	*	9	*	*	*	*	*	*
<b>Mechanical suffocation</b>	10†	*	*	*	*	*	*	*	6	*	*	*	*	*	*
<b>Motor vehicle accident</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Choked on food</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Diseases of the circulatory system</b>	0†	*	*	*	*	*	*	*	8	*	*	*	*	*	*
<b>Certain infectious and parasitic diseases</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Diseases of the nervous system</b>	10†	*	*	*	*	*	*	*	6	*	*	*	*	*	*
<b>Assault (homicide)</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Influenza and pneumonia</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Events of undetermined intent</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Diseases of the digestive system</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Total, all causes<sup>1</sup></b>	495	0†	10†	10†	0†	10†	0†	0†	320†	0†	10†	60†	30†	10†	20†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> may include other causes of death not shown.

**T30. LEADING CAUSES OF DEATH AMONG CHILDREN (1-14 YEARS) BY GENDER, AREA, AND RACE/ETHNICITY,  
ARIZONA, 2012**

Cause of death	Gender	Area <sup>2</sup>		Race/ethnicity						
		Male	Female	Urban	Rural	White non-Hispanic	Hispanic or Latino	American Indian or Alaskan Native	Asian or Pacific Islander	Unspecified other or unknown race
<b>Accidents (unintentional injury)</b>	Total <sup>1</sup>	48	23	51	20	*	22	23	6	14
<b>Motor vehicle accidents</b>	30 <sup>†</sup>	23	11	21	13	*	8	13	*	*
<b>Accidental drowning and submersion</b>	20 <sup>†</sup>	14	*	16	*	*	8	*	*	*
<b>Mechanical suffocation</b>	10 <sup>†</sup>	*	*	*	*	*	*	*	*	*
<b>Malignant neoplasms</b>	30 <sup>†</sup>	18	15	28	*	*	10	15	*	*
<b>Leukemia</b>	10 <sup>†</sup>	*	*	*	*	*	*	*	*	*
<b>Congenital malformations</b>	30 <sup>†</sup>	12	14	23	*	*	6	14	*	*
<b>Assault (homicide)</b>	10 <sup>†</sup>	6	7	10	*	*	8	*	*	*
<b>By discharge of firearms</b>	10 <sup>†</sup>	*	*	6	*	*	*	*	*	*
<b>By other means</b>	10 <sup>†</sup>	*	*	*	*	*	*	*	*	*
<b>Intentional self-harm (suicide)</b>	10 <sup>†</sup>	7	*	6	*	*	*	*	*	*
<b>Chronic lower respiratory diseases</b>	0 <sup>†</sup>	*	*	*	*	*	*	*	*	*
<b>Asthma</b>	0 <sup>†</sup>	*	*	*	*	*	*	*	*	*
<b>Influenza and pneumonia</b>	0 <sup>†</sup>	*	*	*	*	*	*	*	*	*
<b>Septicemia</b>	0 <sup>†</sup>	*	*	*	*	*	*	*	*	*
<b>Total, all causes<sup>3</sup></b>	247	140 <sup>†</sup>	100 <sup>†</sup>	190 <sup>†</sup>	50 <sup>†</sup>	0 <sup>†</sup>	80 <sup>†</sup>	100 <sup>†</sup>	20 <sup>†</sup>	40 <sup>†</sup>
										10 <sup>†</sup>

Notes: \* cell suppressed due to count less than 6; <sup>†</sup> sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> may include death records where the county of residence could not be classified as urban or rural; <sup>2</sup> urban = Maricopa, Pima, Yuma counties; the remaining counties comprise Arizona's rural areas;<sup>3</sup> may include other causes of death not shown above.

**T31. LEADING CAUSES OF DEATH AMONG CHILDREN (1-14 YEARS) BY COUNTY OF RESIDENCE, ARIZONA, 2012**

Cause of death	Arizona	County of residence													
		Apache	Cochise	Cochise Cocconino	Gila	Graham	Greenlee	La Paz	Marcopha	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
<b>Accident (unintentional injury)</b>	70†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Motor vehicle accident</b>	30†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Accidental drowning and submersion</b>	20†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Mechanical suffocation</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Malignant neoplasms</b>	30†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Leukemia</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Congenital malformations</b>	30†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Assault (homicide)</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>By discharge of firearms</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>By other means</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Intentional self-harm (suicide)</b>	10†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Chronic lower respiratory diseases</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Asthma</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Influenza and pneumonia</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Septicemia</b>	0†	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>Total, all causes<sup>1</sup></b>	247	0†	10†	10†	0†	0†	140†	10†	30†	20†	0†	0†	0†	0†	0†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> may include other causes of death not shown above.



**T33. LEADING CAUSES OF DEATH AMONG ADOLESCENTS (15-19 YEARS) BY COUNTY OF RESIDENCE, ARIZONA, 2012**

Cause of death	Arizona	County of residence										
		Gila	Cochise	Graham	La Paz	Maricopa	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma
<b>Accident (unintentional injury)</b>	100†	*	*	*	45	7	*	13	*	*	*	*
<b>Motor vehicle accident</b>	70†	*	*	*	29	*	*	11	*	*	*	*
<b>Accidental poisoning</b>	20†	*	*	*	11	*	*	*	*	*	*	*
<b>Accidental drowning and submersion</b>	10†	*	*	*	*	*	*	*	*	*	*	*
<b>Intentional self-harm (suicide)</b>	50†	*	*	*	*	*	28	*	6	*	*	*
<b>By discharge of firearms</b>	30†	*	*	*	*	*	15	*	*	*	*	*
<b>By other means</b>	20†	*	*	*	*	*	13	*	*	*	*	*
<b>Assault (homicide)</b>	20†	*	*	*	*	*	15	*	*	*	*	*
<b>By discharge of firearms</b>	20†	*	*	*	*	*	14	*	*	*	*	*
<b>By other means</b>	0†	*	*	*	*	*	*	*	*	*	*	*
<b>Malignant neoplasms</b>	10†	*	*	*	*	*	*	10	*	*	*	*
<b>Leukemia</b>	0†	*	*	*	*	*	*	*	*	*	*	*
<b>Diseases of heart</b>	0†	*	*	*	*	*	*	*	*	*	*	*
<b>Total, all causes<sup>1</sup></b>	220†	10†	10†	0†	0†	110†	10†	20†	30†	10†	10†	0†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6; <sup>1</sup> may include other causes of death not shown above.

**T34. LEADING CAUSES OF DEATH AMONG YOUNG ADULTS (20-44 YEARS) BY GENDER, AREA, AND RACE/ETHNICITY,  
ARIZONA, 2012**

Cause of death	Gender		Area <sup>1</sup>		Race/ethnicity	
	Male	Female	Urban	Rural	White non-Hispanic	Hispanic or Latino
<b>Accidents (unintentional injury)</b>	810	577	233	594	209	7
<b>Accidental poisoning</b>	400†	264	134	303	92	*
<b>Motor vehicle accidents</b>	310†	236	77	219	90	*
<b>Intentional self-harm (suicide)</b>	410†	318	90	316	91	*
<b>By discharge of firearms</b>	220†	193	27	176	43	*
<b>By other means</b>	190†	125	63	140	48	*
<b>Malignant neoplasms</b>	320†	134	183	261	54	*
<b>Malignant neoplasm of breast</b>	60†	*	55	45	9	*
<b>Malignant neoplasm of meninges, brain and other parts of central nervous system</b>	30†	17	15	29	*	*
<b>Malignant neoplasm of lymphoid, hematopoietic and related tissue</b>	50†	23	22	38	6	*
<b>Assault (homicide)</b>	220†	174	44	175	40	*
<b>By discharge of firearms</b>	150†	128	24	135	15	*
<b>By other means</b>	70†	46	20	40	25	*
<b>Diseases of heart</b>	220†	147	72	176	41	*
<b>Chronic liver disease and cirrhosis</b>	110†	62	46	64	44	*
<b>Diabetes</b>	70†	40	27	52	14	*
<b>Cerebrovascular diseases</b>	40†	24	16	36	*	*
<b>Obesity</b>	40†	22	14	29	7	*
<b>Human immunodeficiency virus (HIV) disease</b>	30†	31	*	26	*	*
<b>Influenza and pneumonia</b>	20†	12	7	14	*	*
<b>Total, all causes</b>	2,900	1,910†	990†	2,215	660†	20†
					1,589	710†
					180†	390†
						40†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> urban = Maricopa, Pima, Pinal and Yuma counties; the remaining counties comprise Arizona's rural areas.



**T36. LEADING CAUSES OF DEATH AMONG MIDDLE-AGED ADULTS (45-64 YEARS) BY GENDER, AREA, AND RACE/ETHNICITY,  
ARIZONA, 2012**

Cause of death	Total	Male	Female	Area <sup>1</sup>		Race/ethnicity			
				Urban	Rural	White non-Hispanic	Hispanic or Latino	American Indian or Alaska Native	Asian or Pacific Islander
<b>Malignant neoplasms</b>	2,758	1,503	1,255	2,226	523	9	2,088	410	131
<b>Malignant neoplasm of trachea, bronchus and lung</b>	640†	351	287	501	132	*	540	53	30
<b>Malignant neoplasm of breast</b>	250†	*	253	210	42	*	185	44	14
<b>Malignant neoplasm of colon, rectum, and anus</b>	240†	152	91	195	48	*	172	50	9
<b>Malignant neoplasm of pancreas</b>	220†	136	83	177	41	*	159	35	10
<b>Diseases of heart</b>	1,673	1,186	487	1,238	425	10	1,271	236	90
<b>Accidents (unintentional injury)</b>	790†	519	268	617	153	17	565	125	23
<b>Accidental poisoning</b>	360†	211	152	293	63	7	266	56	18
<b>Motor vehicle accidents</b>	210†	153	55	153	52	*	140	39	*
<b>Falls</b>	80†	51	28	68	11	*	59	10	*
<b>Chronic liver disease and cirrhosis</b>	550†	381	167	405	132	11	322	126	18
<b>Diabetes</b>	480†	300	181	405	72	*	261	124	25
<b>Intentional self-harm (suicide)</b>	420†	322	94	312	97	7	368	30	*
<b>By discharge of firearms</b>	240†	199	39	176	60	*	214	15	*
<b>By other means</b>	180†	123	55	136	37	*	154	15	*
<b>Chronic lower respiratory diseases</b>	400†	199	197	298	93	*	347	28	15
<b>Cerebrovascular diseases</b>	270†	170	100	217	49	*	162	64	22
<b>Viral hepatitis</b>	210†	157	52	180	24	*	142	50	8
<b>Assault (homicide)</b>	80†	57	27	59	21	*	48	15	6
<b>By discharge of firearms</b>	50†	33	16	38	9	*	32	11	*
<b>By other means</b>	40†	24	11	21	12	*	16	*	11
<b>Essential (primary) hypertension and hypertensive renal disease</b>	120†	76	42	97	20	*	73	19	12
<b>Influenza and pneumonia</b>	70†	37	32	52	16	*	49	10	*
<b>Septicemia</b>	70†	40	25	49	15	*	41	11	*
<b>Human immunodeficiency virus (HIV) disease</b>	60†	50	9	55	*	*	36	14	6
<b>Nephritis, nephritic syndrome and nephritis</b>	50†	37	17	35	17	*	26	14	11
<b>Total, all causes</b>	9,630	6,000†	3,631	7,513	2,020†	100†	6,966	1,520†	460†
									130†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> urban = Maricopa, Pima, Pinal and Yuma counties; the remaining counties comprise Arizona's rural areas.

**T37. LEADING CAUSES OF DEATH AMONG MIDDLE-AGED ADULTS (45-64 YEARS) BY COUNTY OF RESIDENCE,  
ARIZONA, 2012**

Cause of death	Arizona	County of residence															
		Apache	Cochise	Gila	Cochise	Graham	Greenlee	Micopa	La Paz	Mohave	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown
<b>Malignant neoplasms</b>	2,760†	23	64	39	31	17	*	8	1,532	155	45	484	153	14	126	57	9
<b>Malignant neoplasm of trachea, bronchus and lung</b>	640†	*	12	*	8	*	*	345	57	*	108	38	*	37	10	*	*
<b>Malignant neoplasm of breast</b>	250†	*	9	*	*	*	*	143	7	*	49	13	*	10	*	*	*
<b>Malignant neoplasm of colon, rectum, and anus</b>	240†	*	6	*	*	*	*	148	9	6	29	14	*	11	*	*	*
<b>Malignant neoplasm of pancreas</b>	220†	*	*	*	*	*	*	120	14	*	42	10	*	8	*	*	*
<b>Diseases of heart</b>	1,670†	11	68	25	22	13	*	10	815	142	35	278	112	7	87	33	10
<b>Accident (unintentional injury)</b>	790†	13	12	17	8	*	*	*	394	30	28	151	52	*	33	20	17
<b>Accidental poisoning</b>	360†	*	6	*	*	*	*	*	179	18	14	76	25	*	15	13	7
<b>Motor vehicle accident</b>	210†	7	*	9	*	*	*	*	92	6	6	42	15	*	9	*	*
<b>Falls</b>	80†	*	*	*	*	*	*	*	48	*	*	14	*	*	*	*	*
<b>Chronic liver disease and cirrhosis</b>	550†	9	18	11	11	6	*	*	256	26	19	96	34	6	21	19	11
<b>Diabetes</b>	480†	8	*	6	8	*	*	*	275	12	11	76	32	*	14	22	*
<b>Intentional self-harm (suicide)</b>	420†	6	13	7	*	*	*	*	220	23	7	67	15	*	31	10	7
<b>By discharge of firearms</b>	240†	*	9	6	*	*	*	*	125	13	*	32	11	*	17	8	*
<b>By other means</b>	180†	*	*	*	*	*	*	*	95	10	*	35	*	*	14	*	*
<b>Chronic lower respiratory diseases</b>	400†	*	9	*	10	*	*	*	197	32	7	69	24	*	30	8	*
<b>Cerebrovascular diseases</b>	270†	*	10	*	*	*	*	*	147	12	*	45	18	*	8	7	*
<b>Viral hepatitis</b>	210†	*	*	*	*	*	*	*	124	9	*	40	15	*	7	*	*
<b>Assault (homicide)</b>	80†	*	*	*	*	*	*	*	45	*	*	6	8	*	*	*	*
<b>By discharge of firearms</b>	50†	*	*	*	*	*	*	*	28	*	*	8	*	*	*	*	*
<b>By other means</b>	40†	*	*	*	*	*	*	*	17	*	*	*	*	*	*	*	*
<b>Essential (primary) hypertension and hypertensive renal disease</b>	120†	*	*	*	*	*	*	*	76	*	*	11	8	*	*	*	*
<b>Influenza and pneumonia</b>	70†	*	*	*	*	*	*	*	19	7	*	22	*	*	*	8	*
<b>Septicemia</b>	70†	*	*	*	*	*	*	*	23	6	*	19	*	*	*	7	*
<b>Human immunodeficiency virus (HIV) disease</b>	60†	*	*	*	*	*	*	*	41	*	*	10	*	*	*	*	*
<b>Nephritis, nephrotic syndrome and nephrosis</b>	50†	*	*	*	*	*	*	*	19	*	*	10	*	*	*	*	*
<b>Total, all causes</b>	9,630	120†	260†	160†	130†	60†	10†	40†	5,008	530†	210†	690†	580†	40†	460†	240†	100†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

**T38. LEADING CAUSES OF DEATH AMONG ELDERLY (65 YEARS AND OLDER) BY GENDER, AREA, AND RACE/ETHNICITY,  
ARIZONA, 2012**

Cause of death	Total	Gender		Area <sup>1</sup>		Race/ethnicity			
		Male	Female	Urban	Rural	White non-Hispanic	Hispanic or Latino	American Indian or Alaska Native	Asian or Pacific Islander
<b>Diseases of heart</b>	8,400†	4,351	4,047	*	6,600	1,778	20	7,252	737
<b>Malignant neoplasms</b>	7,690†	4,238	3,456	*	6,117	1,568	9	6,627	707
<b>Malignant neoplasm of trachea, bronchus and lung</b>	2,100†	1,138	961	*	1,684	413	*	1,885	139
<b>Malignant neoplasm of lymphoid, hematopoietic and related tissue</b>	850†	485	361	*	686	156	*	717	89
<b>Malignant neoplasm of colon, rectum, and anus</b>	670†	351	319	*	510	160	*	566	65
<b>Malignant neoplasm of pancreas</b>	580†	308	276	*	478	106	*	493	61
<b>Malignant neoplasm of prostate</b>	510†	511	*	*	405	106	*	429	57
<b>Malignant neoplasm of breast</b>	430†	*	428	*	352	78	*	379	31
<b>Chronic lower respiratory diseases</b>	2,740†	1,369	1,370	*	2,142	589	8	2,532	131
<b>Alzheimer's disease</b>	2,120†	728	1,392	*	1,863	255	*	1,840	195
<b>Cerebrovascular diseases</b>	1,770†	708	1,059	*	1,429	336	*	1,442	211
<b>Diabetes</b>	1,140†	622	522	*	932	209	*	742	238
<b>Accidents (unintentional injury)</b>	990†	470	519	*	792	196	*	840	95
<b>Falls</b>	670†	291	382	*	550	123	*	592	57
<b>Motor vehicle accidents</b>	110†	78	27	*	82	22	*	86	12
<b>Essential (primary) hypertension and hypertensive disease</b>	600†	244	359	*	512	89	*	486	68
<b>Parkinson's disease</b>	560†	357	206	*	468	92	*	511	37
<b>Influenza and pneumonia</b>	540†	263	277	*	393	146	*	433	56
<b>Nephritis, nephritic syndrome and nephrosis</b>	370†	176	193	*	240	126	*	279	52
<b>Septicemia</b>	240†	116	120	*	160	75	*	191	18
<b>Total, all causes</b>	34,959	17,100†	17,860†	0†	27,825	7,058	80†	29,727	3,334
								780†	760†
									360†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6;<sup>1</sup> urban = Maricopa, Pima, Pinal and Yuma counties; the remaining counties comprise Arizona's rural areas.

**T39. LEADING CAUSES OF DEATH AMONG ELDERLY (65 YEARS AND OLDER) BY COUNTY OF RESIDENCE,  
ARIZONA, 2012**

Cause of death	Arizona	County of residence															
		Apache	Cochise	Gila	Cochonino	Graham	Greenlee	La Paz	Maricopa	Navajo	Pima	Pinal	Santa Cruz	Yavapai	Yuma	Unknown	
<b>Diseases of heart</b>	8,398	43	225	96	105	45	11	50	4,308	563	117	1,581	446	49	474	265	20
<b>Malignant neoplasms</b>	7,694	45	204	79	110	34	14	42	4,116	425	103	1,408	390	59	453	203	9
<b>Malignant neoplasm of trachea, bronchus and lung</b>	2,100†	*	52	16	26	7	*	16	1,124	127	27	379	110	9	125	71	*
<b>Malignant neoplasm of lymphoid, hematopoietic and related tissue</b>	850†	*	24	9	7	*	*	*	459	35	13	164	44	8	49	19	*
<b>Malignant neoplasm of colon, rectum, and anus</b>	670†	*	21	7	15	*	*	*	360	56	9	115	23	7	38	12	*
<b>Malignant neoplasm of pancreas</b>	580†	*	13	7	12	*	*	*	338	21	9	94	37	*	34	9	*
<b>Malignant neoplasm of prostate</b>	510†	*	18	7	*	*	*	7	259	18	7	98	29	*	33	19	*
<b>Malignant neoplasm of breast</b>	430†	*	11	6	7	*	*	*	263	21	*	63	20	*	26	6	*
<b>Chronic lower respiratory diseases</b>	2,740†	12	68	39	37	14	*	20	1,435	180	35	459	148	18	165	100	8
<b>Alzheimer's disease</b>	2,120†	*	26	11	27	8	*	*	1,501	49	16	287	67	13	95	8	*
<b>Cerebrovascular diseases</b>	1,770†	10	31	22	30	9	*	8	910	52	36	370	92	21	115	57	*
<b>Diabetes</b>	1,140†	16	28	13	14	13	6	*	630	44	25	203	47	12	33	52	*
<b>Accident (unintentional injury)</b>	990†	11	19	20	16	7	*	*	543	26	19	154	66	9	67	29	*
<b>Falls</b>	670†	*	13	14	9	*	*	*	402	16	6	104	38	7	51	6	*
<b>Motor vehicle accident</b>	110†	*	*	*	*	*	*	*	49	*	*	14	12	*	7	7	*
<b>Essential (primary) hypertension</b>	600†	*	18	*	10	*	*	*	400	25	*	71	28	*	22	13	*
<b>Parkinson's disease</b>	560†	*	9	9	*	*	*	*	303	15	10	117	28	*	38	20	*
<b>Influenza and pneumonia</b>	540†	9	18	12	*	*	*	*	190	31	17	135	21	*	44	47	*
<b>Nephritis, nephrotic syndrome and nephrosis</b>	370†	*	19	*	18	*	*	*	108	41	12	87	27	*	23	18	*
<b>Septicemia</b>	240†	6	17	*	6	*	*	*	80	17	6	51	14	*	13	15	*
<b>Total, all causes</b>	34,959	240†	860†	430†	480†	220†	50†	160†	18,664	,820†	530†	6,448	1,656	230†	2,032	1,057	80†

Notes: \* cell suppressed due to count less than 6; † sum rounded to nearest tens unit due to addend less than 6.

T40. **POPULATION** OF INFANTS, CHILDREN (1-14 YEARS), ADOLESCENTS  
(15-19 YEARS), YOUNG ADULTS (20-44 YEARS), MIDDLE-AGED ADULTS  
(45-64 YEARS), AND ELDERLY (65+) BY **GENDER** AND **COUNTY OF RESIDENCE**,  
ARIZONA, 2012



**T40. POPULATION OF INFANTS, CHILDREN (1-14 YEARS), ADOLESCENTS (15-19 YEARS), YOUNG ADULTS (20-44 YEARS), MIDDLE-AGED ADULTS (45-64 YEARS), AND ELDERLY (65+) BY GENDER AND COUNTY OF RESIDENCE, ARIZONA, 2012**

County	Gender	< 1	1-14	15-19	20-44	45-64	65+	Total
<b>Arizona</b>	<b>Total</b>	87,184	1,270,887	467,382	2,147,785	1,584,829	940,504	6,498,570
<b>Male</b>	<b>Total</b>	44,696	648,878	239,987	1,100,308	770,282	428,878	3,233,029
<b>Female</b>	<b>Total</b>	42,487	622,009	227,395	1,047,476	814,547	511,626	3,265,541
<b>Apache</b>	<b>Total</b>	1,019	16,961	6,387	20,869	18,108	8,967	72,310
<b>Male</b>	<b>Total</b>	519	8,540	3,271	10,755	8,808	4,134	36,027
<b>Female</b>	<b>Total</b>	500	8,422	3,115	10,114	9,300	4,832	36,283
<b>Cochise</b>	<b>Total</b>	1,931	23,210	9,061	39,132	33,900	23,520	130,753
<b>Male</b>	<b>Total</b>	1,027	11,883	4,805	21,006	16,494	11,222	66,438
<b>Female</b>	<b>Total</b>	903	11,326	4,256	18,125	17,406	12,299	64,315
<b>Coconino</b>	<b>Total</b>	1,750	24,483	12,798	49,490	32,855	12,937	134,313
<b>Male</b>	<b>Total</b>	895	12,496	6,132	24,950	16,083	6,028	66,585
<b>Female</b>	<b>Total</b>	854	11,986	6,666	24,539	16,772	6,909	67,728
<b>Gila</b>	<b>Total</b>	654	8,694	3,194	12,053	15,882	13,149	53,627
<b>Male</b>	<b>Total</b>	335	4,493	1,626	6,154	7,756	6,270	26,633
<b>Female</b>	<b>Total</b>	319	4,201	1,568	5,899	8,126	6,880	26,994
<b>Graham</b>	<b>Total</b>	563	8,390	2,833	13,009	8,082	4,435	37,313
<b>Male</b>	<b>Total</b>	288	4,225	1,482	7,473	4,239	2,042	19,750
<b>Female</b>	<b>Total</b>	275	4,166	1,350	5,537	3,843	2,393	17,563
<b>Greenlee</b>	<b>Total</b>	114	1,863	720	2,577	2,246	1,079	8,599
<b>Male</b>	<b>Total</b>	58	959	416	1,304	1,235	504	4,477
<b>Female</b>	<b>Total</b>	56	903	304	1,273	1,011	576	4,122
<b>La Paz</b>	<b>Total</b>	198	2,873	1,023	4,033	5,602	7,172	20,902
<b>Male</b>	<b>Total</b>	101	1,489	534	2,107	2,682	3,770	10,683
<b>Female</b>	<b>Total</b>	97	1,384	490	1,927	2,920	3,402	10,219
<b>Maricopa</b>	<b>Total</b>	53,604	789,188	282,113	1,343,707	921,742	494,353	3,884,706
<b>Male</b>	<b>Total</b>	27,601	403,303	145,237	680,597	447,606	219,951	1,924,295
<b>Female</b>	<b>Total</b>	26,003	385,885	136,876	663,110	474,135	274,402	1,960,411

**T40. POPULATION OF INFANTS, CHILDREN (1-14 YEARS), ADOLESCENTS (15-19 YEARS), YOUNG ADULTS (20-44 YEARS), MIDDLE-AGED ADULTS (45-64 YEARS), AND ELDERLY (65+) BY GENDER AND COUNTY OF RESIDENCE, ARIZONA, 2012**


County	Gender	< 1	1-14	15-19	20-44	45-64	65+	Total
<b>Mohave</b>	<b>Total</b>	1,904	31,315	12,024	49,155	59,279	49,396	203,072
	<b>Male</b>	974	15,827	6,156	25,731	29,147	24,409	102,244
	<b>Female</b>	930	15,488	5,868	23,424	30,131	24,987	100,828
<b>Navajo</b>	<b>Total</b>	1,677	24,457	8,659	30,273	27,574	15,283	107,922
	<b>Male</b>	858	12,357	4,429	15,708	13,340	7,183	53,874
	<b>Female</b>	819	12,100	4,230	14,565	14,234	8,100	54,048
<b>Pima</b>	<b>Total</b>	12,496	173,506	70,433	321,924	252,149	159,871	990,380
	<b>Male</b>	6,339	88,738	35,802	163,219	121,668	71,590	487,356
	<b>Female</b>	6,157	84,768	34,632	158,705	130,481	88,281	503,024
<b>Pinal</b>	<b>Total</b>	5,125	81,850	25,013	132,894	87,254	57,057	389,192
	<b>Male</b>	2,561	41,824	12,952	75,282	44,130	27,571	204,320
	<b>Female</b>	2,563	40,025	12,061	57,612	43,124	29,485	184,872
<b>Santa Cruz</b>	<b>Total</b>	712	11,062	4,023	13,670	12,399	6,858	48,725
	<b>Male</b>	364	5,651	2,083	6,345	5,696	3,127	23,266
	<b>Female</b>	348	5,411	1,940	7,325	6,704	3,732	25,459
<b>Yavapai</b>	<b>Total</b>	1,845	30,247	12,221	49,328	64,138	53,803	211,582
	<b>Male</b>	944	15,404	6,374	25,135	30,369	25,426	103,653
	<b>Female</b>	901	14,843	5,848	24,193	33,769	28,376	107,929
<b>Yuma</b>	<b>Total</b>	3,594	42,787	16,881	65,671	43,619	32,623	205,174
	<b>Male</b>	1,831	21,688	8,689	34,541	21,028	15,651	103,428
	<b>Female</b>	1,763	21,099	8,192	31,130	22,590	16,972	101,746

For information on data source:

<http://www.azdhs.gov/plan/menu/info/pop/pop12/pd12.htm>



Our Web site at <http://www.azdhs.gov/plan> provides instantaneous access to a wide range of statistical information about health status of Arizonans. The *Arizona Health Status and Vital Statistics* annual report examines trends in natality, mortality, and morbidity towards established health objectives. Additional reports and studies include *Differences in the Health Status Among Race/Ethnic Groups*, *Advance Vital Statistics by County of Residence*, *Mortality from Alzheimer's Disease*, *Injury Mortality among Arizona Residents* (accidents, suicides, homicides, legal intervention, firearm-related fatalities, drug-related deaths, drowning deaths, falls among Arizonans 65 years or older), hospital inpatient and emergency room statistics for *mental disorders*, *asthma*, *diabetes*, *influenza and pneumonia*, and *substance abuse*, *Community Vital Statistics*, *Teenage Pregnancy*, *Selected Characteristics of Newborns and Mothers Giving Birth by Census Tract* in Maricopa County, Pima County and South Phoenix Area, *Health Status Profile of American Indians in Arizona*, *Deaths from Exposure to Excessive Natural Heat Occurring in Arizona*, *Obesity in Arizona: Prevalence, Hospital Care Utilization, Mortality, Marital Status, and Health*, *Heart Disease vs. Cancer: An Epidemiologic Transition in Mortality Risks*.



**Population Health and Vital Statistics Section  
Bureau of Public Health Statistics  
ARIZONA DEPARTMENT OF HEALTH SERVICES**