

# **RANKING ORDER IN 2007**



## RANK ORDER IN 2007

(A rank is the ordering of each race/ethnic group according to score).

**1 = RANKS BEST AMONG RACE/ETHNIC GROUPS**  
**5 = RANKS WORST AMONG RACE/ETHNIC GROUPS**

### 1. TEEN PREGNANCIES

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
1-1	Pregnancies among females 19 and younger	2.0	5.0	3.0	4.0	1.0
1-2	Pregnancies among females 14 and younger	2.0	3.0	5.0	4.0	1.0
1-3	Pregnancies among females 15-17 years old	2.0	5.0	3.0	4.0	1.0
1-4	Pregnancies among females 18-19 years old	2.0	5.0	4.0	3.0	1.0
	<b>SUM OF RANKS</b>	<b>8.0</b>	<b>18.0</b>	<b>15.0</b>	<b>15.0</b>	<b>4.0</b>
	<b>AVERAGE RANK</b>	<b>2.0</b>	<b>4.5</b>	<b>3.8</b>	<b>3.8</b>	<b>1.0</b>

### 2. MATERNAL LIFESTYLE AND HEALTH CHARACTERISTICS

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2-1	Unmarried mothers	2.0	3.0	4.0	5.0	1.0
2-2	Tobacco use during pregnancy	5.0	1.0	4.0	3.0	2.0
2-3	Alcohol use during pregnancy	4.0	1.5	3.0	5.0	1.5
2-4	Chronic hypertension	3.0	1.5	4.0	5.0	1.5
2-5	Dysfunctional labor	3.0	1.0	2.0	5.0	4.0
2-6	Anemia during pregnancy	3.0	1.0	4.0	5.0	2.0
2-7	Diabetes during pregnancy	1.0	3.0	2.0	5.0	4.0
2-8	Pregnancy associated hypertension	4.0	1.0	3.0	5.0	2.0
2-9	Genital herpes during pregnancy	5.0	1.0	4.0	2.5	2.5
2-10	Weight gain of less than 21 pounds	1.0	4.0	3.0	5.0	2.0
	<b>SUM OF RANKS</b>	<b>31.0</b>	<b>18.0</b>	<b>33.0</b>	<b>45.5</b>	<b>22.5</b>
	<b>AVERAGE RANK</b>	<b>3.1</b>	<b>1.8</b>	<b>3.3</b>	<b>4.6</b>	<b>2.3</b>

### 3. UTILIZATION OF PRENATAL CARE SERVICES

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
3-1	No care in the 1st trimester	1.5	4.0	3.0	5.0	1.5
3-2	Fewer than five prenatal visits	1.0	4.0	3.0	5.0	2.0
3-3	No prenatal care	1.0	4.5	3.0	4.5	2.0
	<b>SUM OF RANKS</b>	<b>3.5</b>	<b>12.5</b>	<b>9.0</b>	<b>14.5</b>	<b>5.5</b>
	<b>AVERAGE RANK</b>	<b>1.2</b>	<b>4.2</b>	<b>3.0</b>	<b>4.8</b>	<b>1.8</b>

### 4. NEWBORN'S HEALTH

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
4-1	Hyaline membrane disease	4.0	1.5	5.0	1.5	3.0
4-2	Newborn intensive care	4.0	1.5	5.0	1.5	3.0
4-3	Born too early (preterm or < 37 weeks)	3.5	2.0	5.0	3.5	1.0
4-4	Born too small: low-birthweight (<2,500 grams)	3.0	1.5	5.0	1.5	4.0
4-5	Born too small: very low-birthweight (<1,500 grams)	3.0	4.0	5.0	1.5	1.5
4-6	Incidence of congenital anomalies (birth defects)	4.0	1.5	1.5	5.0	3.0
4-7	Infant mortality	2.0	3.0	5.0	4.0	1.0
4-8	Sudden Infant Death Syndrome (SIDS)	3.0	2.0	5.0	4.0	1.0
4-9	Mortality of infants from low birthweight/short gestation	1.0	4.0	5.0	2.0	3.0
4-10	Neonatal mortality	2.0	4.0	5.0	3.0	1.0
4-11	Postneonatal mortality	2.0	3.0	5.0	4.0	1.0
	<b>SUM OF RANKS</b>	<b>31.5</b>	<b>28.0</b>	<b>51.5</b>	<b>31.5</b>	<b>22.5</b>
	<b>AVERAGE RANK</b>	<b>2.9</b>	<b>2.5</b>	<b>4.7</b>	<b>2.9</b>	<b>2.0</b>

**5. MORTALITY FROM NATURAL CAUSES - Chronic or infectious diseases**

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
5-1	Cardiovascular diseases	4.0	3.0	5.0	2.0	1.0
5-2	Diseases of the heart	4.0	3.0	5.0	2.0	1.0
5-3	Coronary heart disease	4.0	3.0	5.0	2.0	1.0
5-4	Cerebrovascular disease	2.0	4.0	3.0	1.0	5.0
5-5	Chronic lower respiratory diseases	5.0	4.0	3.0	2.0	1.0
5-6	Malignant neoplasms (cancer)	5.0	3.0	4.0	2.0	1.0
5-7	Lung cancer	5.0	2.0	4.0	1.0	3.0
5-8	Breast cancer	4.0	3.0	5.0	2.0	1.0
5-9	Cervical cancer	2.0	5.0	3.5	3.5	1.0
5-10	Colorectal cancer	4.0	3.0	5.0	1.0	2.0
5-11	Prostate cancer	4.0	1.0	5.0	2.0	3.0
5-12	Influenza and pneumonia	2.0	4.0	3.0	5.0	1.0
5-13	Diabetes	2.0	4.0	3.0	5.0	1.0
5-14	Chronic liver disease and cirrhosis	2.0	4.0	2.0	5.0	1.0
5-15	HIV disease	2.0	3.0	5.0	4.0	1.0
5-16	Septicemia	1.0	2.0	4.0	5.0	3.0
5-17	Alzheimer's disease	5.0	3.0	4.0	1.0	2.0
5-18	Nephritis, nephrotic syndrome and nephrosis (kidney disease)	2.0	3.0	4.0	5.0	1.0
5-19	Essential (primary) hypertension	1.0	2.0	5.0	4.0	3.0
5-20	Total mortality from all causes	3.0	2.0	4.0	5.0	1.0
	<b>SUM OF RANKS</b>	<b>63.0</b>	<b>61.0</b>	<b>81.5</b>	<b>59.5</b>	<b>34.0</b>
	<b>AVERAGE RANK</b>	<b>3.2</b>	<b>3.1</b>	<b>4.1</b>	<b>3.0</b>	<b>1.7</b>

**6. MORTALITY FROM INJURIES**

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
6-1	Unintentional injuries	3.0	2.0	4.0	5.0	1.0
6-2	Motor vehicle-related injuries	2.0	4.0	3.0	5.0	1.0
6-3	Fall-related injuries	5.0	3.0	2.0	4.0	1.0
6-4	Drowning mortality	3.0	2.0	5.0	4.0	1.0
6-5	Injury by firearms	3.0	4.0	5.0	2.0	1.0
6-6	Drug-induced deaths	4.0	2.5	5.0	2.5	1.0
6-7	Alcohol-induced deaths	3.0	4.0	2.0	5.0	1.0
6-8	Intentional self-harm (suicide)	5.0	3.0	2.0	4.0	1.0
6-9	Assault (homicide)	2.0	3.0	5.0	4.0	1.0
	<b>SUM OF RANKS</b>	<b>30.0</b>	<b>27.5</b>	<b>33.0</b>	<b>35.5</b>	<b>9.0</b>
	<b>AVERAGE RANK</b>	<b>3.3</b>	<b>3.1</b>	<b>3.7</b>	<b>3.9</b>	<b>1.0</b>

**7. AGE-SPECIFIC MORTALITY**

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
7-1	Mortality of children 1-14 years old	1.0	3.0	4.0	5.0	2.0
7-2	Mortality of adolescents and young adults 15-19 years old	2.0	3.0	4.0	5.0	1.0
7-3	Mortality among adults 20-44 years old	3.0	2.0	4.0	5.0	1.0
7-4	Mortality among adults 45-65 years old	3.0	2.0	5.0	4.0	1.0
	<b>SUM OF RANKS</b>	<b>9.0</b>	<b>10.0</b>	<b>17.0</b>	<b>19.0</b>	<b>5.0</b>
	<b>AVERAGE RANK</b>	<b>2.3</b>	<b>2.5</b>	<b>4.3</b>	<b>4.8</b>	<b>1.3</b>

**8. PREMATURE MORTALITY**

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
8-1	Median age at death from all causes	1.0	3.0	4.0	5.0	2.0
8-2	Median age at death from all causes among males	1.0	3.0	4.0	5.0	2.0
8-3	Median age at death from all causes among females	1.0	3.0	4.0	5.0	2.0
8-4	Percent of total deaths before expected years of life reached	1.0	3.0	4.0	5.0	2.0
	<b>SUM OF RANKS</b>	<b>4.0</b>	<b>12.0</b>	<b>16.0</b>	<b>20.0</b>	<b>8.0</b>
	<b>AVERAGE RANK</b>	<b>1.0</b>	<b>3.0</b>	<b>4.0</b>	<b>5.0</b>	<b>2.0</b>

**9. REPORTABLE DISEASES - (Number of cases per 100,000 persons in specified group)**

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
9-1	Incidence of early syphilis	2.0	3.0	4.0	5.0	1.0
9-2	Incidence of gonorrhea	2.0	3.0	5.0	4.0	1.0
9-3	Incidence of chlamydia	2.0	3.0	5.0	4.0	1.0
9-4	Incidence of genital herpes	2.0	3.0	5.0	4.0	1.0
9-5	Incidence of HIV/AIDS	3.0	4.0	5.0	1.0	2.0
	<b>SUM OF RANKS</b>	<b>11.0</b>	<b>16.0</b>	<b>24.0</b>	<b>18.0</b>	<b>6.0</b>
	<b>AVERAGE RANK</b>	<b>2.2</b>	<b>3.2</b>	<b>4.8</b>	<b>3.6</b>	<b>1.2</b>

**OVERALL HEALTH STATUS (ALL 70 INDICATORS)**

		White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
	<b>SUM OF ALL RANKS FOR 70 MEASUREMENTS</b>	<b>191.0</b>	<b>203.0</b>	<b>280.0</b>	<b>258.5</b>	<b>116.5</b>
	<b>AVERAGE RANKS BASED ON 70 MEASUREMENTS</b>	<b>2.7</b>	<b>2.9</b>	<b>4.0</b>	<b>3.7</b>	<b>1.7</b>