


5

Mortality from Natural Causes

- 5-1 Cardiovascular Disease
- 5-2 Diseases of the Heart
- 5-3 Coronary Heart Disease
- 5-4 Cerebrovascular Disease
- 5-5 Chronic Lower Respiratory Disease
- 5-6 Malignant Neoplasms
- 5-7 Lung Cancer
- 5-8 Breast Cancer
- 5-9 Cervical Cancer
- 5-10 Colorectal Cancer
- 5-11 Prostate Cancer
- 5-12 Influenza and Pneumonia
- 5-13 Diabetes
- 5-14 Chronic Liver Disease and Cirrhosis
- 5-15 HIV Disease
- 5-16 Septicemia
- 5-17 Alzheimer's Disease
- 5-18 Nephritis, Nephrotic Syndrome & Nephrosis
(kidney disease)
- 5-19 Essential (primary) Hypertension
- 5-20 Mortality from All Causes


5-1 CARDIOVASCULAR DISEASE

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	276.1	276.0	273.6	411.5	257.5	190.6
2009	188.8	188.3	179.8	245.7	164.2	150.8
% change from 2000	-31.6	-31.8	-34.3	-40.3	-36.2	-20.9


5-2 DISEASES OF THE HEART

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	206.1	207.2	204.7	289.5	183.8	132.3
2009	145.9	147.5	130.5	171.3	125.8	96.7
% change from 2000	-29.2	-28.8	-36.2	-40.8	-31.6	-26.9


5-3 CORONARY HEART DISEASE

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	160.4	162.4	154.7	225.1	124.4	107.4
2009	115.9	117.3	103.7	137.3	94.6	81.0
% change from 2000	-27.7	-27.8	-33.0	-39.0	-24.0	-24.6


5-4 CEREBROVASCULAR DISEASE

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).


COMPARATIVE RATES FOR 2000 AND 2009

Number of deaths per 100,000 population by race/ethnicity

Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	51.7	50.8	51.2	82.4	55.3	46.1
2009	28.9	27.5	33.8	42.8	24.7	39.2
% change from 2000	-44.1	-45.9	-34.0	-48.1	-55.3	-15.0


5-5 CHRONIC LOWER RESPIRATORY DISEASE

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	47.4	51.1	24.4	30.4	21.9	12.7
2009	40.5	45.0	16.4	26.8	19.2	18.0
% change from 2000	-14.6	-11.9	-32.8	-11.8	-12.3	41.7


5-6 MALIGNANT NEOPLASM (CANCER)

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	170.4	174.8	156.9	216.1	123.0	103.4
2009	147.2	151.1	128.4	153.1	113.3	108.1
% change from 2000	-13.6	-13.6	-18.2	-29.2	-7.9	4.5


5-7 LUNG CANCER

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	46.1	49.1	31.6	65.8	8.9	29.6
2009	39.0	42.7	23.7	38.7	10.0	26.6
% change from 2000	-15.4	-13.0	-25.0	-41.2	12.4	-10.1


5-8 BREAST CANCER

2009



Number of deaths per 100,000 female population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 female population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 females by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	25.4	26.2	20.7	29.5	12.1	12.8
2009	19.2	19.8	16.4	30.7	11.6	5.9
% change from 2000	-24.4	-24.4	-20.8	4.1	-4.1	-53.9


5-9 CERVICAL CANCER

2009



Number of deaths per 100,000 female population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 female population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 females by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	3.0	2.5	3.7	7.6	10.1	3.5
2009	1.8	1.5	2.1	2.2	4.1	2.9
% change from 2000	-40.0	-40.0	-43.2	-71.1	-59.4	-17.1


5-10 COLORECTAL CANCER

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	17.0	17.4	16.4	16.3	8.2	6.6
2009	12.9	12.9	13.8	14.1	8.5	13.8
% change from 2000	-24.1	-25.9	-15.9	-13.5	3.7	109.1


5-11 PROSTATE CANCER

2009



Number of deaths per 100,000 male population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 male population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 males by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	28.4	28.0	30.0	74.8	27.1	8.9
2009	18.4	18.2	20.0	28.9	16.4	2.1
% change from 2000	-35.2	-35.0	-33.3	-61.4	-39.5	-76.4


5-12 INFLUENZA AND PNEUMONIA

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	24.4	23.3	30.1	26.9	48.2	11.9
2009	14.6	13.0	15.5	14.3	42.7	16.3
% change from 2000	-40.2	-44.2	-48.5	-46.8	-11.4	37.0


5-13 DIABETES

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	19.0	14.9	41.1	46.0	74.6	19.5
2009	15.7	12.2	28.1	31.1	54.2	16.2
% change from 2000	-17.4	-18.1	-31.6	-32.4	-27.3	-16.9


5-14 CHRONIC LIVER DISEASE AND CIRRHOSIS

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	12.8	10.4	15.8	6.6	61.7	4.1
2009	12.2	9.5	18.7	3.1	54.0	3.1
% change from 2000	-4.7	-8.7	18.4	-53.0	-12.5	-24.4


5-15 HIV DISEASE

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	3.2	3.1	3.4	9.6	1.8	0.0
2009	1.6	1.0	2.1	8.9	3.7	0.0
% change from 2000	-50.0	-67.7	-38.2	-7.3	105.6	NA


5-16 SEPTICEMIA

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	6.7	6.0	9.9	6.2	21.5	1.3
2009	7.7	6.5	8.0	13.2	31.4	9.2
% change from 2000	14.9	8.3	-19.2	112.9	46.0	607.7


5-17 ALZHEIMER'S DISEASE

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	21.8	22.5	18.9	20.5	7.2	7.8
2009	29.5	30.4	26.9	29.6	10.9	18.1
% change from 2000	35.3	35.1	42.3	44.4	51.4	132.1


5-18 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	11.7	10.1	22.1	26.9	22.6	5.0
2009	7.7	6.2	14.1	16.2	19.6	1.5
% change from 2000	-34.2	-38.6	-36.2	-39.8	-13.3	-70.0


5-19 ESSENTIAL (PRIMARY) HYPERTENSION

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000




Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	5.6	5.2	7.3	11.2	10.8	5.8
2009	6.8	6.1	9.0	22.0	7.0	10.6
% change from 2000	21.4	17.3	23.3	96.4	-35.2	82.8


5-20 TOTAL MORTALITY FROM ALL CAUSES

2009



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

2000



Number of deaths per 100,000 population (age-adjusted to the 2000 standard).

COMPARATIVE RATES FOR 2000 AND 2009						
Number of deaths per 100,000 population by race/ethnicity						
Year	All groups	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2000	785.6	776.6	769.9	1057.5	1011.4	504.1
2009	653.2	647.3	614.9	736.8	823.5	472.8
% change from 2000	-16.9	-16.6	-20.1	-30.3	-18.6	-6.2