

## **The Incidence of Reportable Diseases**

**9-1 Rates of Early Syphilis**

**9-2 Rates of Gonorrhea**

**9-3 Rates of Chlamydia**


**9-4 Rates of Genital Herpes**

**9-5 Rates of HIV/AIDS**




## 9-1 RATES OF EARLY SYPHILIS

**2009**



**2000**




### COMPARATIVE RATES FOR 2000 AND 2009


| Number of reported cases per 100,000 population by race/ethnicity |            |                    |                    |                           |                                  |                           |
|---|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Year  | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| 2000  | 8.5        | 3.2                | 15.4               | 60.4                      | 12.1                             | 3.0                       |
| 2009  | 6.5        | 4.4                | 9.3                | 11.1                      | 11.6                             | 1.7                       |
| % change from 2000  | -23.5      | 37.5               | -39.6              | -81.6                     | -4.1                             | -43.3                     |

## 9-2 RATES OF GONORRHEA

**2009**




**2000**




| COMPARATIVE RATES FOR 2000 AND 2009                               |            |                    |                    |                           |                                  |                           |
|---|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Number of reported cases per 100,000 population by race/ethnicity |            |                    |                    |                           |                                  |                           |
| Year  | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| 2000  | 80.0       | 29.5               | 111.8              | 630.8                     | 105.1                            | 22.2                      |
| 2009  | 49.3       | 19.0               | 46.4               | 316.0                     | 50.0                             | 11.5                      |
| % change from 2000  | -38.4      | -35.6              | -58.5              | -49.9                     | -52.4                            | -48.2                     |

### 9-3 RATES OF CHLAMYDIA

2009



2000




#### COMPARATIVE RATES FOR 2000 AND 2009

Number of reported cases per 100,000 population by race/ethnicity


| Year               | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2000               | 243.9      | 96.7               | 350.3              | 686.2                     | 844.1                            | 89.9                      |
| 2009               | 394.2      | 156.3              | 471.5              | 926.9                     | 679.3                            | 150.6                     |
| % change from 2000 | 61.6       | 61.6               | 34.6               | 35.1                      | -19.5                            | 67.5                      |

## 9-4 RATES OF GENITAL HERPES

**2009**




**2000**




| COMPARATIVE RATES FOR 2000 AND 2009                               |              |                    |                    |                           |                                  |                           |
|---|--------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| Number of reported cases per 100,000 population by race/ethnicity |              |                    |                    |                           |                                  |                           |
| Year  | All groups   | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
| <b>2000</b>   | <b>21.8</b>  | <b>15.8</b>        | <b>17.1</b>        | <b>47.8</b>               | <b>33.6</b>                      | <b>7.1</b>                |
| <b>2009</b>   | <b>11.7</b>  | <b>5.7</b>         | <b>7.9</b>         | <b>13.1</b>               | <b>31.5</b>                      | <b>2.9</b>                |
| <b>% change from 2000</b>   | <b>-46.3</b> | <b>-63.9</b>       | <b>-53.8</b>       | <b>-72.6</b>              | <b>-6.3</b>                      | <b>-59.2</b>              |

## 9-5 RATES OF HIV/AIDS

**2009**



**2000**



### COMPARATIVE RATES FOR 2000 AND 2009

Number of reported HIV/AIDS cases per 100,000 population by race/ethnicity

| Year               | All groups | White non-Hispanic | Hispanic or Latino | Black or African American | American Indian or Alaska Native | Asian or Pacific Islander |
|--------------------|------------|--------------------|--------------------|---------------------------|----------------------------------|---------------------------|
| 2000               | 13.4       | 11.5               | 13.8               | 61.1                      | 9.8                              | 7.1                       |
| 2009               | 10.2       | 7.4                | 13.2               | 28.0                      | 11.0                             | 5.8                       |
| % change from 2000 | -23.9      | -35.7              | -4.3               | -54.2                     | 12.2                             | -18.3                     |