## **Risk Profile of Asians or Pacific Islanders**

(Percent above or below the State mean)

## BETTER W ORSE THAN AVERAGE THAN AVERAGE 4-8. Sudden Infant Death Syndrome (SIDS) -100.0 5-15. HIV disease -100.0 6-6. Drug-induced deaths -97.6 Alcohol-induced deaths -87.3 1-3. Pregnancies among females 15-17 years -79.4 Incidence of gonorrhea -76.4 2-2. Tobacco use during pregnancy -75.0 4-10. Neonatal mortality -73.5 5-14. Chronic liver disease and cirrhosis -73.1 9-3. Incidence of chlamydia -72.3 Unintentional injuries -71.1 Mortality among middle-age adults 45-64 years -67.9 Infant mortality -67.9 Assault (homicide) 6-9. -67.8 Cervical cancer 5-9. -66.7 Pregnancies among females 19 and younger -64.6 Unmarried mothers -64.5 2-1. 7-3. Mortality among young adults 20-44 years -64.3 Incidence of early syphilis 9-1. -64.0 Injury by firearms -63.8 Pregnancies among females 18-19 years -60.6 9-4. Incidence of HIV/AIDS -59.5 6-8. Intentional self-harm (suicide) -58.8 Mortality of infants from low birthweight -57.1 5-5. Chronic lower respiratory diseases -56.4 6-3. Fall-related injuries -52.9 4-11. Postneonatal mortality -52.6 2-3. Alcohol use during pregnancy -50.0 3-3. No prenatal care -50.0 4-1. Incidence of hyaline membrane disease -50.0 6-2. Motor vehicle-related injuries 49.1 2-9. Genital herpes during pregnancy <del>-4</del>5.5 -45.2 5-17. Alzheimer's disease 5-8. Breast cancer <del>-4</del>4.9 Coronary heart disease 5-3. -42.4Diseases of the heart -42.3 Mortality among children 1-14 years 41.9 5-20. Total mortality from all causes -39.9 5-7. Lung cancer -37.1Fewer than five prenatal visits -35.3 5-6. Malignant neoplasm (cancer) -33.1 Cardiovascular disease 5-1. -28.8 7-2 Mortality among adolescents 15-19 years -28.8 4-6. Incidence of congenital anomalies -28.6 Chronic hypertension -27.3 3-1. No care in the 1st trimester -27.3 1-2. Pregnancies among females 14 and younger -25.0 5-13. Diabetes -24.2 -20.8 5-16. Septicemia 5-12. Influenza and pneumonia -20.0 2-10. Weight gain of less than 21 pounds -13.42-8. Pregnancy-associated hypertension -12.5 5-10. Colorectal cancer -11.0 2-6. Anemia during pregnancy -4.3 4-3. Born too early ( preterm or < 37 weeks) -1.1 Born too small: <1,500 grams 0.0 Median age at death from all causes 1.3 8-2. Median age at death among males 1.4 5-11. Prostate cancer 1.6 8-3. Median age at death among females 3.7 Incidence of newborn intensive care 3.8 Dysfunctional labor 5.9 2-5. 8-4. Deaths before expected years of life reached 7.9 Cerebrovascular disease 8.9 Born too small: <2,500 grams 14.5 5-18. Nephritis, nephrotic syndrome and nephrosis 17.0 6-4. Drowning mortality 36.4

-300.0

Diabetes during pregnancy

5-19. Essential (primary) hypertension

70.2

AVERAGE

FOR ALL RESIDENTS

75.3

300.0