Risk Profile of Hispanics or Latinos (Percent above or below the State mean)

Tobacco use during pregnancy	-59.1	
Chronic lower respiratory diseases	-53.0	
	-50.0	
Drug-induced deaths	-41.4	
5		
	-21.5	
Alcohol-induced deaths	-20.4	
Diseases of the heart		
	-	
	-15.1	
	-14.3	
Mortality among adolescents 15-19 years		
	-13.2	
	-10.6	
	-10.5	
Drowning mortality	-9.1	
	-4.8	
Born too small: <2,500 grams	4.3	
	-2.1	
	0.0	0.0
		0.0
Born too small: <1,500 grams		0.0
Motor vehicle-related injuries		0.0
		3.3 5.3
		5.7
		7.0
		7.2
Median age at death among females		7.4
		9.0 10.4
		11.0
,		13.5
		14.3
		14.4
		15.2
		17.5 17.6
		22.8
		22.9
Incidence of early syphilis		24.0
		26.6
		27.1 27.3
		28.6
		30.2
Fewer than five prenatal visits		33.3
		34.9
		43.9 50.0
		50.0
		50.0
		72.5
Cervical cancer		83.3
	Intentional self-harm (suicide) Alcohol use during pregnancy Sudden I Infant Death Syndrome (SIDS) Drug-induced deaths Lung cancer Injuy by firearms Genital herpes during pregnancy Motality among middle-age adults 45-64 years Mottality among young adults 20-44 years Alcohol-induced deaths Diseases of the heart Unintentional injuries Coronary heart disease Postneonatal mortality Nephritis, nephrotic syndrome and nephrosis HIV disease Motality among adolescents 15-19 years Cardiovascular disease Malignant neoplasm (cancer) Pregnancy-associated hypertension Motality among children 1-14 years Total mortality Colorectal cancer Prostate cancer Incidence of gnornhea Breast cancer Bom too small: <2,500 grams Anemia during pregnancy Incidence of newbom intensive care Assault (homicide) Fall-telated injuries Chronic hypertension Dysfunctional labor Bom too small: <1,500 grams Motor vehicle-related injuries Bom	Intertional self-harm (surcide) Actobit use during prepanety Sudden Infant Death Syndrome (SIDS) Sudden Infant Death Syndrome (SIDS) Lung cancer Injury by fineams Injury by f