**Risk Profile of Hispanics or Latinos** (Percent above or below the State mean)

	BETTER THAN AVERAGE	W ORSE Than Average
6-8 Intentional self-harm (suicide)	-62.4	
2-2 Tobacco use during pregnancy	-55.7	
5-5 Chronic lower respiratory diseases	-52.3	
6-5 Injury by fireams	-47.4 -46.4	
5-7 Lung cancer	-40.9	
6-6 Drug-induced deaths 4-7 Sudden I nfant Death Syndrome (SIDS)	-33.8	
6-4 Drowning mortality	-33.3	
5-8 Breast cancer	-32.8	
7-3 Mortality among young adults 20-44 years	-29.8 -26.9 -26.9	
7-4 Mortality among middle-age adults 45-64 years 6-7 Alcohol-induced deaths	-24.0	
6-7 Alcohol-induced deaths 6-1 Unintentional injuries	-23.7	
7-1 Mortality among children 1-14 years	-23.0	
6-2 Motor vehicle-related injuries	-21.4	
4-10 Postneonatal mortality	-19.0	
5-2 Diseases of the heart	-16.8 -16.7	
4-5 Incidence of congenital anomalies 5-6 Malignant neoplasm (cancer)	-10.7	
7-2 Mortality among adolescents 15-19 years	-14.1	
5-3 Coronary heart disease	-13.8	
5-20 Total mortality from all causes	-13.0	
5-1 Cardiovascular disease	-12.6	
5-15 HIVdisease	-12.5	
5-10 Colorectal cancer	-8.5 -6.5	
2-7 Gestational weight gain - Excessive 5-14 Chronic liver disease and cirrhosis	-6.0	
6-3 Fall-related injuries	-5.5	
6-9 Assault (homicide)	-5.4	
2-3 Pre-existing hypertension	4.4	
9-2 Incidence of gonorrhea	4.0	
2-5 Gestational hypertension	-3.9	
4-3 Born too small: <2,500 grams 4-1 Incidence of newborn intensive care	-3.7 -2.4	
5-17 Alzheimer's disease	-2.1	
44 Bom too small: <1,500 grams	-2.0	
4-6 Infant mortality	-1.8	
9-3 Incidence of chlamydia	-0.5	
5-11 Prostate cancer		0.0
4-2 Born too early (preterm or < 37 weeks) 5-4 Cerebrovascular disease		0.0 4.2
24 Gestational diabetes		4.4
5-19 Essential (primary) hypertension		5.4
8-3 Median age at death among females		6.3
4-9 Neonatal mortality		8.6
8-1 Median age at death from all causes		9.2
5-16 Septicemia 8-2 Median age at death among males		9.3 9.6
2-6 Gestational weight gain - I nadequate		13.2
3-1 No care in the 1st trimester		13.3
9-4 Incidence of HIV/AIDS		13.3
4-8 Mortality of infants from Ibw/ short gestation		17.0
5-12 Influenza and pneumonia		19.1
9-1 Incidence of early syphilis 8-4 Deaths before expected years of life reached		19.9
2-1 Unmarried mothers		22.8 24.1
3-2 Fewer than five prenatal visits		25.5
1-4 Pregnancies among females 18-19 years		28.0
1-1 Pregnancies among females 19 and younger		28.1
5-18 Nephritis, nephrotic syndrome and nephrosis		31.7
3-3 No prenatal care 1-3 Pregnancies among females 15-17 years		35.0
1-3 Pregnancies among females 15-17 years 1-2 Pregnancies among females 14 and younger		38.3
5-9 Cervical cancer		42.5
5-13 Diabetes		56.5 76.3
		70.5
ı	-300.0	300.0

AVERAGE FOR ALL RESIDENTS