

SCORES IN 2019

SCORES IN 2019

(A score is the percent above or below the average rate or ratio for all Arizona residents.

A **negative score** indicates **better than average** standing on an indicator).

1. TEEN PREGNANCIES

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
1-1	Pregnancies among females 19 and younger	-42.0	31.1	26.9	58.0	-63.9
1-2	Pregnancies among females 14 and younger	-50.0	50.0	50.0	200.0	-100.0
1-3	Pregnancies among females 15-17 years old	-51.0	39.2	20.6	96.1	-78.4
1-4	Pregnancies among females 18-19 years old	-40.0	32.5	30.4	51.6	-60.7
	TOTAL SCORE	-183.0	152.8	127.9	405.7	-303.0
	AVERAGE SCORE	-45.8	38.2	32.0	101.4	-75.8

2. MATERNAL LIFESTYLE AND HEALTH CHARACTERISTICS

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
2-1	Unmarried mothers	-30.4	22.2	39.3	74.2	-67.1
2-2	Tobacco use during pregnancy	60.5	-53.5	16.3	-27.9	-79.1
2-3	Pre-existing hypertension	-13.3	0.0	113.3	53.3	-46.7
2-4	Gestational diabetes	-21.8	5.7	-24.1	100.0	66.7
2-5	Gestational hypertension	-5.0	-3.8	28.8	65.0	-38.8
2-6	Gestational weight gain - Inadequate	-14.4	9.8	9.8	3.7	31.6
2-7	Gestational weight gain -Excessive	7.0	-5.3	0.6	3.8	-25.5
	TOTAL SCORE	-17.4	-24.9	184.0	272.1	-158.9
	AVERAGE SCORE	-2.5	-3.6	26.3	38.9	-22.7

3. UTILIZATION OF PRENATAL CARE SERVICES

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
3-1	No care in the 1st trimester	-22.2	15.1	29.3	37.0	-13.8
3-2	Fewer than five prenatal visits	-36.6	22.0	24.4	112.2	-36.6
3-3	No prenatal care	-42.3	30.8	15.4	103.8	-50.0
	TOTAL SCORE	-101.1	67.9	69.1	253.0	-100.4
	AVERAGE SCORE	-33.7	22.6	23.0	84.3	-33.5

4. NEWBORN'S HEALTH

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
4-1	Incidence of newborn intensive care	-3.9	-3.9	40.3	11.7	-11.7
4-2	Born too early (preterm or < 37 weeks)	-6.5	-1.1	41.9	14.0	2.2
4-3	Born too small: low-birthweight (<2,500 grams)	-8.1	-5.4	66.2	6.8	16.2
4-4	Born too small: very low-birthweight (<1,500 grams)	-9.1	0.0	118.2	18.2	-9.1
4-5	Incidence of congenital anomalies (birth defects)	25.0	0.0	-25.0	75.0	0.0
4-6	Infant mortality	-18.5	-3.7	120.4	27.8	-5.6
4-7	Sudden Infant Death Syndrome (SIDS)	50.0	-50.0	-100.0	250.0	50.0
4-8	Mortality of infants from low birthweight/short gestation	-42.9	14.3	-100.0	-71.4	85.7
4-9	Neonatal mortality	-20.6	-2.9	123.5	-8.8	2.9
4-10	Postneonatal mortality	-19.0	-9.5	104.8	81.0	-23.8
	TOTAL SCORE	-53.6	-62.2	390.3	404.3	106.8
	AVERAGE SCORE	-5.4	-6.2	39.0	40.4	10.7

5. MORTALITY FROM NATURAL CAUSES - Chronic or infectious diseases

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
5-1	Cardiovascular diseases	0.5	-13.3	37.8	4.2	-30.8
5-2	Diseases of the heart	2.3	-21.4	37.1	-3.3	-36.9
5-3	Coronary heart disease	2.9	-23.0	30.9	-10.6	-36.7
5-4	Cerebrovascular disease	-3.2	9.4	15.2	15.2	-25.2
5-5	Chronic lower respiratory diseases	11.5	-48.7	-12.8	-53.8	-70.4
5-6	Malignant neoplasms (cancer)	1.6	-12.2	28.8	-1.8	-26.9
5-7	Lung cancer	9.2	-37.8	26.3	-69.1	-20.2
5-8	Breast cancer	1.6	-19.1	109.0	-6.4	-26.6
5-9	Cervical cancer	10.0	15.0	-70.0	-25.0	-20.0
5-10	Colorectal cancer	0.8	-8.9	15.4	4.9	-10.6
5-11	Prostate cancer	-2.3	-2.9	140.8	9.2	-43.1
5-12	Influenza and pneumonia	-6.7	-4.8	21.2	165.4	-4.8
5-13	Diabetes	-20.9	44.8	82.4	282.4	-18.4
5-14	Chronic liver disease and cirrhosis	-15.6	-1.4	-46.9	462.6	-73.5
5-15	HIV disease	-11.1	-11.1	266.7	111.1	-100.0
5-16	Septicemia	-18.4	15.8	0.0	268.4	-36.8
5-17	Alzheimer's disease	1.2	-0.6	34.9	-38.6	-43.4
5-18	Nephritis, nephrotic syndrome and nephrosis (kidney disease)	-15.7	47.0	28.9	180.7	-9.6
5-19	Essential (primary) hypertension	-10.9	20.9	115.5	94.5	19.1
5-20	Total mortality from all causes	-0.3	-10.9	24.4	55.3	-37.7
	TOTAL SCORE	-63.5	-63.2	885.6	1445.3	-652.5
	AVERAGE SCORE	-3.2	-3.2	44.3	72.3	-32.6

6. MORTALITY FROM INJURIES

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
6-1	Unintentional injuries	2.2	-18.4	2.0	118.6	-61.3
6-2	Motor vehicle-related injuries	-5.3	-4.6	-8.4	180.2	-53.4
6-3	Fall-related injuries	4.9	-23.8	-41.8	29.5	-49.2
6-4	Drowning mortality	-7.7	-30.8	-38.5	184.6	-46.2
6-5	Injury by firearms	12.4	-33.3	22.2	-2.6	-73.9
6-6	Drug-induced deaths	12.7	-24.6	35.9	20.8	-78.5
6-7	Alcohol-induced deaths	-8.0	-30.2	-53.7	495.7	-90.1
6-8	Intentional self-harm (suicide)	22.2	-47.6	-33.9	41.8	-61.4
6-9	Assault (homicide)	-37.3	-1.7	157.6	244.1	-61.0
	TOTAL SCORE	-3.9	-215.0	41.4	1312.7	-575.0
	AVERAGE SCORE	-0.4	-23.9	4.6	145.9	-63.9

7. AGE-SPECIFIC MORTALITY

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
7-1	Mortality among children 1-14 years old	-5.1	-16.0	75.4	110.3	-36.6
7-2	Mortality among adolescents 15-19 years old	-13.8	-1.9	66.5	110.3	-72.9
7-3	Mortality among young adults 20-44 years old	-0.7	-23.2	31.5	206.1	-61.3
7-4	Mortality among middle-age adults 45-64 years old	3.7	-26.9	30.2	92.6	-52.7
	TOTAL SCORE	-15.9	-68.0	203.6	519.3	-223.5
	AVERAGE SCORE	-4.0	-17.0	50.9	129.8	-55.9

8. PREMATURE MORTALITY

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
8-1	Median age at death from all causes	-2.6	7.9	13.2	18.4	2.6
8-2	Median age at death from all causes among males	-2.7	12.2	12.2	21.6	4.1
8-3	Median age at death from all causes among females	-2.5	5.1	13.9	15.2	2.5
8-4	Percent of total deaths before expected years of life reached	-8.6	21.0	35.4	39.9	8.3
	TOTAL SCORE	-16.4	46.2	74.7	95.1	17.5
	AVERAGE SCORE	-4.1	11.6	18.7	23.8	4.4

9. REPORTABLE DISEASES - (Number of cases per 100,000 [persons in specified group])

Figure No.	Indicator	White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
9-1	Incidence of early syphilis	-45.1	25.7	126.6	189.0	-59.2
9-2	Incidence of gonorrhea	-60.2	-11.9	226.6	69.6	-76.7
9-3	Incidence of chlamydia	-67.4	-8.7	93.0	30.8	-69.8
9-4	Incidence of HIV/HIV/AIDS	-41.7	32.4	252.8	20.4	-53.7
	TOTAL SCORE	-214.4	37.5	699.0	309.8	-259.4
	AVERAGE SCORE	-53.6	9.4	174.8	77.5	-64.9

OVERALL HEALTH STATUS (ALL 65 INDICATORS)

		White non-Hispanic	Hispanic or Latino	Black or African American	American Indian or Alaska Native	Asian or Pacific Islander
	TOTAL SCORE	-669.2	-128.9	2675.6	5017.3	-2148.4
	AVERAGE SCORE	-10.3	-2.0	41.2	77.2	-33.1