


ACCIDENTS **2** **(UNINTENTIONAL INJURY)**




ACCIDENTS (UNINTENTIONAL INJURY)

Figure 2-1
Age-Adjusted Mortality Rates for Accidents (unintentional injuries) by Gender and Year, Arizona, 1990-2000



The mortality rate for unintentional injuries in accidents declined by 6.8 percent from 44.4 deaths per 100,000 population in 1999 to 41.4/100,000 in 2000. In 2000, male compared to female residents of Arizona were 2.3 times more likely to die from unintentional injury (**Figure 2-1**).

Figure 2-2
Average-Annual* Mortality Rates for Leading Causes of Accidental (unintentional) Injury, Arizona, 1990-2000




Motor vehicle accidents, falls, poisoning by drugs, medicaments and biological substances, drownings, and exposure to smoke, fire and flames were the five leading causes of unintentional injury death in Arizona in 1990-2000 (Figure 2-2). Excessive heat due to weather conditions was the sixth leading cause of unintentional injury death, followed by choking and poisoning by gases and vapors. Small aircraft accidents causing fatal injury to occupant were the tenth leading cause of accidental injury death in Arizona.

*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

ACCIDENTS (UNINTENTIONAL INJURY)

In 1990-2000, the average annual death rate for *motor vehicle crashes* among Arizona males was 2.2 times that for females (Figure 2-3). *Poisoning by drugs* ranked second for males, but third for females. In contrast, deaths from *falls* ranked second for females, but third for males. The fourth and fifth causes of accidental injury death – *drowning and smoke, fire and flames* – were the same for both males and females.


Figure 2-3
Average-Annual* Mortality Rates for Accidental (unintentional) Injury by Gender, Arizona, 1990-2000



*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

Figures 2-4, 2-5, 2-6, 2-7 and 2-8 show variation across race/ethnic groups in the five leading causes of unintentional injury mortality. The five groups share most of the leading causes in common. For some of the racial and Hispanic origin groups, one of the five leading causes is exclusive to that group. For Asians, deaths due to *accidental discharge of firearms* ranked fourth, but they were not ranked in the top five for the four other race/ethnicity groups.


Figure 2-4
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Asians, Arizona, 1990-2000



*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

ACCIDENTS (UNINTENTIONAL INJURY)


Figure 2-5
Average-Annual* Mortality Rates for the Five Leading Causes of
Accidental (unintentional) Injury Among American Indians
Arizona, 1990-2000



The average annual death rate for *motor vehicle accidents* among American Indians (**Figure 2-5**) was the highest among racial/ethnic groups in the State. Deaths due to *excessive natural cold* ranked third for the American Indian population, but not ranked in the top 5 for the other racial/ethnic groups.

*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

Figure 2-6
Average-Annual* Mortality Rates for the Five Leading Causes of
Accidental (unintentional) Injury Among Blacks,
Arizona, 1990-2000




In 1990-2000, the average annual death rate for *accidental poisoning by drugs and medicaments* was substantially higher among Black (9.3/100,000; **Figure 2-6**) compared to Asian (0.4/100,000), American Indian (4.8/100,000), Hispanic (4.5/100,000), and White non-Hispanic (5.1/100,000) residents of Arizona.

*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

ACCIDENTS (UNINTENTIONAL INJURY)

Figure 2-7
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Hispanics, Arizona, 1990-2000


In 1990-2000, *motor vehicle accidents* and *poisoning by drugs* ranked first and second as the top causes of unintentional injury for the Hispanic population. *Falls* ranked third, *drowning and submersion* fourth, and *fire, flames and smoke* ranked fifth for this ethnic group.



*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

Figure 2-8
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among White non-Hispanics, Arizona, 1990-2000


White non-Hispanic residents of the State had the highest average annual rate of deaths from *falls and fall-related injuries* (8.1/100,000, **Figure 2-8**) among the racial/ethnic groups. The high ranking of fall injuries is largely a reflection of the relatively old age distribution of the White non-Hispanic population. Among White non-Hispanics, 17.7 percent were elderly 65 years or older in 2000. Among ethnic minority groups only 4.8 percent were this old.



*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

ACCIDENTS (UNINTENTIONAL INJURY)


Figure 2-9
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Infants, Arizona, 1990-2000



The top five causes of unintentional injury death among infants for 1990-2000 were *mechanical suffocation, motor vehicle accidents, drowning, choking on object other than food, and choking on food* (Figure 2-9).

*Number of deaths from specified cause per 100,000 births per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 birth count (i.e., population at mid-point) multiplied by eleven was used as the denominator.

Figure 2-10
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Children (1-14 Years Old), Arizona, 1990-2000



Among children 1-14 years old, the average annual mortality rate for *motor vehicle crashes* (7.4/100,000) was 2.4 times greater in 1990-2000 than the rate for *drowning* (3.1/100,000). During 1990-2000, *accidental discharge of firearms* posed the same mortality risk as *mechanical suffocation* (0.4/100,000; Figure 2-10).

*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

ACCIDENTS (UNINTENTIONAL INJURY)

Figure 2-11
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Adolescents (15-19 Years Old), Arizona, 1990-2000

The leading cause of unintentional injury death among adolescents 15-19 years old were *motor vehicle accidents* that accounted for 77.7 percent of all accidental fatalities among Arizona adolescents in 1990-2000 (**Figure 2-11, Table 2-11**). The average annual mortality rate of 32.3 deaths per 100,000 adolescents per year was the highest rate among the age groups.






Figure 2-12
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Young Adults (20-44 Years Old), Arizona, 1990-2000

The average annual mortality rate for *accidental poisoning by drugs* among young adults 20-44 years old (**Figure 2-12**) was the highest rate among the age groups. *Accidental overdoses* accounted for more than one-fifth (20.7 percent) of all fatal accidents in this age group during 1990-2000 (**Table 2-12**).



ACCIDENTS (UNINTENTIONAL INJURY)


Figure 2-13
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Middle-Aged Adults (45-64 Years Old), Arizona, 1990-2000



Accident involving small aircraft ranked fifth among the leading causes of unintentional injury death for middle-aged adults 45-64 years old (Figure 2-13), but it was not ranked in the top five for the other age groups.

*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

Figure 2-14
Average-Annual* Mortality Rates for the Five Leading Causes of Accidental (unintentional) Injury Among Elderly (65 Years or Older), Arizona, 1990-2000



During 1990-2000, falls and fall-related injuries were the leading cause of unintentional injury death among elderly 65 years or older (Figure 2-14). Deaths due to exposure to excessive natural heat ranked fifth among the leading causes of accidental death for this age group.

*Number of deaths from specified cause per 100,000 population per year from 1990 to 2000. The rates were computed using an 11-year total number of deaths for 1990-2000. The 1995 population figures (i.e., population at mid-point) multiplied by eleven were used as denominators.

ACCIDENTS (UNINTENTIONAL INJURY)

Figure 2-15
Age-Adjusted Mortality Rates for Accidents (unintentional injuries by County of Residence, Arizona, 2000

In 2000, the age-adjusted mortality rates for all accidents ranged from a low of 16.7/100,000 in Santa Cruz County to a high of 117.5/100,000 in Apache County (Figure 2-15).





Figure 2-16
Age-Adjusted Mortality Rates for Motor Vehicle Accidents by County of Residence, Arizona, 2000

The age-adjusted mortality rates for motor vehicle accidents ranged from a low of 11 deaths per 100,000 residents of Santa Cruz County to a high of 75.9 deaths per 100,000 residents of Apache County (Figure 2-16).



ACCIDENTS (UNINTENTIONAL INJURY) DATA TABLES

2-1	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ARIZONA RESIDENTS, 1990-2000	37
2-2	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG MALES, ARIZONA, 1990-2000	38
2-3	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG FEMALES, ARIZONA, 1990-2000	39
2-4	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG WHITE NON-HISPANIC RESIDENTS OF ARIZONA, 1990-2000	40
2-5	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG HISPANIC RESIDENTS OF ARIZONA, 1990-2000	41
2-6	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG BLACK RESIDENTS OF ARIZONA, 1990-2000	42
2-7	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG AMERICAN INDIAN RESIDENTS OF ARIZONA, 1990-2000	43
2-8	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ASIAN RESIDENTS OF ARIZONA, 1990-2000	44
2-9	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG INFANTS ARIZONA, 1990-2000	45
2-10	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG CHILDREN (1-14 YEARS OLD), ARIZONA, 1990-2000	46
2-11	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ADOLESCENTS (15-19 YEARS OLD), ARIZONA, 1990-2000	47
2-12	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG YOUNG ADULTS (20-44 YEARS OLD), ARIZONA, 1990-2000	48
2-13	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG MIDDLE-AGED ADULTS (45-64 YEARS OLD), ARIZONA, 1990-2000	49
2-14	ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ELDERLY (65 YEARS AND OLDER), ARIZONA, 1990-2000	50

**TABLE 2-1
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ARIZONA RESIDENTS, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	20729	1538	1425	1572	1686	1879	1973	2091	2104	2182	2192	2087
Railway accidents	154	13	10	15	7	18	19	21	18	14	6	13
Motor vehicle accident	10084	866	781	800	817	897	1023	1051	972	1001	980	896
Water transport accident	61	2	4	5	6	9	4	5	7	6	7	6
Accident involving aircraft	241	18	23	30	16	29	19	26	27	17	16	20
Poisoning by drugs/medicaments	2413	81	77	125	153	224	221	268	289	362	383	230
Poisoning by gases and vapors	304	40	28	24	26	22	30	28	27	28	31	20
Falls	3105	177	197	208	248	263	237	286	359	352	404	374
Fire, flames, smoke	482	43	31	38	53	60	45	42	43	36	45	46
Excessive natural heat	321	31	9	9	15	41	49	38	20	51	35	23
Excessive natural cold	188	17	17	24	19	18	9	13	22	19	15	15
Contact with venomous snakes and lizards	4	0	1	1	0	0	0	0	0	0	1	1
Contact with venomous spiders	1	0	0	0	0	0	0	1	0	0	0	0
Contact with scorpions	1	0	0	0	0	0	0	0	0	0	0	1
Contact with hornets, wasps, bees	2	0	0	0	0	0	1	0	1	0	0	0
Bitten or struck by dog	4	0	0	0	0	1	0	1	0	0	1	1
Lightning	31	2	5	5	1	3	3	2	0	3	5	2
Storms and floods	7	1	2	0	1	0	0	0	1	2	0	0
Accidental drowning and submersion	992	82	78	84	99	77	105	95	95	96	87	94
Choked on food	284	20	16	21	17	21	29	27	29	31	38	35
Choked on other objects	308	15	19	38	47	30	20	23	29	31	22	34
Mechanical suffocation	235	18	17	23	21	22	26	17	22	22	28	19
Accidental discharge of firearms	212	18	19	29	33	22	28	12	17	16	7	11
Exposure to electric current	100	9	11	13	6	11	12	11	9	5	6	7
Overexertion	4	0	0	1	0	1	0	1	1	0	0	0
Adverse effects of drugs in therapeutic use	62	2	1	6	9	9	8	9	7	5	3	3
Misadventures to patients during medical/surgical care	207	8	12	10	15	25	20	24	20	13	17	43

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-2
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG MALES, ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	14256	1082	953	1109	1170	1303	1371	1453	1450	1477	1481	1407
Railway accidents	143	13	9	14	6	18	18	17	17	14	5	12
Motor vehicle accident	6908	597	522	558	553	624	698	729	666	664	680	617
Water transport accident	48	1	3	4	6	7	4	2	6	6	5	4
Accident involving aircraft	199	17	15	24	12	24	18	21	20	16	13	19
Poisoning by drugs/medicaments	1927	64	60	97	122	171	181	220	237	287	304	184
Poisoning by gases and vapors	244	34	23	16	23	20	20	24	23	21	27	13
Falls	1606	91	100	115	142	137	122	143	186	168	201	201
Fire, flames, smoke	311	32	18	28	32	43	26	24	30	24	23	31
Excessive natural heat	239	19	4	4	12	33	37	32	15	43	23	17
Excessive natural cold	162	16	14	23	17	14	5	12	20	18	12	11
Contact with venomous snakes and lizards	4	0	1	1	0	0	0	0	0	0	1	1
Contact with venomous spiders	1	0	0	0	0	0	0	1	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	2	0	0	0	0	0	1	0	1	0	0	0
Bitten or struck by dog	2	0	0	0	0	1	0	0	0	0	0	1
Lightning	24	2	3	5	0	3	2	2	0	2	4	1
Storms and floods	5	1	1	0	0	0	0	0	1	2	0	0
Accidental drowning and submersion	750	66	61	61	79	50	86	69	69	76	65	68
Choked on food	182	13	12	14	10	13	18	18	14	24	20	26
Choked on other objects	181	12	13	25	32	17	9	11	15	17	12	18
Mechanical suffocation	178	15	11	18	16	15	20	13	20	14	19	17
Accidental discharge of firearms	192	17	16	28	27	21	27	12	14	14	7	9
Exposure to electric current	90	7	11	10	5	10	12	10	9	4	5	7
Overexertion	3	0	0	1	0	1	0	0	1	0	0	0
Adverse effects of drugs in therapeutic use	33	2	1	4	6	3	4	5	4	1	2	1
Misadventures to patients during medical/surgical care	112	5	4	5	10	15	10	11	14	5	10	23

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-3
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG FEMALES, ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	6473	456	472	463	516	576	602	638	654	705	711	680
Railway accidents	11	0	1	1	1	0	1	4	1	0	1	1
Motor vehicle accident	3176	269	259	242	264	273	325	322	306	337	300	279
Water transport accident	13	1	1	1	0	2	0	3	1	0	2	2
Accident involving aircraft	42	1	8	6	4	5	1	5	7	1	3	1
Poisoning by drugs/medicaments	486	17	17	28	31	53	40	48	52	75	79	46
Poisoning by gases and vapors	60	6	5	8	3	2	10	4	4	7	4	7
Falls	1499	86	97	93	106	126	115	143	173	184	203	173
Fire, flames, smoke	171	11	13	10	21	17	19	18	13	12	22	15
Excessive natural heat	82	12	5	5	3	8	12	6	5	8	12	6
Excessive natural cold	26	1	3	1	2	4	4	1	2	1	3	4
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	1	0	0	0	0	0	0	0	0	0	0	1
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	2	0	0	0	0	0	0	1	0	0	1	0
Lightning	7	0	2	0	1	0	1	0	0	1	1	1
Storms and floods	2	0	1	0	1	0	0	0	0	0	0	0
Accidental drowning and submersion	242	16	17	23	20	27	19	26	26	20	22	26
Choked on food	102	7	4	7	7	8	11	9	15	7	18	9
Choked on other objects	127	3	6	13	15	13	11	12	14	14	10	16
Mechanical suffocation	57	3	6	5	5	7	6	4	2	8	9	2
Accidental discharge of firearms	20	1	3	1	6	1	1	0	3	2	0	2
Exposure to electric current	10	2	0	3	1	1	0	1	0	1	1	0
Overexertion	1	0	0	0	0	0	0	1	0	0	0	0
Adverse effects of drugs in therapeutic use	29	0	0	2	3	6	4	4	3	4	1	2
Misadventures to patients during medical/surgical care	95	3	8	5	5	10	10	13	6	8	7	20

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-4
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG WHITE NON-HISPANIC RESIDENTS OF
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	13193	1012	896	989	1059	1206	1294	1291	1340	1407	1357	1342
Railway accidents	70	9	4	6	2	8	10	10	9	4	3	5
Motor vehicle accident	5718	536	446	476	452	540	613	569	546	564	507	469
Water transport accident	55	2	3	4	5	7	4	5	7	5	7	6
Accident involving aircraft	225	16	23	29	15	27	18	21	24	17	16	19
Poisoning by drugs/medicaments	1640	56	51	84	115	145	156	181	187	248	258	159
Poisoning by gases and vapors	156	25	11	7	16	13	16	16	14	14	11	13
Falls	2593	148	162	168	211	204	195	242	301	307	335	320
Fire, flames, smoke	309	34	25	22	28	32	32	23	31	23	28	31
Excessive natural heat	217	18	8	7	9	29	34	26	11	34	24	17
Excessive natural cold	37	4	3	4	1	6	2	3	2	4	2	6
Contact with venomous snakes and lizards	4	0	1	1	0	0	0	0	0	0	1	1
Contact with venomous spiders	1	0	0	0	0	0	0	1	0	0	0	0
Contact with scorpions	1	0	0	0	0	0	0	0	0	0	0	1
Contact with hornets, wasps, bees	1	0	0	0	0	0	1	0	0	0	0	0
Bitten or struck by dog	2	0	0	0	0	1	0	1	0	0	0	0
Lightning	14	2	2	1	0	2	1	1	0	1	3	1
Storms and floods	4	0	0	0	1	0	0	0	1	2	0	0
Accidental drowning and submersion	605	53	49	50	56	47	63	62	57	61	55	52
Choked on food	183	11	9	12	12	15	20	13	20	22	28	21
Choked on other objects	226	9	14	25	36	21	17	15	24	21	16	28
Mechanical suffocation	140	11	11	17	11	12	18	11	14	9	10	16
Accidental discharge of firearms	111	12	13	12	19	14	15	5	8	6	3	4
Exposure to electric current	69	5	6	8	2	10	10	9	6	2	4	7
Overexertion	1	0	0	1	0	0	0	0	0	0	0	0
Adverse effects of drugs in therapeutic use	51	2	1	6	7	8	7	5	6	4	3	2
Misadventures to patients during medical/surgical care	160	8	10	6	10	16	17	20	16	12	13	32

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-5
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG HISPANIC RESIDENTS OF
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	3713	227	268	263	295	325	344	385	355	399	443	409
Railway accidents	41	2	5	4	2	5	2	5	4	6	2	4
Motor vehicle accident	2097	145	172	147	170	171	197	219	194	207	250	225
Water transport accident	2	0	1	0	1	0	0	0	0	0	0	0
Accident involving aircraft	9	2	0	0	1	1	0	3	1	0	0	1
Poisoning by drugs/medicaments	499	17	17	27	26	42	47	61	61	75	81	45
Poisoning by gases and vapors	40	3	7	3	2	3	4	3	2	3	9	1
Falls	286	11	21	16	22	31	23	24	35	27	38	38
Fire, flames, smoke	71	2	3	7	9	13	3	6	7	6	7	8
Excessive natural heat	54	6	1	2	3	4	9	6	5	13	2	3
Excessive natural cold	9	0	0	0	2	1	0	0	2	1	0	3
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	1	0	0	0	0	0	0	0	0	0	0	1
Lightning	8	0	2	1	1	0	1	0	0	2	0	1
Storms and floods	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	201	13	15	19	17	17	27	21	15	20	16	21
Choked on food	50	4	5	4	2	2	4	8	2	6	6	7
Choked on other objects	22	0	1	5	5	2	1	2	0	2	3	1
Mechanical suffocation	45	1	2	3	5	5	5	1	3	8	11	1
Accidental discharge of firearms	64	4	4	6	9	6	9	7	6	6	2	5
Exposure to electric current	21	3	4	2	3	1	0	2	2	2	2	0
Overexertion	1	0	0	0	0	1	0	0	0	0	0	0
Adverse effects of drugs in therapeutic use	5	0	0	0	2	0	1	0	0	1	0	1
Misadventures to patients during medical/surgical care	28	0	0	3	0	6	0	3	3	1	3	9

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-6
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG BLACK RESIDENTS OF ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	626	45	36	48	51	56	64	56	72	68	64	66
Railway accidents	1	0	0	0	0	0	0	0	0	0	0	1
Motor vehicle accident	281	25	12	22	18	21	37	18	34	37	30	27
Water transport accident	2	0	0	0	0	1	0	0	0	1	0	0
Accident involving aircraft	2	0	0	0	0	1	0	0	1	0	0	0
Poisoning by drugs/medicaments	134	3	6	8	8	14	9	15	19	17	23	12
Poisoning by gases and vapors	9	0	1	3	1	0	0	1	0	2	1	0
Falls	36	7	2	2	2	3	1	3	3	2	4	4
Fire, flames, smoke	23	0	3	0	7	1	3	6	0	1	1	1
Excessive natural heat	16	2	0	0	1	3	4	2	0	2	1	1
Excessive natural cold	4	1	0	0	0	1	0	1	0	1	0	0
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	0	0	0	0	0	0	0	0	0	0	0	0
Lightning	0	0	0	0	0	0	0	0	0	0	0	0
Storms and floods	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	43	2	5	3	4	5	3	4	6	2	3	6
Choked on food	10	1	1	2	2	1	2	1	1	0	0	1
Choked on other objects	7	1	0	0	1	1	0	0	2	0	0	2
Mechanical suffocation	14	0	1	1	4	2	0	2	2	0	1	1
Accidental discharge of firearms	13	1	1	6	2	0	0	0	1	1	0	1
Exposure to electric current	4	1	1	0	0	0	1	0	1	0	0	0
Overexertion	1	0	0	0	0	0	0	0	1	0	0	0
Adverse effects of drugs in therapeutic use	3	0	0	0	0	1	0	2	0	0	0	0
Misadventures to patients during medical/surgical care	6	0	1	0	0	1	2	1	0	0	0	1

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-7
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG AMERICAN INDIAN RESIDENTS OF
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	2964	241	218	255	269	273	251	335	315	283	281	243
Railway accidents	40	2	1	5	3	5	7	5	5	4	1	2
Motor vehicle accident	1859	152	148	142	171	154	162	232	188	180	170	160
Water transport accident	2	0	0	1	0	1	0	0	0	0	0	0
Accident involving aircraft	3	0	0	1	0	0	0	1	1	0	0	0
Poisoning by drugs/medicaments	121	5	3	6	4	23	8	8	17	19	16	12
Poisoning by gases and vapors	95	12	8	11	7	6	10	7	11	9	9	5
Falls	168	10	11	19	10	22	17	16	19	13	20	11
Fire, flames, smoke	76	6	0	9	9	13	7	7	4	6	9	6
Excessive natural heat	29	5	0	0	2	4	1	4	4	2	5	2
Excessive natural cold	131	10	14	20	16	9	7	9	17	13	11	5
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	1	0	0	0	0	0	0	0	1	0	0	0
Bitten or struck by dog	1	0	0	0	0	0	0	0	0	0	1	0
Lightning	8	0	1	3	0	0	1	1	0	0	2	0
Storms and floods	3	1	2	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	128	13	8	11	20	8	10	7	16	10	12	13
Choked on food	38	4	1	3	3	3	3	5	5	2	3	6
Choked on other objects	52	5	4	8	5	6	2	6	3	8	3	2
Mechanical suffocation	33	6	3	2	1	3	3	2	3	4	5	1
Accidental discharge of firearms	20	1	0	5	1	2	4	0	2	3	1	1
Exposure to electric current	5	0	0	3	0	0	1	0	0	1	0	0
Overexertion	1	0	0	0	0	0	0	1	0	0	0	0
Adverse effects of drugs in therapeutic use	2	0	0	0	0	0	0	2	0	0	0	0
Misadventures to patients during medical/surgical care	12	0	1	1	5	1	1	0	1	0	1	1

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-8
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ASIAN RESIDENTS OF
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	165	10	7	16	11	15	16	16	14	19	22	19
Railway accidents	0	0	0	0	0	0	0	0	0	0	0	0
Motor vehicle accident	110	7	3	13	6	8	12	12	8	12	16	13
Water transport accident	0	0	0	0	0	0	0	0	0	0	0	0
Accident involving aircraft	1	0	0	0	0	0	0	1	0	0	0	0
Poisoning by drugs/medicaments	3	0	0	0	0	0	0	0	1	1	1	0
Poisoning by gases and vapors	3	0	1	0	0	0	0	0	0	0	1	1
Falls	16	1	1	3	0	3	1	1	1	2	2	1
Fire, flames, smoke	3	1	0	0	0	1	0	0	1	0	0	0
Excessive natural heat	1	0	0	0	0	0	1	0	0	0	0	0
Excessive natural cold	1	0	0	0	0	1	0	0	0	0	0	0
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	0	0	0	0	0	0	0	0	0	0	0	0
Lightning	1	0	0	0	0	1	0	0	0	0	0	0
Storms and floods	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	11	1	1	0	2	0	2	1	0	3	0	1
Choked on food	1	0	0	0	0	0	0	0	1	0	0	0
Choked on other objects	0	0	0	0	0	0	0	0	0	0	0	0
Mechanical suffocation	3	0	0	0	0	0	0	1	0	1	1	0
Accidental discharge of firearms	4	0	1	0	2	0	0	0	0	0	1	0
Exposure to electric current	1	0	0	0	1	0	0	0	0	0	0	0
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0
Adverse effects of drugs in therapeutic use	1	0	0	0	0	0	0	0	1	0	0	0
Misadventures to patients during medical/surgical care	1	0	0	0	0	1	0	0	0	0	0	0

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-9
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG INFANTS ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	232	24	23	25	18	32	14	23	18	14	26	15
Railway accidents	0	0	0	0	0	0	0	0	0	0	0	0
Motor vehicle accident	60	6	5	6	5	4	6	7	3	5	7	6
Water transport accident	1	0	0	0	0	0	0	0	0	0	1	0
Accident involving aircraft	0	0	0	0	0	0	0	0	0	0	0	0
Poisoning by drugs/medicaments	1	0	0	0	0	0	0	0	0	0	0	1
Poisoning by gases and vapors	0	0	0	0	0	0	0	0	0	0	0	0
Falls	6	0	0	1	1	1	0	1	1	0	0	1
Fire, flames, smoke	7	1	0	0	1	2	0	1	0	0	2	0
Excessive natural heat	1	0	0	0	0	1	0	0	0	0	0	0
Excessive natural cold	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	1	0	0	0	0	0	0	1	0	0	0	0
Lightning	1	0	1	0	0	0	0	0	0	0	0	0
Storms and floods	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	32	4	6	5	1	4	3	3	1	1	1	3
Choked on food	10	5	1	1	1	1	1	1	0	0	0	0
Choked on other objects	11	3	1	1	1	2	0	0	4	0	0	0
Mechanical suffocation	88	3	7	10	7	14	4	8	8	8	15	4
Accidental discharge of firearms	0	0	0	0	0	0	0	0	0	0	0	0
Exposure to electric current	2	1	0	1	0	0	0	0	0	0	0	0
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0
Adverse effects of drugs in therapeutic use	0	0	0	0	0	0	0	0	0	0	0	0
Misadventures to patients during medical/surgical care	7	0	0	1	1	3	0	1	1	0	0	0

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-10
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG CHILDREN (1-14 YEARS OLD),
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	1421	115	124	125	144	127	161	140	145	125	99	116
Railway accidents	6	0	2	0	0	1	0	1	1	0	0	1
Motor vehicle accident	757	72	65	67	67	57	81	82	81	64	59	62
Water transport accident	8	0	0	0	1	1	1	1	1	1	1	1
Accident involving aircraft	5	0	3	1	0	0	0	1	0	0	0	0
Poisoning by drugs/medicaments	7	1	0	0	2	0	1	0	2	0	1	0
Poisoning by gases and vapors	15	1	1	1	3	0	0	1	4	0	2	2
Falls	18	2	2	3	4	2	2	0	2	1	0	0
Fire, flames, smoke	89	4	2	9	9	23	14	8	1	7	8	4
Excessive natural heat	6	0	0	0	2	0	0	1	1	1	0	1
Excessive natural cold	3	0	0	0	0	0	0	2	0	0	0	1
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	0	0	0	0	0	0	0	0	0	0	0	0
Lightning	0	0	0	0	0	0	0	0	0	0	0	0
Storms and floods	2	0	1	0	0	0	0	0	0	1	0	0
Accidental drowning and submersion	314	20	30	21	31	28	39	28	32	33	22	30
Choked on food	20	0	3	1	1	2	3	4	0	3	1	2
Choked on other objects	17	1	2	1	3	2	1	1	0	3	3	0
Mechanical suffocation	36	6	3	4	4	0	6	1	6	4	0	2
Accidental discharge of firearms	42	2	4	6	9	5	6	2	4	3	0	1
Exposure to electric current	6	0	0	2	0	0	0	0	2	0	1	1
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0
Adverse effects of drugs in therapeutic use	0	0	0	0	0	0	0	0	0	0	0	0
Misadventures to patients during medical/surgical care	3	0	0	1	0	0	0	0	1	0	0	1

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-11
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ADOLESCENTS (15-19 YEARS OLD),
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	1366	124	108	107	125	115	147	142	113	131	122	132
Railway accidents	9	2	0	1	1	1	0	1	2	0	1	0
Motor vehicle accident	1061	92	83	73	98	94	114	114	86	106	100	101
Water transport accident	8	0	0	2	0	3	0	1	2	0	0	0
Accident involving aircraft	7	0	3	0	0	0	0	0	2	2	0	0
Poisoning by drugs/medicaments	39	2	3	3	1	3	5	3	6	5	5	3
Poisoning by gases and vapors	25	3	4	1	3	0	4	1	3	1	4	1
Falls	21	2	3	0	2	2	2	4	1	1	1	3
Fire, flames, smoke	10	0	1	1	1	1	2	1	2	0	1	0
Excessive natural heat	6	0	1	1	0	0	1	0	0	3	0	0
Excessive natural cold	6	2	0	0	1	2	0	0	0	0	0	1
Contact with venomous snakes and lizards	0	0	0	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	0	0	0	0	0	0	0	0	0	0	0	0
Lightning	4	0	1	1	0	0	0	1	0	0	0	1
Storms and floods	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	67	7	2	11	5	5	8	7	9	4	2	7
Choked on food	3	0	0	0	0	0	0	0	0	1	1	1
Choked on other objects	4	0	0	1	1	0	1	0	0	0	1	0
Mechanical suffocation	11	2	1	0	0	1	2	0	0	2	3	0
Accidental discharge of firearms	45	7	5	8	10	2	4	4	2	2	0	1
Exposure to electric current	4	0	0	1	0	1	1	1	0	0	0	0
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0
Adverse effects of drugs in therapeutic use	0	0	0	0	0	0	0	0	0	0	0	0
Misadventures to patients during medical/surgical care	1	0	1	0	0	0	0	0	0	0	0	0

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-12
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG YOUNG ADULTS (20-44 YEARS OLD),
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	8524	661	585	653	693	811	877	898	874	908	858	706
Railway accidents	106	10	7	8	5	13	16	15	12	9	1	10
Motor vehicle accident	4773	412	383	385	391	435	491	503	472	478	439	384
Water transport accident	28	1	3	3	2	3	2	2	3	2	4	3
Accident involving aircraft	115	9	11	16	11	12	8	15	11	4	8	10
Poisoning by drugs/medicaments	1766	61	65	100	118	179	171	204	205	259	269	135
Poisoning by gases and vapors	151	27	15	13	12	13	13	14	11	15	11	7
Falls	244	20	14	17	19	27	27	27	26	21	27	19
Fire, flames, smoke	139	17	9	13	14	14	9	8	20	10	11	14
Excessive natural heat	76	9	0	2	2	8	15	6	7	15	6	6
Excessive natural cold	68	6	5	13	7	5	4	3	10	7	6	2
Contact with venomous snakes and lizards	1	0	0	0	0	0	0	0	0	0	1	0
Contact with venomous spiders	1	0	0	0	0	0	0	1	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	1	0	0	0	0	1	0	0	0	0	0	0
Lightning	15	2	2	2	1	2	1	1	0	2	2	0
Storms and floods	4	1	0	0	1	0	0	0	1	1	0	0
Accidental drowning and submersion	327	33	23	27	38	23	39	31	32	28	27	26
Choked on food	51	3	3	4	1	7	7	5	7	5	5	4
Choked on other objects	41	2	4	6	5	5	2	3	7	3	2	2
Mechanical suffocation	61	6	4	5	7	4	7	4	6	3	8	7
Accidental discharge of firearms	102	8	7	12	13	10	18	6	6	10	7	5
Exposure to electric current	59	7	7	6	3	9	6	7	2	4	4	4
Overexertion	3	0	0	1	0	1	0	0	1	0	0	0
Adverse effects of drugs in therapeutic use	8	0	0	0	2	1	1	2	0	1	1	0
Misadventures to patients during medical/surgical care	24	0	0	1	3	8	3	3	3	3	0	0

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-13
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG MIDDLE-AGED ADULTS (45-64 YEARS OLD),
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	3706	264	225	239	266	327	319	348	380	412	469	457
Railway accidents	18	1	1	5	1	3	1	1	2	2	1	0
Motor vehicle accident	1803	160	130	120	126	158	167	179	168	185	214	196
Water transport accident	14	0	1	0	3	2	0	1	1	3	1	2
Accident involving aircraft	94	8	5	12	5	13	9	6	14	8	6	8
Poisoning by drugs/medicaments	534	13	7	14	30	36	39	53	70	93	101	78
Poisoning by gases and vapors	88	6	6	6	8	6	9	8	9	10	14	6
Falls	311	19	19	22	22	28	25	22	38	31	39	46
Fire, flames, smoke	91	8	6	7	8	9	10	8	8	7	10	10
Excessive natural heat	90	9	3	2	7	13	11	12	4	15	9	5
Excessive natural cold	52	3	6	6	3	9	1	4	6	5	4	5
Contact with venomous snakes and lizards	2	0	0	1	0	0	0	0	0	0	0	1
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	1	0	0	0	0	0	0	0	0	0	0	1
Contact with hornets, wasps, bees	0	0	0	0	0	0	0	0	0	0	0	0
Bitten or struck by dog	2	0	0	0	0	0	0	0	0	0	1	1
Lightning	9	0	0	2	0	1	2	0	0	1	3	0
Storms and floods	1	0	1	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	128	8	8	8	14	8	10	9	9	16	24	14
Choked on food	72	4	3	5	6	5	7	3	6	9	14	10
Choked on other objects	44	0	0	6	9	4	4	6	4	6	2	3
Mechanical suffocation	16	0	0	2	1	0	2	3	1	3	1	3
Accidental discharge of firearms	16	1	3	0	1	4	0	0	4	1	0	2
Exposure to electric current	21	1	3	2	3	0	3	2	4	0	1	2
Overexertion	0	0	0	0	0	0	0	0	0	0	0	0
Adverse effects of drugs in therapeutic use	19	1	1	3	2	3	2	3	2	1	1	0
Misadventures to patients during medical/surgical care	47	5	3	1	5	4	4	4	4	2	4	11

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.

**TABLE 2-14
ACCIDENTAL (UNINTENTIONAL INJURY) DEATHS BY YEAR AMONG ELDERLY (65 YEARS AND OLDER),
ARIZONA, 1990-2000**

	Total, 1990-2000	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Total accidents	5389	346	358	417	438	464	451	523	560	577	603	652
Railway accidents	5	0	0	0	0	0	1	1	0	1	1	1
Motor vehicle accident	1604	123	114	147	130	147	162	162	159	157	156	147
Water transport accident	2	1	0	0	0	0	1	0	0	0	0	0
Accident involving aircraft	20	1	1	1	0	4	2	4	0	3	2	2
Poisoning by drugs/medicaments	53	4	2	8	1	6	5	4	2	4	5	12
Poisoning by gases and vapors	24	3	2	3	0	3	4	3	0	2	0	4
Falls	2504	134	159	165	200	203	181	232	291	297	337	305
Fire, flames, smoke	146	13	13	8	20	11	10	16	12	12	13	18
Excessive natural heat	129	13	5	4	4	18	21	17	7	14	16	10
Excessive natural cold	50	3	6	5	7	2	4	3	4	7	4	5
Contact with venomous snakes and lizards	1	0	1	0	0	0	0	0	0	0	0	0
Contact with venomous spiders	0	0	0	0	0	0	0	0	0	0	0	0
Contact with scorpions	0	0	0	0	0	0	0	0	0	0	0	0
Contact with hornets, wasps, bees	2	0	0	0	0	0	1	0	1	0	0	0
Bitten or struck by dog	0	0	0	0	0	0	0	0	0	0	0	0
Lightning	2	0	1	0	0	0	0	0	0	0	0	1
Storms and floods	0	0	0	0	0	0	0	0	0	0	0	0
Accidental drowning and submersion	114	10	8	10	10	9	6	16	9	13	11	12
Choked on food	128	8	6	10	9	6	11	14	16	13	17	18
Choked on other objects	190	9	12	23	28	17	12	13	14	19	14	29
Mechanical suffocation	23	1	2	2	2	3	5	1	1	2	1	3
Accidental discharge of firearms	7	0	0	3	0	1	0	0	1	0	0	2
Exposure to electric current	8	0	1	1	0	1	2	1	1	1	0	0
Overexertion	1	0	0	0	0	0	0	1	0	0	0	0
Adverse effects of drugs in therapeutic use	35	1	0	3	5	5	5	4	5	3	1	3
Misadventures to patients during medical/surgical care	125	3	8	6	6	10	13	16	11	8	13	31

Note: The cause-of-death titles are according to the Tenth Revision of the International Classification of Diseases (ICD-10). The causes of death for 2000 are classified by ICD-10, replacing the Ninth Revision (ICD-9) used during 1979-1999.