

**TABLE 3-14  
SUICIDE MORTALITY BY MEANS OF INJURY AND AGE GROUP, ARIZONA RESIDENTS, 2016**

	Total	<15	15-19	20-24	25-34	35-44	45-54	55-64	65+
<b>Poisoning by drugs, medicaments and biological substances (X60 - X64)</b>	130†	0	*	*	14	22	33	34	24
<b>Poisoning by gases or vapors (X66 and X67)</b>	40†	0	0	*	*	*	8	10	11
<b>Hanging, strangulation or suffocation (X70)</b>	275	9	24	31	68	56	44	28	15
<b>Drowning and submersion (X71)</b>	0†	0	0	0	*	0	0	0	*
<b>Firearm discharge (X72-X7) or explosives (X75)</b>	747	0	24	48	104	81	127	133	230
<b>Sharp or blunt object (X78 and X79)</b>	10†	0	0	*	*	0	*	*	*
<b>Other specified (X83) or unspecified means (X84)</b>	50†	0	6	9	8	*	11	*	*
<b>Other</b>	10†	0	0	*	*	0	0	*	*
<b>Total</b>	1,260†	9	60†	100†	200†	160†	230†	220†	290†

Notes: \* Cell suppressed due to non-zero count less than 6; † Sum rounded to nearest tens unit due to non-zero addend less than 6.